

4931 N Manufacturing Way, Coeur d'Alene, ID 83815

**21st@wheelchairs.com
www.wheelchairs.com**

FAX, PHONE IN OR MAIL COMPLETED FORM TO 21st Century SCIENTIFIC Inc.

This is an order! Our PO No: _____ **This is a Quotation Request Only**

Ship To:	Bill To:
Company: _____	Company: _____
Address: _____	Address: _____
City: _____ State: _____ Zip: _____	City: _____ State: _____ Zip: _____
Attention: _____	Attention: _____
Phone: _____ FAX: _____	Phone: _____ FAX: _____

BOUNDER H-FRAME POWER WHEELCHAIR

User Data:

Name: _____ Ht: ___' ___" Wt: _____ lb. D.O.B.: _____ Disability: _____

Driving Skills: good fair poor **Eye-To-Hand Coordination:** good fair poor

Judgment: good fair poor **Equipment Usage:** light typical heavy abusive

Aggressiveness: timid typical hot rodder **Must Operate:** on thick carpets in rain and/or snow on steep hills

Previous Chair Make & Model: _____

Other Information: _____

New Chair Data:

Seat Width...: _____" **Seat Depth.....:** _____" **Seat Height.....:** _____"

Back Height: _____" **Max Overall Width:** _____" **Max Overall Length:** _____"

Desired Top Speed Of New Chair (1-6.0 MPH) _____ **Power Seating Needed:** Recline Tilt Elevate Other

Other Notes: _____

INSTRUCTIONS FOR FILLING OUT THIS FORM:
Thank you for choosing 21st Century SCIENTIFIC, Inc. Since our products tend to be custom, this order/quote form is very detailed. As you complete this form, you will be specifying each parameter of the equipment to be ordered. Accordingly, be patient and review each section carefully. No charge and standard items are usually located near the top of each section, but not always. Check the standard items as well as the custom options in each section to make sure you have not missed anything. You may email this form to us at 21st@wheelchairs.com for review. A detailed written quote will be emailed back to you. If you need assistance filling out this form (or simply prefer us to do it for you), contact our sales department at (800) 448-3680. There is no charge for our assistance and written quotations.

HCPCS codes are not intended to be, nor should they be considered, legal or billing advice. Use of the codes does not ensure coverage or payment for the item. Always verify coverage information with the pay source, attorney or other consultant as needed.

This Form Was Completed By: _____ **Date:** _____ **Phone:** _____ **FAX:** _____

BOUNDER H-FRAME POWER WHEELCHAIR

STANDARD FEATURES

- Independent drive wheel suspension
 - For users up to 300 lbs (or who are tough on equipment)
- 16" to 24" seat widths in 1" increments (12" to 15" available at extra cost)
- Durable H-style TIG welded frame using 2.5"x1.5"x0.125" wall steel
 - 6.0 MPH top speed
- Super Torque 4 Motors & Brakes (ST4M&B)
 - Non-slip #35 chain drive
 - Sliding dual group 24 battery box
 - 4 button LED hand control
- Smart brake release switch (for easy attendant pushing)
 - Heavy duty 12 position adjustable suspension forks
- Xtra Duty caster barrels and suspension forks (1" fork stems & bearings ID's)
 - 9"x3.50" aluminum caster wheels
 - 12.75" x 4.00" steel/aluminum drive wheels
- Pneumatic or foam filled caster tires and drive wheel tires
 - Black or grey tires
 - 0.120" wall seat rails and back posts
 - Black powder coated frame
- Sheet Metal Seat Pan • 70 deg swing away footrests
- Quick adjust clutches (combination belt tensioner and belt release mechanism)
 - Articulating Arms w/ standard armrest pads
 - Anti-tipping wheelie wheels
 - Fully automatic 8A charger
 - Push button seat positioning strap
- Detailed Owner's Manual • Easy to service and maintain

REQUIRED OPTIONS

- 2 or more power seating systems
- Expandable Dynamic Controls DX2 electronics w/ 5 drive profiles

POPULAR OPTIONS

- High Volume Low Pressure Off-Road package
- Front Rigging (footrests or legrests, each with many options)
 - Center Mount Footboard • Arm options • Headrests
 - 8"x2" front caster wheels
- Power seating systems: recline, tilt, anterior tilt, seat elevator, power front load
 - 2 or more power seating systems combined on same chair
 - Dual independent power elevating legrests (DIPLR)
 - Power elevating, articulating center mount footboard
 - 7 button LED hand control w/ light control
 - 7 button hand control w/ color display & light control
 - Joystick control of power seating
 - Programmer for electronics • Colored (non-black) frame
 - Specialty controls (sip & puff, switch controls, head arrays, etc.)
 - Frame reinforcements • Custom seat depth, seat height, back height, etc.
 - Seating & positioning options
 - Hand / chin control customizations & mounting options (many to choose from)
 - Extended range LFP battery (contact factory) • Built in taillights
 - LED Lighting package (it's 24V and bright!) • Electric horn (it's LOUD)
 - Electric leg bag emptier (for unattended leg bag draining) • Positioning straps
 - Extended 2 or 3 year warranty
- 1 year warranty on entire chair
- 3 year warranty on Super Torque 3 & 4 Motor & Brake drive trains**
- 5 year H-Frame base warranty • 2 year H-Frame seat warranty

WARRANTY*

- * Limited warranties – some restrictions apply. See complete warranty for more information
- ** Includes motors, brakes, drive wheels, drive wheel sprockets (drive belts, tires, inner tubes, flat-free inserts, motor sprockets & bearings not included)

DRIVE TRAIN CONFIGURATION NOTES:

- 1) The chain drive systems supplied with BOUNDER H-Frame chairs do not slip in the rain or snow.
- 2) The chain drive systems supplied with BOUNDER H-Frame chairs are quiet but can be heard over the motors, and a slight vibration can be felt.
- 3) Top speeds above are estimated. Depending on configuration, your chair may be faster or slower. Specifically, foam filled tires reduce the chair speed by about 10%. Increased patient weight, power seating systems and poor battery condition also reduce the chair's top speed.

\\Swork2014\drive d - data\Data\Sales & Marketing\Marketing\Price List\17th Edition Price List\Price List Cover Sheets & FSS Price List\PL17 BH Cover 2018-06-01.doc

BOUNDER H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
BASIC MODELS			
BOUNDER			
* BH 300M PWB	___ B012C	Bounder 300M H-frame Power Base only w/o electronics (K0861)	\$8,995.00
CONSTRUCTION OPTIONS			
BASE WIDTH			
* STD BASE WIDTH	___ B151	Standard base width (overall width: see notes)	Standard
BASE LENGTH			
* SHORT BASE	___ B202	Short H-Frame power base	Standard
* LONG BASE	___ B203	Long H-Frame power base	\$380.00
SUSPENSION			
* IDWS NC	___ B209N	Independent drive wheel suspension, no charge	Standard
* YELLOW IDWS SPRING	___ B209D	Yellow IDWS springs (for users up to 250 lbs)	No Charge
* BLACK IDWS SPRING	___ B209F	Black IDWS springs (for users 251 lbs and greater)	No Charge
SPECIAL PURPOSE			
* HVLP OR	___ B210A	High Volume, Low Pressure Off-Road package	\$1,495.00
21st POWER SEATING SYSTEMS (2 ore more REQUIRED)			
(many systems can be combined, contact factory for available combinations)			
* PRS 80	___ B301A	80 degree power recline system (E1003)	\$5,750.00
* PRS 40	___ B301B	40 degree power recline system (E1003)	\$5,750.00
* SBPRS 70	___ B303A	70 degree sliding back power recline system (E1004)	\$6,900.00
* SBPRS 40	___ B303B	40 degree sliding back power recline system (E1004)	\$6,900.00
* PTS 50	___ B305A	50 degree power tilt system (E1002)	\$5,750.00
* PTS 30	___ B305B	30 degree power tilt system (E1002)	\$5,750.00
PTS 50 HOR	___ B305E	50 degree power tilt system w/ horizontal tilt actuator (E1002)	\$6,750.00
PTS 30 HOR	___ B305F	30 degree power tilt system w/ horizontal tilt actuator (E1002)	\$6,750.00
PTS 50 SS	___ B305K	50 degree power tilt system, sliding seat	\$5,750.00
* APTS 30	___ B306A	30 degree anterior (reverse) power tilt system	\$5,750.00
* PSE2 13	___ B308A	Power seat elevator 2 (13" vert rise)(E2300)	\$5,980.00
* PSE2 8	___ B308B	Power seat elevator 2 (8" vert rise)(E2300)	\$5,980.00
* PFLS	___ B310	Power front load (latitude) system	\$9,775.00
SBPRS 70 PTS 50	___ B324	70 deg mechanical sliding back power recline and 50 deg power tilt (E1007)	\$9,995.00
POWER SEATING OPTIONS, HEAVY DUTY UPGRADES & LOCKOUTS			
* PTS LO	___ B371	Power tilt drive lockout	\$285.00
* PSE2 LO	___ B373	Power seat elevator drive lockout	\$285.00
* PFLS LO	___ B375	Power Front Load system drive lockout	No Charge
* PTS PSE2 2SC LO	___ B377A	Power tilt/elevate combi drive/actuator lockout	\$790.00
* PFLS PTS PSE2 3SC LO	___ B377B	Power front load/tilt/elevate combi drive/actuator lockout	\$980.00
DX PSS BOOST NC	___ B379N	Power seating system booster for DX electronics, no charge	No Charge
PSS JOYSWITCH	___ B380	Joystick 4-way power seating system control	\$1,897.00

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
CAPTAIN'S (VAN STYLE) SEATS			
* RECARO ES	___ B392	Recaro ES power seating system (incl Ergomed ES seat & 24-12V converter)	Call Factory
BASE COLOR			
BLACK	___ B4001	Standard black powder coat	Standard
RED	___ B4002	Red powder coat	\$125.00
BLUE	___ B4003	Blue powder coat	\$125.00
DARK GREEN	___ B4004	Dark green powder coat	\$125.00
YELLOW	___ B4005	Yellow powder coat	\$125.00
LIGHT GRAY	___ B4006	Light gray powder coat	\$125.00
WHITE	___ B4007	White powder coat	\$125.00
TEAL	___ B4008	Teal powder coat	\$125.00
LAVENDER	___ B4009	Lavender powder coat	\$125.00
PINK	___ B4010	Pink powder coat	\$125.00
* CUS PC	___ B4021	Custom powder coat color	\$442.00
* NON-BLACK SAF	___ B4046	Paint seat, arms and front rigging same color as rest of chair or gurney	\$380.00
WD CAMO B	___ B4051	Camouflage water dip finish on base only	Call Factory
WD CAMO BA	___ B4052	Camouflage water dip finish on base and arms	Call Factory
FRAME REINFORCEMENTS			
* SBP	___ B4109	Solid backposts	\$980.00
* CBPT	___ B4113	Cross strut between backpost handle tips	\$170.00
REAR WHEEL OFFSET (RWO)			
* STD RWO	___ B4301	Standard rear wheel offset	Standard
* CRWO	___ B4302	Custom rear wheel offset	\$632.00
SEAT DEPTH			
BHF STD SD	___ B4421N	Bounder H-frame standard seat depth (16"-22")(specify depth: _____)	Standard
HF CUS SD	___ B4426	H-Frame custom seat depth (24" & deeper; specify depth: _____)	\$1,380.00
* HF SHORT SD	___ B4427	Short seat depth (short base only) ___ 12" ___ 13" ___ 14" ___ 15"	\$575.00
SEAT WIDTH			
BHF STD SW	___ B4521	Standard Bounder HF seat width (16"-24") (specify width: _____)	Standard
* HF NAR SW	___ B4523	Narrow BOUNDER HF seat width ___ 12" ___ 13" ___ 14" ___ 15"	\$575.00
* SEAT HEIGHT			
BHF STD SH	___ B4601M	Bounder H-frame standard seat height ___ 19" ___ 20" ___ 21"	Standard
* HF RECARO SH	___ B4602H	Standard H-Frame Recaro 24" or 26" seat height	No Charge
* CAPT SH	___ B4606	Standard 22" or 24" captain's seat height	No Charge
HF HIGH SH	___ B4615	High seat height ___ 22" ___ 23" ___ 24" ___ 25"	\$575.00
* HF LOW SH	___ B4616	Low seat height (K0108) ___ 19" ___ 20"	\$575.00
TILT/RECLINE BACKPOST STYLE & HEIGHT			
STD PSS BH	___ B4715	Standard tilt and/or recline back post height ___ 18" ___ 20" ___ 22" ___ 24"	Standard
* CTRBH	___ B4716	Custom tilt, recline or standing system backpost height (specify height: _____)	\$380.00
* CTRSBA	___ B4717	Custom tilt and/or recline system seat-to-back angle (specify angle: _____)	\$250.00
TILT REC AAB	___ B4720	Adjustable Angle Back for tilt (20 degrees of	\$575.00

BOUNDER H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
		adjustment)	
HEADRESTS			
* PHR	___B4801	Power headrest	\$3,162.00
ACPHR MB&H	___B4802D	Adjustable center post headrest mounting bracket and hardware (less pad)(E1028)	\$258.00
ACPHR PAD	___B4802E	Curved foam pad for adjustable center post headrest (E0955)	\$225.00
* CSHR	___B4804	Custom size or style headrest for ACPHR or RHR	Call Factory
* FRONT RIGGING			
FR70 NC	___B5001N	70 deg swingaway footrests	Standard
* FR60	___B5002	60 deg swingaway footrests	\$290.00
* FR55	___B5003	55 deg swingaway footrests	\$443.00
FR80	___B5003E	80 deg swingaway footrests	\$443.00
* FR90	___B5004	90 deg swingaway footrests	\$443.00
* LRL	___B5005	Low profile elevating legrests (E0990)	\$443.00
* LRH	___B5007	High profile (gooseneck) elevating legrests (E0990)	\$443.00
* LRH90	___B50079	90 degree high profile elevating legrests	\$575.00
* DIPLR	___B5008	Dual indep pwr elev legrest mechanisms (actuators, sw box, legrests) (E1010)	\$2,760.00
* DIPLR HD	___B5009	Heavy duty dual indep power elev legrests (actuators, sw box, legrests w/ RLR)	\$3,220.00
ELR PRM	___B5010	Elevating legrest push rod mechanism (links legrests to recline)	\$822.00
* RFR	___B5014	Reinforced footrests (footrests not included)	\$460.00
* RLR	___B5016	Reinforced elevating legrests (LRL or LRH not included)	\$575.00
* OFFSET FR	___B5018	Offset front rigging (specify offset)	\$380.00
* TAPER FR	___B5019	Tapered front rigging (specify taper)	\$506.00
CP ON FR	___B5020	Install calf pads on footrests	\$253.00
* QRL	___B5023	Quad release levers	\$89.00
CUS SFP FLIP UP	___B5030	Custom flip up steel footplates (specify size)(order heel loops separately)	\$322.00
* CUS CM FB	___B5035	Custom center mount, angle adjustable footboard	Call Factory
CUS PEACM FB	___B5036E	Custom power elevating, articulating center mount footboard	Call Factory
* FPHL	___B5041	Heel loops	\$51.00
* FPAS	___B5042	Ankle straps	\$89.00
* FPTL	___B5043	Pair of toe loops	\$89.00
SLS	___B5044	Single leg (calf) strap, black w/ velcro	\$51.00
HLS	___B5045	H-type leg (calf) strap, black w/ velcro	\$76.00
STD CALF PADS	___B5046	Std calf pads (Nauyahyde only) (only w/ LRL, LRH, CP ON FR or CUS PEACM FB)	No Charge
* CALF FLAT	___B5047	Flat calf pads	\$152.00
CALF TROUGH	___B5048	Trough calf pads	\$222.00
CALF CUSTOM	___B5049	Custom calf pads	Call Factory
RCPM	___B5050	Recessed calf pad mounts (specify 1" or 2")	\$253.00
CCPM	___B5051	Custom calf pad mounts	Call Factory
FPRB2	___B5053	Roller wheel bumpers (2.5" dia wheels mounted under footplates)	\$95.00
RFPE	___B5062	Reduced footplate extension and adjustment range	\$460.00
AAFP	___B5072	Angle adjustable front rigging extensions	\$270.00
CFR	___B5081	Custom front rigging	Call Factory
NFR	___B5092	No front rigging	No Charge
ARMS			
DLADA	___B5103	Desk length adjustable detachable dual post arms (E0973)	\$265.00
FLADA	___B5105	Full length adjustable detachable dual post arms (E0973)	\$265.00

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
FLIP UP ARMS	___B5107	Add flip up to DLDA, FLDA, DLADA or FLADA	\$380.00
DL ART ARM ST	___B5109S	Desk length articulating arms, standard	Standard
FL ART ARM NC	___B5109N	Full length articulating arms N/C	No Charge
* DL SL ARM	___B5110	Desk length sliding arms	\$570.00
* FL SL ARM	___B5111	Full length sliding arms	\$570.00
* DL SS ADJ ARM	___B5112	Desk length self-supporting adj arms	\$630.00
* DL SS ART ARM	___B5112R	Desk length self-supporting adj articulating arms	\$690.00
* FL SS ADJ ARM	___B5113	Full length self-supporting adj arms	\$630.00
* FL SS ART ARM	___B5113R	Full length self-supporting adj articulating arms	\$690.00
SW MOUNT BAR	___B5115A	Switch mount bar	\$75.00
* RAT	___B5131	Reinforced arm tips	\$125.00
CAH	___B5132	Custom arm height	\$460.00
* CAD	___B5133	Custom arm depth	\$172.50
* CARMS	___B5134	Custom arms	Call Factory
ARMREST PADS			
* STD ARMREST PADS	___B5141	Std upholstered armrest pads	Standard
* WATERFALL ARP	___B5142	Waterfall armrest pads	\$95.00
* TROUGH ARP	___B5143	Trough armrest pads	\$278.00
* FLAT ARP	___B5144	3.5" wide flat armrest pads	\$176.00
* NARROW FLAT ARP	___B5145	2" wide narrow flat armrest pads	\$125.00
CARP	___B5146	Custom armrest pads	Call Factory
WHEELCHAIR SEATS & SEAT CUSHIONS			
SMP SEAT	___B5205	Flat powder coated sheet metal pan seat	Standard
* HF SD SEAT UPH	___B5206	H-Frame super duty screw-on sling seat upholstery	\$632.00
* SMP DROP SEAT	___B5233	Flat powder coated drop sheet metal seat (specify 1" or 2" drop)	\$885.00
* SMP SEAT CUSHION	___B5242	Upholstered foam seat cushion (up to 3"; specify thickness: _____)	\$253.00
* SPEC SEAT FOAM	___B5262A	Special seat foam (Pudgee, Sunmate, etc.)(each 1/2" thickness)	Call Factory
CSSC	___B5263	Custom seat or seat cushion	Call Factory
* CC M2-SA SEAT CUSH	___B5270C	Comfort Company M2 positioning gel seat cushion, up to 21" wide (E2607)	\$390.00
* CC M2-SA SEAT CUSH	___B5270D	Comfort Company M2 positioning gel seat cushion, 22" or 24" wide (E2608)	\$430.00
* CC AJX-S SEAT CUSH	___B5270G	Comfort Company Adjuster X seat cushion w/ Vicare Tech, up to 21" wide (E2622)	\$595.00
* CC AJX-S SEAT CUSH	___B5270H	Comfort Company Adjuster X seat cushion w/ Vicare Tech, 22" and wider (E2623)	\$635.00
NO SEAT	___B5271	No seat attached to seat rails	No Charge
WHEELCHAIR BACKS & BACK CUSHIONS			
STD NB	___B5302	No back supplied or attached to backposts	Standard
* SMPB CURVED	___B5332	Curved powder coated sheet metal pan back	\$380.00
SMPB CURVED ADJ	___B5333	Curved sheet metal pan back w/ adj brackets	\$506.00
* SMP BACK CUSHION	___B5342	Upholstered foam back cushion (up to 2"; specify thickness: _____)	\$253.00
* SPEC BACK FOAM	___B5362A	Special back foam (Pudgee, Sunmate, etc.)(each 1/2" thickness)	Call Factory
CBBC	___B5363	Custom back or back cushion	Call Factory
* CC AB-BSXXWXXL	___B5370C	Comfort Company Acta-Back, posterior, 16"-21" wide (E2613) (specify width: _____)(specify height: _____)	\$695.00
* CC AB-BSXXWXXL 22+	___B5370D	Comfort Company Acta-Back, posterior, w/ 22"-24" wide (E2614) (specify width: _____)(specify height: _____)	\$755.00
* CC AR-BSXXWXXL	___B5370G	Comfort Company Acta Relief Back, positioning,	\$840.00

BOUNDER H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
		posterior, 16"-20" wide (E2615) (specify width: _____)(specify height: _____)	
CC COMPASS FM	___B5370J	Comfort Company Compass flat mounting bracket (required for sbprs recline)	No Charge
HD-KXXW	___B5370N	Comfort Company Acta Relief Back Headrest support bracket	\$188.00
POSITIONING HARDWARE			
GEL KNEE BUTTON	___B5392A	pair, 3" gel knee button pad (mounts to legrest pivots)	\$240.00
LATERAL THIGH SUP	___B5392D	Lateral foam thigh support (specify L or R, specify size)	\$240.00
LATERAL TRUNK	___B5392	Lateral trunk support with swing away hardware (specify L or R & pad size)	Call Factory
* UPHOLSTERY COLOR			
STD BLACK NAUG	___B5401	Standard black Naugahyde upholstery	Standard
BLACK RECOVERY 5	___B5411	Recovery 5 black fabric upholstery	\$125.00
BLACK FAB	___B5431	Black fabric upholstery	No Charge
CAMO FAB	___B5434	Camouflage fabric upholstery	\$125.00
CUS UPH	___B5451	Custom upholstery	Call Factory
CONTROL BOXES & REMOTE DISPLAY			
STD RHC	___B6001	Right hand control	Standard
LHC	___B6002	Left hand control	No Charge
* DHC PB	___B6005P	Driver Hand Control with push button switches (specify location of switches)	\$165.00
* RD	___B6011	Remote Display separate from joystick & switches	\$570.00
* CB KEY LOCK	___B6012	Add key switch at front of hand control	\$190.00
DCC BIB	___B6023T	Driver Chin Control, bib mounted (less mount & chin cup)	\$1,265.00
DCC FRONT	___B6027T	Driver Chin Control with front facing switches (less mount & chin cup)	\$1,265.00
ACDC	___B6029T	Attendant Control/Dual Control	\$1,518.00
ACDC AC ONLY	___B6031	Attendant Control/Dual Control, attendant only (no driver control)	\$759.00
* CB JRP	___B6039	Joystick retention plate	\$253.00
* CUS CB	___B6041	Custom hand, foot, head or chin control	Call Factory
HAND & CHIN CONTROL MOUNTS & EXTENSIONS			
STD HC MOUNT	___B6111	Standard hand control mount	Standard
STD HC EXT	___B6112	Standard hand control extension slide	Standard
* SA EXT	___B6115	Swingaway hand control extension slide (E1028)	\$345.00
* MIDLINE HC M&E	___B6116	Midline hand control mount & extension slide	\$442.00
* CC MOUNT	___B6121	Chin control mount	\$506.00
* POWER CC MOUNT	___B6122	Power chin control mount	\$1,518.00
* CC BIB MOUNT	___B6131	Chin control bib mount (specify hard or soft collar)	\$632.00
AC MNT	___B6143	Attendant control mount	\$0.00
CUS CTRL MOUNT	___B6171	Custom control mount	Call Factory
* CUS EXT SLIDE	___B6172	Custom extension slide	Call Factory
DRIVE MODULES			
<u>UE1H Premium 6-Program Wheelchair Electronics & Options</u>			
UE1H DM24	___B6292A	UE1H 24 volt Drive Module w/ smart brake release switch	\$1,250.00
PSM 1	___B6293C	Variable Speed Power Seating Module, one actuator (E2310)	\$1,380.00
PSM M	___B6293D	Variable Speed Power Seating Module, multiple actuators (E2311)	\$2,760.00
ESSS	___B6296E	Emergency Stop and Select Switch	\$158.00

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
RPS	___B6296P	Remote Power Switch	\$158.00
AUX SW	___B6298A	Drive module auxiliary switch (specify function), each (2 max)	\$158.00
* PS OVERRIDE	___B6298C	Power seating system override switch (specify seating system)	\$570.00
PRG1	___B6299	Plug-in programmer	\$632.00
* DX Programmable Electronics			
DX2 PMA90L EXP	___B6311C	Expandable DX2 90A power module (E2377)	\$560.00
DX2-REM421	___B63143	DX2 4 button LED remote w/o light control	Standard
DX2-REM420	___B6314B	DX2 7 button LED remote w/ light control	\$220.00
DX2-REM550	___B6315	DX2 7 button remote w/ color LCD display & light control	\$1,090.00
DX-REMG91	___B6321	DX Remote G91 Display	\$1,282.00
* DX-ACU1	___B6322	DX dual control (attendant control with attendant/user changeover switch)	\$672.00
* DX-RJM	___B6323	DX remote joystick module, small (E2373)	\$702.00
DX BRS	___B6328	Brake release switch for DX Electronics	No Charge
DX-ACC4B	___B6329A	DX 4 switch interface, powered	\$722.00
* DX-SNP	___B6330	DX sip & puff module (E2325)	\$1,980.00
THERAFIN WL MB	___B6331	Therafin Whisper-Lite swingaway sip & puff mounting kit w/ breath tube & straw	\$515.00
DX2-ACT2	___B6334	DX2 actuator module - dual (incl DX2 act loom kit) (E2310/E2311)	\$1,380.00
DX2-ACT4	___B6335	DX2 actuator module - quad (incl DX2 act loom kit) (E2311)	\$2,760.00
* DX-ECU	___B6337	DX ECU	\$1,202.00
* DX-HHPNA	___B6349	DX hand held programmer	\$990.00
* DX-SKT-X3	___B6359	DX bus 3-way socket	\$115.50
* DX2 EXP HARN	___B6262	Wiring harness for DX2 expandable drive module (E2613)	\$440.00
DRIVE MODULE MOUNTS			
* USM HF	___B6702	Drive module mounted under H-Frame wheelchair seat	Standard
* OBBM HF	___B6706	Drive module mounted over H-Frame battery box	No Charge
CUS DM MNT	___B6711	Custom drive module mount	Call Factory
RESPIRATOR & OXYGEN BOTTLE MOUNTS			
* RESP SHELF	___B6801	Fixed position respirator shelf	\$506.00
* RESP BBOX U1	___B6811	Single U1 battery box mounted on shelf (specify location; for respirators)	\$506.00
RESP BAU1 GEL-CELL	___B6812	Respirator U1 gel-cell battery	\$240.00
RESP BC12-6	___B6813	Respirator 12.6V auto charger	\$316.00
SE O2 BOT HLD	___B6901	Single E size oxygen bottle holder	\$632.50
MOTORS & BRAKES			
STD ST4M&B-M	___B7007M	Standard super torque 4 motors and brakes, medium speed	Standard
* ST3M&B	___B7003	BOUNDER super torque 3 motors & brakes	\$1,150.00
DRIVE WHEEL OPTIONS			
* DW 13M SMOOTH	___B7054	12.75"x4.00" metal drive wheels w/ smooth tires (gray only)	Standard
* DW 13M KNOBBY	___B7055	12.75"x4.00" metal drive wheels w/ knobby tires	No Charge
<u>Drive Wheel Tire and Tube Options</u>			
STD DT&T	___B7071	Thorn resistant inner tubes & tires	Standard
BH DT PS	___B7071N	Add puncture sealant to drive tire inner tubes	No Charge
BH DWI HD	___B7073N	High density airless drive wheel inserts	No Charge

BOUNDER H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
DT GRAY	___B7077	Gray drive tires	Standard
DT BLACK	___B7078	Black drive tires	No Charge
* DW 14M BKT&T	___B7084	14" x 5.4" metal drive wheels, black knobby 145/70-6 pneumatic tires & tubes	\$506.00
DW 13X5M BKT&T	___B7085	13"x5.00" metal drive wheels, black knobby, HVLP pneumatic Kenda tires & tubes	\$506.00
* CHAIN DRIVES			
BH C23	___B7214B	23 tooth motor chain sprockets	Standard
BH C70	___B7244B	70 tooth drive wheel chain sprockets	Standard
CASTER WHEEL & FORK OPTIONS			
XDCBF 9X3.50M	___B7441X	9"x3.50" Xtra duty caster barrels, suspension forks & metal casters	Standard
XDCBF 8X2	___B7442X	8"x2.00" Xtra duty caster barrels, suspension forks & casters	\$190.00
Caster Tire & Tube Options			
STD CT&T	___B7481	Standard full pneumatic caster tubes & tires	Standard
BH CT PS	___B7481N	Add puncture sealant to caster tire inner tubes	No Charge
BH FFCW HD	___B7483N	High density flat-free caster tires	No Charge
CT GRAY	___B7484	Gray caster tires	Standard
CT BLACK	___B7485	Black caster tires	No Charge
FS COPPER	___B7497C	Copper color fork springs	Standard
FS RED	___B7497R	Red color fork springs, softer, for patients up to 200 lbs	No Charge
VEHICLE TIEDOWNS			
* EZ LOCK TD	___B7603	WELD EZ Lock tiedown crossbar onto chair	\$632.00
4P TD	___B7604	4 Point wheelchair transit tiedown	\$506.00
BATTERY BOXES			
BH BBOXD24 LFP	___B7713B	Dual group 24 or LFP sliding battery box	Standard
BATTERIES			
BA24 GEL-CELL	___B7804	Pair, group 24 gel-cell batteries (E2363)	\$990.00
LFP 24V 100AHR BAT	___B7808	24V 100Ahr LiFePO4 Battery	\$3,750.00
BATTERY CHARGERS			
STD BC24-8	___B7902	24V 8A automatic gel cell battery charger	Standard
BC24-10 LFP	___B7912	24V 10Ahr LiFePO4 automatic battery charger	\$500.00
* NBC	___B7921	Credit for no battery charger	-\$86.25
ACCESSORIES			
* HF LP	___B8006	LED safety illumination package for all H-Frames	\$345.00
* HL2	___B8007	2nd LED headlamp	\$96.60
* AMBER FLASHER	___B8010	LED Amber Safety Flashers (1 flasher mounted in rear/1 mounted in front)	\$365.00
* HORN	___B8021	24V Safety audio alert	\$287.50
* LB2	___B8032	Electric leg bag emptier 2	\$632.50
* FAN	___B8041	Fan with on-off control	\$350.00
* SSAI	___B8045	Specialty switch accessory interface	\$575.00
* 24/48 TO 12PC	___B8046	24V/48V to 12V power converter (5A maximum load)	\$575.00
* ECU	___B8049	Environmental control unit, remote outlet switching	\$180.00
BACKUP CAMERA	___B8050	24V Backup camera with display	\$560.00
DW FENDERS	___B8052	Drive wheel fenders	\$575.00
TRAILER HITCH	___B8067	Trailer hitch plate and tie-rod connector only	\$250.00
RAM DRINK HLDR	___B8073	RAM Drink holder	\$66.00
CANE HOLDER	___B8080	Cane holder	\$155.00
BASKET	___B8081	Wire basket (attaches on back of chair)	\$260.00

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* TOOL KIT	___B8083	Tool kit	\$240.00
MOUNT 7 TAB	___B8085A	RAM 7" tablet mount	\$96.00
MOUNT 10 TAB	___B8085B	RAM 10" tablet mount	\$160.00
MOUNT CELL	___B8086	RAM cell phone mount	\$96.00
* MIRROR	___B8091	Rear view mirror	\$96.00
FLAG HOLDER	___B8093	Flag holder	\$80.00
BACKPACK	___B8110	Wheelchair backpack	\$105.00
DM COV NAUG	___B8111	Naugahyde drive module cover	\$75.00
DHC COV	___B8112	Driver hand control weather cover	\$95.00
SADDLE BAG	___B8113	Saddle bag (specify left or right)	\$86.00
WC COV	___B8114	Wheelchair weather cover	\$180.00
WW HVLP OR	___B8025	Wheelie wheels for use with HVLP Off-Road package	\$240.00
* WC JACK	___B8127	Wheelchair jack	\$400.00
* SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)			
HF PS PUSH BUTTON	___B8200	Push button seat mount positioning strap (specify 45" or 60")	No Charge
PS FLIP LATCH S	___B8201	Flip latch seat mount positioning strap (specify 45" or 60")	\$57.50
PS PINCH BUCKLE S	___B8203	Pinch buckle seat mount positioning strap (specify 45" or 60")	\$57.50
PS VELCRO S	___B8204	Velcro closure seat mount positioning strap (specify 45" or 60")	\$57.50
* PS CUS S	___B8211	Custom seat mount positioning strap (specify buckle type and length)	\$115.00
CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)			
PS FLIP LATCH C	___B8251	Flip latch chest mount positioning strap (specify 45" or 60")	\$115.00
PS PUSH BUTTON C	___B8252	Push button chest mount positioning strap (specify 45" or 60")	\$115.00
PS PINCH BUCKLE C	___B8253	Pinch buckle chest mount positioning strap (specify 45" or 60")	\$115.00
PS VELCRO C	___B8454	Velcro closure chest mount positioning strap (specify 45" or 60")	\$115.00
PS CUS C	___B8261	Custom chest mount positioning strap (specify buckle type and length)	\$172.50
WARRANTIES AND SPECIAL SERVICE OPTIONS			
STANDARD WARRANTIES			
* B HF PWC WAR	___B9021B	BOUNDER H-Frame power wheelchair standard warranty	Standard
EXTENDED WARRANTIES			
* EL2 EWAR	___B9101	Extend UE1 Series electronics warranty to 2 years	\$380.00
EL3 EWAR	___B9102	Extend UE1 Series electronics warranty to 3 years	\$632.00
B PC2 EWAR	___B9201	Extend BOUNDER entire power chair warranty to 2 years	\$1,265.00
B PC3 EWAR	___B9202	Extend BOUNDER entire power chair warranty to 3 years	\$2,277.00
SPECIAL SERVICE OPTIONS			
* EBO	___B9301	Emergency Build Order	Call Factory
* EEC	___B9302	Engineering and evaluation charge	Call Factory

BOUNDER H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk# Note

BASIC MODELS

BOUNDER

B012C BH 300M PWB. BOUNDER 300M H-FRAME POWER BASE ONLY W/O ELECTRONICS (K0861). INCLUDES SEAT WIDTHS UP TO 24" AND SEAT DEPTHS UP TO 23". INCLUDES 70 DEGREE FOOTRESTS, ARTICULATING ARMS OR CABLE STYLE SELF SUPPORTING ARMS, 45" OR 60" POSITIONING STRAP.

CONSTRUCTION OPTIONS

BASE WIDTH

B151 STD BASE WIDTH. STANDARD BASE WIDTH (OVERALL WIDTH: SEE NOTES). 25.5" OVERALL WIDTH FOR MOST CHAIRS, 28.5" OVERALL WIDTH FOR CHAIRS ORDERED WITH HVLP OR.

BASE LENGTH

B202 SHORT BASE. SHORT H-FRAME POWER BASE. STANDARD FOR MOST CHAIRS FOR SEAT DEPTHS UP TO 19". SEAT DEPTHS FROM 16" TO 20" CAN NORMALLY BE INSTALLED. A 15" DEEP SEAT PAN CAN ALSO BE INSTALLED. CHAIRS WITH SEAT DEPTHS OF 20" OR GREATER AND USERS WHO WEIGH OVER 300 LB USUALLY REQUIRE A LONG BASE INSTEAD.

B203 LONG BASE. LONG H-FRAME POWER BASE. STANDARD FOR ALL SEAT DEPTHS 20" OR GREATER. SEAT DEPTHS FROM 19" TO 23" CAN NORMALLY BE INSTALLED. AN 18" DEEP SEAT PAN CAN ALSO BE INSTALLED. THE LONG BASE FRAME IS 3" LONGER THAN THE SHORT BASE. IF SEAT DEPTHS OF 17" OR 16" ARE NEEDED ON A LONG BASE, THE SEAT MUST BE POSITIONED FURTHER FORWARD OF THE REAR WHEELS BY 1" OR 2", RESPECTIVELY. THIS WILL REDUCE MANEUVERABILITY AND INCREASE POWER CONSUMPTION. CONTACT THE FACTORY FOR MORE INFORMATION.

SUSPENSION

B209N IDWS NC. INDEPENDENT DRIVE WHEEL SUSPENSION, NO CHARGE. NO CHARGE WITH BOUNDER M300 ONLY.

B209D YELLOW IDWS SPRING. YELLOW IDWS SPRINGS (FOR USERS UP TO 250 LBS). FOR USE ON MOST 24V CHAIRS FOR USERS UP TO 300 LB. ALSO USED ON MOTORIZED CARTS WITH LIGHTER PAYLOADS.

B209F BLACK IDWS SPRING. BLACK IDWS SPRINGS (FOR USERS 251 LBS AND GREATER). FOR USE ON MOST 24V CHAIRS FOR USERS OVER 300 LB. ALSO USED ON 36V & 48V CHAIRS WITH AN OVERSIZED BATTERY BOX. MAY BE USED ON MOTORIZED CARTS WITH HEAVIER PAYLOADS.

SPECIAL PURPOSE

B210A HVLP OR. HIGH VOLUME, LOW PRESSURE OFF-ROAD PACKAGE. INCLUDES SUPER TORQUE 4M MOTORS AND BRAKES (B7007 ST4M&B), PNEUMATIC HIGH VOLUME, LOW PRESSURE, ATV STYLE OFF-ROAD TIRES (B7084 DW14M BKT&T) & HVLP OFF-ROAD WHEELIE WHEELS (B8126 WW HVLP OR) AT NO CHARGE. CHAIN DRIVE IS STANDARD. 28.5" OVERALL WIDTH FROM OUTSIDE OF DRIVE WHEEL TO OUTSIDE OF DRIVE WHEEL WHEN ORDERED WITH A STANDARD WIDTH BASE.

21st POWER SEATING SYSTEMS (2 ore more REQUIRED)

(many systems can be combined, contact factory for available combinations)

B301A PRS 80. 80 DEGREE POWER RECLINE SYSTEM (E1003). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON SLIDING BACK; FOR USE WITH POWER LEGRESTS, LEGRESTS W/ PUSHRODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA).

B301B PRS 40. 40 DEGREE POWER RECLINE SYSTEM (E1003). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON SLIDING BACK; FOR USE WITH POWER LEGRESTS, LEGRESTS WITH PUSHRODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 300 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).

B303A SBPRS 70. 70 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, LEGRESTS W/ PUSH RODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).

B303B SBPRS 40. 40 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, LEGRESTS WITH PUSH RODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 300 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).

B305A PTS 50. 50 DEGREE POWER TILT SYSTEM (E1002). INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA). TILT ANGLE LIMITED TO 40 DEGREE IF COMBINED WITH POWER STANDING SYSTEM (PSTAND).

B305B PTS 30. 30 DEGREE POWER TILT SYSTEM (E1002). FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 300 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA).

Stk# Note

B306A APTS 30. 30 DEGREE ANTERIOR (REVERSE) POWER TILT SYSTEM. REAR OF SEAT TILTS UPWARD 30 DEGREES SO USER CAN MORE EASILY TRANSFER INTO AND OUT OF CHAIR. FRONT RIGGING ATTACHES TO FRONT POSTS WELDED TO BASE. BACK MOUNTED BACK UPHOLSTERY STANDARD.

B308A PSE2 13. POWER SEAT ELEVATOR 2 (13" VERT RISE)(E2300). SEAT AND BACK RAISE TOGETHER A TOTAL OF UP TO ABOUT 13 INCHES. 250 LB MAXIMUM USER WEIGHT. THE MINIMUM SEAT HEIGHT IS 21". CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.

B308B PSE2 8. POWER SEAT ELEVATOR 2 (8" VERT RISE)(E2300). SEAT AND BACK RAISE TOGETHER A TOTAL OF UP TO ABOUT 8 INCHES. FOR USERS WEIGHING 250 - 500 LB. THE MINIMUM SEAT HEIGHT IS 21". CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.

B310 PFLS. POWER FRONT LOAD (LATITUDE) SYSTEM. ALLOWS SEAT TO MOVE FORWARD AND DOWN, POSITIONING THE SEAT CLOSER TO THE GROUND TO AID IN TRANSFERRING. 250 LB MAXIMUM USER WEIGHT. INCLUDES 3.1" RWO, SOLID BACKPOSTS (SBP), STRAIGHT 94.5 DEGREE BACKPOSTS (CS945BH), AND PFLS LO AT NO CHARGE. 22" MINIMUM SEAT HEIGHT WHEN COMBINED WITH ELEVATE AND TILT. OBBM HF DRIVE MODULE MOUNTED OVER H-FRAME BATTERY BOX. REQUIRED. FLIP UP ARMS ARE NOT AVAILABLE WITH POWER FRONT LOAD SYSTEM. INSTEAD ORDER SELF SUPPORTING ARMS.

POWER SEATING OPTIONS, HEAVY DUTY UPGRADES & LOCKOUTS

B371 PTS LO. POWER TILT DRIVE LOCKOUT. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.

B373 PSE2 LO. POWER SEAT ELEVATOR DRIVE LOCKOUT. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.

B375 PFLS LO. POWER FRONT LOAD SYSTEM DRIVE LOCKOUT. NO CHARGE WITH POWER FRONT LOAD SYSTEM. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.

B377A PTS PSE2 2SC LO. POWER TILT/ELEVATE COMBI DRIVE/ACTUATOR LOCKOUT. SEAT WILL NOT TILT WHEN ELEVATED. SEAT WILL NOT ELEVATE WHEN TILTED. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT IF DESIRED.

B377B PFLS PTS PSE2 3SC LO. POWER FRONT LOAD/TILT/ELEVATE COMBI DRIVE/ACTUATOR LOCKOUT. SEAT WILL NOT TILT OR ELEVATE WHEN SEAT IS EXTENDED FORWARD IN THE FRONT LOAD POSITION. AND SEAT WILL NOT EXTEND FORWARD IF TILTED OR ELEVATED. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT IF DESIRED.

CAPTAIN'S (VAN STYLE) SEATS

B392 RECARO ES. RECARO ES POWER SEATING SYSTEM (INCL ERGOMED ES SEAT & 24-12V CONVERTER). RECARO ERGOMED ES STANDARD FEATURES INCLUDE: 1) FULLY PADDED HEADREST WITH HEIGHT AND TILT ADJUSTMENT, 2) ELECTRIC RECLINE ADJUSTMENT, 3) SEAT BACK RELEASE ON BOTH SIDES, 4) STEEL SHELL CONSTRUCTION SEAT FRAME, 5) ADJUSTABLE BACKREST SIDE BOLSTERS, 6) BACKREST POCKET, 7) ELECTRIC DOUBLE CHAMBER RECARO AIRMATIC FOR LUMBAR SUPPORT, 8) ELECTRIC HEIGHT ADJUSTMENT, 9) ELECTRIC TILT ADJUSTMENT, 10) EXTENDABLE SEAT CUSHION, 11) ILLUMINATED CONTROLS, INTEGRATED INTO SEAT 12) CLIMATE CONTROL PACKAGE (RECARO VENT SYSTEM WITH SEAT CUSHION AND BACKREST HEATING)(INCLUDES 24V TO 12V POWER SUPPLY) 13) BLACK LEATHER WITH AN ARTISTA INSERT STANDARD. CAN BE COMBINED WITH PSE2 OR PTS, AS WELL AS DIPLR (DUAL INDEPENDENT POWER ELEVATING LEGRESTS) ON SOME CHAIRS. SPECIFY LEFT OR RIGHT CONTROLS.

PRICE INCLUDES INSTALLATION ON A SPECIAL CONVENTIONAL (TUBE STYLE) FRAME THAT IS 17.75" WIDE AND 18" DEEP, OR A STANDARD H-FRAME. SEAT HEIGHT WILL BE APPROXIMATELY 22" FOR CONVENTIONAL FRAME POWER CHAIRS, 24" OR 26" HIGH ON H-FRAME POWER CHAIRS AND 20" FOR MANUAL CHAIRS.

BASE COLOR

B4021 CUS PC. CUSTOM POWDER COAT COLOR. SEND SAMPLE OF COLOR. WE WILL DO OUR BEST TO MATCH IT!

B4046 NON-BLACK SAF. PAINT SEAT, ARMS AND FRONT RIGGING SAME COLOR AS REST OF CHAIR OR GURNEY. DOES NOT INCLUDE MOST BOLTED ON PARTS SUCH AS THE SEAT PAN, HAND CONTROL MOUNT, FORKS, FOOTREST EXTENSIONS, ETC. ONLY LOWER ARM ASSEMBLIES ARE PAINTED THE SAME COLOR AS THE BASE. UPPER ARM ASSEMBLIES ARE BLACK. FOOTREST BRACKETS ARE PAINTED SAME COLOR AS BASE IF FOOTRESTS ARE ORDERED. LEGREST BRACKETS AND HANGERS ARE PAINTED SAME COLOR AS BASE IF LEGRESTS ARE ORDERED. FOOTREST AND LEGREST EXTENSIONS ARE BLACK.

FRAME REINFORCEMENTS

B4109 SBP. SOLID BACKPOSTS. INCLUDED AT NO CHARGE ON ALL POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS.

B4113 CBPT. CROSS STRUT BETWEEN BACKPOST HANDLE TIPS. INCLUDED AT NO CHARGE ON ALL POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS.

REAR WHEEL OFFSET (RWO)

B4301 STD RWO. STANDARD REAR WHEEL OFFSET. HORIZONTAL DISTANCE FROM CENTER OF BACKPOST TO CENTER OF REAR WHEELS. 2.1" FOR H-FRAME CHAIRS, 3.1" FOR STANDARD CONVENTIONAL FRAME CHAIRS. 0" FOR MOST MANUAL PUSH CHAIRS. 3.66" FOR CHAIRS WITH POWER SEATING SYSTEMS.

B4302 CRWO. CUSTOM REAR WHEEL OFFSET. SPECIFY THE OFFSET IN INCHES YOU REQUIRE.

SEAT DEPTH

B4427 HF SHORT SD. SHORT SEAT DEPTH (SHORT BASE ONLY). NO CHARGE WHEN NARROW BASE WIDTH AND EXTRA NARROW BASE WIDTH ARE ORDERED. SOME RESTRICTIONS APPLY. CONTACT FACTORY FOR

BOUNDER H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note	Stk#	Note
	DETAILS.		
SEAT WIDTH			
B4523	HF NAR SW. NARROW BOUNDER HF SEAT WIDTH. NO CHARGE WHEN NARROW BASE WIDTH AND EXTRA NARROW BASE WIDTH ARE ORDERED. REQUIRES NARROWER CUSTOM STEEL FOOTPLATES. ORDER CUS SFPW (B5029) OR CUS SFP FLIP UP (B5030).		COMBINED OPERATION. INCLUDES 2 SWITCH CONTROL BOX. INCLUDES LRL OR LRH LEGRESTS. DIPLR IS OFTEN ORDERED AS PART OF A POWER RECLINE AND/OR TILT SYSTEM, BUT IT CAN BE ORDERED BY ITSELF. IF ORDERED WITH A POWER TILT, POWER RECLINE AND/OR POWER SEAT ELEVATOR SYSTEM, A 3 OR 4 SWITCH CONTROL BOX WILL BE SUPPLIED UNLESS THROUGH-THE-JOYSTICK CONTROL IS ORDERED (AT EXTRA COST).
SEAT HEIGHT		85009	DIPLR HD. HEAVY DUTY DUAL INDEP POWER ELEV LEGRESTS (ACTUATORS, SW BOX, LEGRESTS W/ RLR). REQUIRED FOR ALL DIPLR USERS WHO ARE OVER 400 LBS OR FOR DIPLR USERS WHO PUT UNUSUAL FORCES ON THEIR LEGRESTS. DIPLR HD HEAVY DUTY DUAL INDEPENDENT POWER LEGRESTS INCLUDES LRL OR LRH ELEVATING LEGRESTS PLUS RLR REINFORCED ELEVATING LEGRESTS.
B4602H	HF RECARO SH. STANDARD H-FRAME RECARO 24" OR 26" SEAT HEIGHT. FOR CHAIRS WITH RECARO SEATS. CERTAIN CONFIGURATIONS OF SEATING SYSTEMS MAY INCREASE THE EFFECTIVE SEAT-TO-FLOOR HEIGHT FROM 24" TO 26". SPECIFICALLY, IF A SEAT ELEVATOR IS COMBINED WITH THE RECARO THE SEAT-TO-FLOOR HEIGHT BECOMES 26". CONTACT FACTORY FOR ADDITIONAL INFORMATION.	B5014	RFR. REINFORCED FOOTRESTS (FOOTRESTS NOT INCLUDED). EXTRA TUBING AND GUSSET ADDED TO FOOTREST BRACKET. ALSO INCLUDES SOLID BAR STOCK IN LOWER FOOTREST EXTENSION.
B4606	CAPT SH. STANDARD 22" OR 24" CAPTAIN'S SEAT HEIGHT. FOR CHAIRS WITH CAPTAIN'S SEATS. CERTAIN CONFIGURATIONS OF SEATING SYSTEMS MAY INCREASE THE EFFECTIVE SEAT-TO-FLOOR HEIGHT FROM 22" TO 24". SPECIFICALLY, IF A SEAT ELEVATOR IS COMBINED WITH A CAPTAIN'S SEAT THE SEAT-TO-FLOOR HEIGHT BECOMES 24". CONTACT FACTORY FOR ADDITIONAL INFORMATION.	B5016	RLR. REINFORCED ELEVATING LEGRESTS (LRL OR LRH NOT INCLUDED). SIMILAR TO RFR. PIVOT OF LEGREST BRACKET AND EXTENSION TUBE ARE ALSO REINFORCED. FOR LRL OR LRH ELEVATING LEGRESTS. PRICE DOES NOT INCLUDE LEGRESTS; ORDER LEGRESTS SEPARATELY.
B4616	HF LOW SH. LOW SEAT HEIGHT (K0108). SOME RESTRICTIONS APPLY FOR CHAIRS WITH POWER SEATING SYSTEMS. CONTACT FACTORY FOR MORE INFORMATION.	B5018	OFFSET FR. OFFSET FRONT RIGGING (SPECIFY OFFSET). SPECIFY PORTION OF FOOTREST/LEGREST TO BE OFFSET. THE FOOTREST/LEGREST BRACKET OR EXTENSION MAY BE OFFSET EITHER INWARD OR OUTWARD. SPECIFY THE OFFSET TO THE NEAREST 1/2 INCH. PRICE DOES NOT INCLUDE FRONT RIGGING.
TILT/RECLINE BACKPOST STYLE & HEIGHT		B5019	TAPER FR. TAPERED FRONT RIGGING (SPECIFY TAPER). SPECIFY TAPER TO NEAREST 1/2". ALSO SPECIFY TYPE OF TAPER: DOUBLE BEND OR STRAIGHT ANGLE. UP CHARGE; PRICE DOES NOT INCLUDE FRONT RIGGING.
B4716	CTRBH. CUSTOM TILT, RECLINE OR STANDING SYSTEM BACKPOST HEIGHT (SPECIFY HEIGHT). AVAILABLE ONLY FOR CHAIRS WITH 21ST TILT AND/OR RECLINE SYSTEMS. BACKPOSTS ARE FABRICATED TO THE HEIGHT YOU SPECIFY TO THE NEAREST INCH, FROM 12 TO 32 INCHES. FOR SOME SYSTEMS, BACK HEIGHTS OF LESS THAN 18" CANNOT BE FABRICATED. CONTACT FACTORY FOR MORE INFORMATION.	B5023	QRL. QUAD RELEASE LEVERS. FRONT RIGGING RELEASE LEVERS EXTENDED TO OUTSIDE OF CHAIR.
B4717	CTRSBA. CUSTOM TILT AND/OR RECLINE SYSTEM SEAT-TO-BACK ANGLE (SPECIFY ANGLE). SPECIFY THE ANGLE IN DEGREES. ALLOWS CUSTOMIZATION OF THE ANGLE BETWEEN THE SEAT AND THE BACK ON 21ST TILT SYSTEMS. 94.5 DEGREES IS STANDARD; ANY OTHER ANGLE REQUIRES THIS UPCHARGE. CTRBSA IS ONLY AVAILABLE FOR 21ST TILT SYSTEMS. PRICE DOES NOT INCLUDE CTRBH ABOVE.	B5035	CUS CM FB. CUSTOM CENTER MOUNT, ANGLE ADJUSTABLE FOOTBOARD. MOUNTS IN CENTER OF CHAIR. FLIPS UP TOWARD THE CENTER OF THE CHAIR. SPECIFY WIDTH OF FOOTBOARD. CAUTION: THE USER MUST ALWAYS WEAR SHOES OR FOOT PROTECTION. CONTACT FACTORY FOR ADDITIONAL INFORMATION.
HEADRESTS		B5041	FPHL. HEEL LOOPS. HEEL LOOPS ARE INSTALLED IN THE NORMAL POSITION ON THE FOOTPLATE UNLESS YOU ADVISE US OTHERWISE.
B4801	PHR. POWER HEADREST. POWER HEADREST MOVES UP AND FORWARD TO USE; RETRACTS BACK AND DOWN TO STORE. PRIMARILY FOR USE WITH POWER TILT AND/OR RECLINE SYSTEMS, BUT CAN ALSO BE INSTALLED ON SOME STANDARD CHAIRS. A 24" HIGH OR HIGHER BACK HEIGHT IS REQUIRED FOR INSTALLATION OF THE POWER HEADREST. CONTACT FACTORY FOR ADDITIONAL DETAILS. INCLUDES CONTROL SWITCH BOX (UNLESS JOYSTICK PSS CONTROL) AND 7" HIGH X 10" WIDE UPHOLSTERED PAD HEADREST. SPECIFY COLOR.	B5042	FPAS. ANKLE STRAPS. DUE TO THE WIDE RANGE OF FOOT SIZES, ANKLE STRAPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE STRAPS ON THE FOOTPLATES.
B4804	Cshr. CUSTOM SIZE OR STYLE HEADREST FOR ACPHR OR RHR. ANY SIZE BUT STANDARD 6" HIGH X 12.5" WIDE WITH 2" DEEP CURVE FOR ACPHR. ANY SIZE BUT STANDARD 10" HIGH X BACKPOST WIDTH FOR RHR.	B5043	FPTL. PAIR OF TOE LOOPS. DUE TO THE WIDE RANGE OF FOOT SIZES, TOE LOOPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE TOE LOOPS ON THE FOOTPLATES.
FRONT RIGGING		B5047	CALF FLAT. FLAT CALF PADS. SPECIFY WIDTH AND HEIGHT TO NEAREST INCH.
	BOUNDER CHAIRS DO NOT INCLUDE FRONT RIGGING. YOU MUST ORDER FRONT RIGGING SEPARATELY IF IT IS NEEDED.	ARMS	
B5002	FR60. 60 DEG SWINGAWAY FOOTRESTS. FOR H-FRAMES: REQUIRED ON MOST SHORT BASE CHAIRS WITH 15" AND 16" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. REQUIRED ON MOST LONG BASE CHAIRS WITH 17", 18" OR 19" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. FOR CONVENTIONAL FRAMES: USUALLY NECESSARY FOR CASTER WHEEL CLEARANCE WHEN 9"x3.50" FRONT WHEELS ARE INSTALLED. FR60 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED.	B5110	DL SL ARM. DESK LENGTH SLIDING ARMS. DESK LENGTH SLIDING ARM GLIDES BACK AND DOWN UPON A FIXED LOWER ARM AS THE SEAT RECLINES. STATIONARY LOWER ARMS ARE DETACHABLE, CAN BE ADJUSTED IN HEIGHT AND HAVE SIDE PANELS (MODESTY PANELS). DL SL ARM ARE NOT REVERSE MOUNTED. HEIGHT ADJUSTMENT RANGE IS FROM APPROXIMATELY 11" MINIMUM TO 16" MAXIMUM ABOVE THE SEAT RAILS. USUALLY INSTALLED ON RECLINERS ONLY.
B5003	FR55. 55 DEG SWINGAWAY FOOTRESTS. FR55 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED.	B5111	FL SL ARM. FULL LENGTH SLIDING ARMS. SIMILAR TO DESK LENGTH SLIDING ARMS ABOVE EXCEPT FULL LENGTH.
B5004	FR90. 90 DEG SWINGAWAY FOOTRESTS. MOST OFTEN USED ON CHAIRS FOR CHILDREN OR USERS WITH VERY SHORT LEGS. BOTTOM OF FOOTPLATE IS USUALLY ADJUSTED TO BE ABOVE THE CASTER WHEEL TIRE, BUT CFR (CUSTOM FRONT RIGGING) CAN BE ORDERED IF CUSTOM FEATURES ARE NEEDED. FR90 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED. MAXIMUM DISTANCE FROM TOP FRONT OF SEAT RAIL TO TOP OF FOOTPLATE IS TYPICALLY 13" ON A 21" SEAT HEIGHT CHAIR.	B5112	DL SS ADJ ARM. DESK LENGTH SELF-SUPPORTING ADJ ARMS. DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARMS INCLUDE CLAMP ON BACKPOST MOUNTS AND BACKPOSTS WITH ANTI-ROTATION RIBS. BACKPOST CLAMPS INCLUDE ARM UP AND DOWN STOPS. NO ARM PANELS. THESE ARMS ARE VERY STRONG AND THEY MAKE TRANSFERS EASY. FOR USE WITH NON-RECLINING BACK CHAIRS. REQUIRES STRAIGHT BACKPOSTS USED IN CONJUNCTION WITH FRONT MOUNTED BACK UPHOLSTERY OR A SOLID BACK (TYPICALLY CS945BH, STD REC BH, OR STD TILT BH).
B5005	LRL. LOW PROFILE ELEVATING LEGRESTS (E0990). LOW PIVOT AT SEAT LEVEL BELOW THE KNEE DESIGN. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS. LRL WILL NOT ELEVATE COMPLETELY WITH DIPLR.	B5112R	DL SS ART ARM. DESK LENGTH SELF-SUPPORTING ADJ ARTICULATING ARMS. ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT.
B5007	LRH. HIGH PROFILE (GOOSENECK) ELEVATING LEGRESTS (E0990). HIGH PIVOT (GOOSENECK) AT KNEE LEVEL DESIGN. COMPATIBLE WITH MOST POWER RECLINERS. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS.	B5113	FL SS ADJ ARM. FULL LENGTH SELF-SUPPORTING ADJ ARMS. SIMILAR TO DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARMS ABOVE EXCEPT FULL LENGTH.
B50079	LRH90. 90 DEGREE HIGH PROFILE ELEVATING LEGRESTS. UTILIZES A LRH BRACKET AND A LRL HANGER. THIS ALLOWS THE USER TO GET HIS/HER FEET CLOSER TO THE CASTERS REDUCING THE OVERALL CHAIR LENGTH. NOTE: THE LEGRESTS MUST BE RAISED IN ORDER FOR THE CASTERS TO CLEAR THE LEGRESTS. THESE LEGRESTS FUNCTION BEST WHEN USED WITH DIPLR OR DIPLR HD.	B5113R	FL SS ART ARM. FULL LENGTH SELF-SUPPORTING ADJ ARTICULATING ARMS. ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT.
B5008	DIPLR. DUAL INDEP PWR ELEV LEGREST MECHANISMS (ACTUATORS, SW BOX, LEGRESTS) (E1010). DIPLR DUAL INDEPENDENT POWER ELEVATING LEGREST MECHANISM INCLUDES TWO ACTUATORS, ONE ON EACH SIDE, THAT MOVE THE LEGRESTS SEPARATELY FOR INDEPENDENT OPERATION, OR TOGETHER FOR	B5131	RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING. NO CHARGE WITH POWER 1000 AND MANUAL 1000 UPGRADE.
		B5133	CAD. CUSTOM ARM DEPTH. CUSTOM ARM DEPTH IS CHARGED FOR ARM DEPTHS THAT ARE NOT ON INCH CENTERS OR DO NOT CORRESPOND TO THE CHAIR FRAME DEPTH.
		B5134	CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE!
		ARMREST PADS	
		B5141	STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC BASE WITH NAUGAHYDE COVERED FOAM. NOT AVAILABLE IN FABRIC.

BOUNDER H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
B5142	WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF INSTALLED ON ARTICULATING OR SLIDING ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS.
B5143	TROUGH ARP. TROUGH ARMREST PADS. AVAILABLE IN NAUGAHYDE OR FABRIC.
B5144	FLAT ARP. 3.5" WIDE FLAT ARMREST PADS. 3 1/2" WIDE FLAT PAD WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC.
B5145	NARROW FLAT ARP. 2" WIDE NARROW FLAT ARMREST PADS. 2" WIDE FLAT PAD WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC.

WHEELCHAIR SEATS & SEAT CUSHIONS

B5206	HF SD SEAT UPH. H-FRAME SUPER DUTY SCREW-ON SLING SEAT UPHOLSTERY. AVAILABLE IN WIDTHS FROM 12" TO 24". INCLUDES MODIFICATIONS TO SEAT ASSEMBLY TO ALLOW FOR INSTALLATION OF SLING SEAT.
B5233	SMP DROP SEAT. FLAT POWDER COATED DROP SHEET METAL SEAT (SPECIFY 1" OR 2" DROP). INCLUDES MODIFICATIONS TO SEAT ASSEMBLY TO ALLOW FOR INSTALLATION OF DROP SEAT.
B5242	SMP SEAT CUSHION. UPHOLSTERED FOAM SEAT CUSHION (UP TO 3"). SPECIFY FOAM THICKNESS: 1" TO 3" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMP SEAT FLAT. VELCRO IS ATTACHED TO SMP SEAT FLAT AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN.
B5262A	SPEC SEAT FOAM. SPECIAL SEAT FOAM (PUDGE, SUNMATE, ETC.)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. OFTEN 1/2" IS INSTALLED ON TOP OF THE 1" THICK STANDARD FOAM.
B5270C	CC M2-SA SEAT CUSH 16-21. COMFORT COMPANY M2 POSITIONING GEL SEAT CUSHION, UP TO 21" WIDE (E2607). SPECIFY WIDTH AND DEPTH.
B5270D	CC M2-SA SEAT CUSH 22+. COMFORT COMPANY M2 POSITIONING GEL SEAT CUSHION, 22" OR 24" WIDE (E2608). SPECIFY WIDTH AND DEPTH.
B5270G	CC AJX-S SEAT CUSH 16-21. COMFORT COMPANY ADJUSTER X SEAT CUSHION W/ VICARE TECH, UP TO 21" WIDE (E2622). SPECIFY WIDTH AND DEPTH.
B5270H	CC AJX-S SEAT CUSH 22+. COMFORT COMPANY ADJUSTER X SEAT CUSHION W/ VICARE TECH, 22" AND WIDER (E2623). SPECIFY WIDTH AND DEPTH.

WHEELCHAIR BACKS & BACK CUSHIONS

B5332	SMPB CURVED. CURVED POWDER COATED SHEET METAL PAN BACK. REQUIRES STRAIGHT BACKPOSTS (TYPICALLY CS945BH, STD REC BH OR STD TILT BH).
B5342	SMP BACK CUSHION. UPHOLSTERED FOAM BACK CUSHION (UP TO 2"). SPECIFY FOAM THICKNESS: 1" - 2" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMPB FLAT OR SMB CURVED. VELCRO IS ATTACHED TO THE SEAT PAN AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN.
B5362A	SPEC BACK FOAM. SPECIAL BACK FOAM (PUDGE, SUNMATE, ETC.)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. OFTEN 1/2" IS INSTALLED IN FRONT OF THE 1" THICK STANDARD FOAM.
B5370C	CC AB-BSXXWXL. COMFORT COMPANY ACTA-BACK, POSTERIOR, 16"-21" WIDE (E2613) (SPECIFY WIDTH.. SPECIFY WIDTH AND HEIGHT.
B5370D	CC AB-BSXXWXL 22+. COMFORT COMPANY ACTA-BACK, POSTERIOR, W/ 22"-24" WIDE (E2614) (SPECIFY WIDTH.. SPECIFY WIDTH AND HEIGHT
B5370G	CC AR-BSXXWXL. COMFORT COMPANY ACTA RELIEF BACK, POSITIONING, POSTERIOR, 16"-20" WIDE (E2615) (SPECIFY WIDTH.. SPECIFY WIDTH AND HEIGHT. IF HEADREST IS ORDERED WITH CHAIR, ALSO SELECT B5370N HD-KXXW.

POSITIONING HARDWARE

UPHOLSTERY COLOR

IF FABRIC UPHOLSTERY IS ORDERED BLACK NAUGAHYDE CALF PADS AND/OR ARMREST PADS WILL BE SUPPLIED UNLESS CALF FLAT, CALF TROUGH, CALF CUSTOM, TROUGH ARP, FLAT ARP, NARROW FLAT ARP, OR CARP ARE ORDERED.

CONTROL BOXES & REMOTE DISPLAY

B6005P	DHC PB. DRIVER HAND CONTROL WITH PUSH BUTTON SWITCHES (SPECIFY LOCATION OF SWITCHES). PUSH BUTTON POWER SWITCH. PUSH BUTTON SELECT DOWN INSTALLED IN SELECT SWITCH POSITION, SELECT UP CAN BE INSTALLED IN EITHER THE AUX 1 LOCATION OR UNDER THE DHC. SPECIFY AT TIME OF ORDER.
B6011	RD. REMOTE DISPLAY SEPARATE FROM JOYSTICK & SWITCHES. FOR USE WITH CHIN AND SPECIALTY CONTROLS, OR DRIVERS WITH IMPAIRED VISION. INCLUDES GOOSENECK MOUNT.
B6012	CB KEY LOCK. ADD KEY SWITCH AT FRONT OF HAND CONTROL. INCLUDES 2 KEYS.
B6039	CB JRP. JOYSTICK RETENTION PLATE. IDEAL FOR USERS WITH SPASTICITY OR ARE OTHERWISE HARD ON THEIR JOYSTICKS.

Stk#	Note
B6041	CUS CB. CUSTOM HAND, FOOT, HEAD OR CHIN CONTROL. WE CAN FABRICATE MANY DIFFERENT TYPES OF CUSTOM HAND, FOOT, HEAD OR CHIN CONTROLS TO MEET YOUR SPECIFIC NEEDS. CONTACT THE FACTORY FOR MORE INFORMATION.

HAND & CHIN CONTROL MOUNTS & EXTENSIONS

B6115	SA EXT. SWINGAWAY HAND CONTROL EXTENSION SLIDE (E1028). VERY STURDY. SWINGS OUT TO SIDE AND BACK.
B6116	MIDLINE HC M&E. MIDLINE HAND CONTROL MOUNT & EXTENSION SLIDE. SWINGS UP TO SIDE. SPECIFY LEFT OR RIGHT MOUNT.
B6121	CC MOUNT. CHIN CONTROL MOUNT. MOUNTS ON BACKPOST TUBING ON EITHER SIDE. SPECIFY LEFT OR RIGHT. FULLY ADJUSTABLE WITH SWING TO SIDE FEATURE.
B6122	POWER CC MOUNT. POWER CHIN CONTROL MOUNT. INSTALL POWER CHIN CONTROL MOUNT INSTEAD OF STANDARD HAND CONTROL MOUNT. SPECIFY LEFT OR RIGHT MOUNT. ACTUATOR SWINGS CHIN CONTROL AND BOOM TO SIDE ABOUT 90 DEGREES WHEN CONTROL SWITCH IS OPERATED. BI-DIRECTIONAL MOMENTARY TOGGLE SWITCH CONTROL IS STANDARD. SWITCH CAN BE MOUNTED ANYWHERE CONVENIENT TO USER OR ATTENDANT. OTHER CUSTOM CONTROL SWITCHES AND METHODS OF CONTROL ARE POSSIBLE. LEFT AND RIGHT HAND MODELS AVAILABLE. CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.
B6131	CC BIB MOUNT. CHIN CONTROL BIB MOUNT (SPECIFY HARD OR SOFT COLLAR). SPECIFY HARD OR SOFT BIB COLLAR. DOES NOT INCLUDE CHIN CUP.
B6172	CUS EXT SLIDE. CUSTOM EXTENSION SLIDE. CLOSE IN, STRAIGHT, CUSTOM HEIGHT, ETC. TELL US WHAT YOU NEED.

DRIVE MODULES

UE1H PREMIUM 6-PROGRAM WHEELCHAIR ELECTRONICS & OPTIONS

B6298C	PS OVERRIDE. POWER SEATING SYSTEM OVERRIDE SWITCH (SPECIFY SEATING SYSTEM). TYPICALLY THE OVERRIDE SWITCH IS PLACED AT THE REAR OF THE ARM SO THAT THE USER CAN CONTROL THE RECLINE OR TILT SYSTEM WHEN IT IS FULLY TILTED OR RECLINED. PREVENTS USER FROM GETTING STUCK IN THE FULLY TILTED OR RECLINED POSITION. INCLUDES SWITCH AND RELAY BOX. SPECIFY WHICH POWER SEATING SYSTEM TO CONTROL.
--------	--

DX PROGRAMMABLE ELECTRONICS

CONTACT FACTORY FOR AVAILABILITY AND PRICING.

B6322	DX-ACU1. DX DUAL CONTROL (ATTENDANT CONTROL WITH ATTENDANT/USER CHANGEVER SWITCH). ATTENDANT CONTROL WITH AN ATTENDANT/USER CHANGEVER SWITCH.
B6323	DX-RJM. DX REMOTE JOYSTICK MODULE, SMALL (E2373). SMALL JOYSTICK ONLY CONTROL
B6330	DX-SNP. DX SIP & PUFF MODULE (E2325). 1, 3 & 5 SPEED MOMENTARY, LATCHED AND ANALOG LATCHED MODES. DOES NOT INCLUDE BREATH TUBE
B6337	DX-ECU. DX ECU. CONTROLS UP TO 8 SWITCH TYPE OUTPUTS TO CONTROL ON-CHAIR DEVICES.
B6349	DX-HHPNA. DX HAND HELD PROGRAMMER. NORTH AMERICAN VERSION: ENGLISH, SPANISH AND FRENCH.
B6359	DX-SKT-X3. DX BUS 3-WAY SOCKET. FOR CHAIRS THAT NEED EXTRA SOCKETS TO CONNECT ALL DX MODULES.
B6262	DX2 EXP HARN. WIRING HARNESS FOR DX2 EXPANDABLE DRIVE MODULE (E2613). INCLUDES BATTERY CABLE, MOTOR & BRAKE CABLES ALONG WITH ANY BUS CABLES REQUIRED.

DRIVE MODULE MOUNTS

B6702	USM HF. DRIVE MODULE MOUNTED UNDER H-FRAME WHEELCHAIR SEAT. DRIVE MODULE MOUNTED VERTICALLY UNDER SEAT BETWEEN MOTORS AND BATTERY BOX, OR HORIZONTALLY UNDER SEAT PAN. SOMETIMES, ALTERNATE LOCATIONS ARE NECESSARY, DEPENDING UPON THE EXACT CHAIR CONFIGURATION.
B6706	OBBM HF. DRIVE MODULE MOUNTED OVER H-FRAME BATTERY BOX. DRIVE MODULE MOUNTED HORIZONTALLY OVER BATTERY BOX. THIS ITEM IS REQUIRED FOR CHAIRS WITH PSE2 OR SHORT BASE CHAIRS WITH PTS.

RESPIRATOR & OXYGEN BOTTLE MOUNTS

B6801	RESP SHELF. FIXED POSITION RESPIRATOR SHELF. VERY STURDY SHEET METAL SHELF IS WELDED IN PLACE ON BACKPOST TUBING, USUALLY JUST BELOW PUSH HANDLES. APPROXIMATELY 20" WIDE X 10" DEEP. CUSTOM SIZES AVAILABLE. PUSH HANDLES SOMETIMES FLARED FOR CLEARANCE ON NARROW CHAIRS. CONTACT FACTORY FOR MORE INFORMATION.
B6811	RESP BBOX U1. SINGLE U1 BATTERY BOX MOUNTED ON SHELF (SPECIFY LOCATION; FOR RESPIRATORS). SHELF USUALLY LOCATED UNDER SEAT NEAR FRONT OF CHAIR. REMOVABLE U1 BATTERY BOX IS HELD ON TRAY WITH A STRAP. ALTERNATE LOCATIONS SUCH AS ON THE SHELF NEXT TO OR BELOW THE RESPIRATOR ARE ALSO AVAILABLE. CONTACT FACTORY FOR MORE INFORMATION.

MOTORS & BRAKES

B7003	ST3M&B. BOUNDER SUPER TORQUE 3 MOTORS & BRAKES. FOR INSTALLATION ON BOUNDER POWER CHAIRS AND GURNEYS. ST3M&B ADD ADDITIONAL TORQUE, INCREASED SPEED AND GREATER RANGE COMPARED TO ST1M&B. STRONGLY RECOMMENDED FOR USERS WHO OPERATE IN HILLS, ON ROUGH TERRAIN OR WHO WEIGH OVER 250 LBS. REQUIRES UE1D, UE1E OR UE1G ELECTRONICS FOR BEST
-------	---

BOUNDER H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
	PERFORMANCE. ST3M&B ARE REQUIRED FOR ALL CHAIRS USING SPECIALTY CONTROLS WITH DX ELECTRONICS (NOTE THAT THE SPEED OF THE CHAIR MUST BE LIMITED TO ABOUT 5 OR 6 MPH, AND OFTEN MUCH LESS). ST3M&B CAN ALSO BE USED WITH PROPORTIONALLY CONTROLLED (HAND OR CHIN CONTROLLED) DX ELECTRONICS, BUT THE SPEED OF THE CHAIR MUST BE LIMITED TO ABOUT 6 OR 7 MPH. ST3M&B ARE STANDARD ON ALL BOUNDER PLUS AND BIG BOUNDER POWER CHAIRS.

DRIVE WHEEL OPTIONS

B7054 DW 13M SMOOTH. 12.75"x4.00" METAL DRIVE WHEELS W/ SMOOTH TIRES (GRAY ONLY). FOR H-FRAMES ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15" X 4" AND 12.75" X 4".

B7055 DW 13M KNOBBY. 12.75"x4.00" METAL DRIVE WHEELS W/ KNOBBY TIRES. FOR H-FRAMES ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15" X 4" AND 12.75" X 4".

DRIVE WHEEL TIRE AND TUBE OPTIONS

B7084 DW 14M BKT&T. 14" X 5.4" METAL DRIVE WHEELS, BLACK KNOBBY 145/70-6 PNEUMATIC TIRES & TUBES. ST4M&B REQUIRED. NO CHARGE WITH HVLV OR.

CHAIN DRIVES

CASTER WHEEL & FORK OPTIONS

CASTER TIRE & TUBE OPTIONS

VEHICLE TIEDOWNS

B7603 EZ LOCK TD. WELD EZ LOCK TIEDOWN CROSSBAR ONTO CHAIR. SPECIFY HEIGHT OF TIEDOWN CROSSBAR FROM FLOOR TO BOTTOM OF BAR, BOLT HEIGHT FROM FLOOR TO BOTTOM OF TIEDOWN BOLT AND DISTANCE FROM CENTER OF DRIVE WHEEL AXLE TO CENTER OF TIEDOWN BOLT.

BATTERY BOXES

BATTERIES

BATTERY CHARGERS

B7921 NBC. CREDIT FOR NO BATTERY CHARGER. CREDIT APPLIES TO POWER WHEELCHAIRS AND GURNEYS ONLY! CREDIT NOT AVAILABLE FOR MANUAL CHAIRS OR MANUAL GURNEYS.

ACCESSORIES

B8006 HF LP. LED SAFETY ILLUMINATION PACKAGE FOR ALL H-FRAMES. INCLUDES LED HEADLAMP AND SWITCH. LED TAILLIGHTS ARE BUILT INTO THE H-FRAME BASE.

B8007 HL2. 2ND LED HEADLAMP. CURRENT DRAW FOR COMPLETE TWO HEADLAMP SYSTEM: 1.0A @ 24V.

B8010 AMBER FLASHER. LED AMBER SAFETY FLASHERS (1 FLASHER MOUNTED IN REAR/1 MOUNTED IN FRONT). SAFETY AMBER FLASHER ALLOWS INCREASED VISIBILITY WHILE DRIVING AT NIGHT.

B8021 HORN. 24V SAFETY AUDIO ALERT. THIS 24V HORN IS LOUD! THE CONTROL SWITCH (HORN BUTTON) CAN BE MOUNTED ON THE WHEELCHAIR TUBING AT ANY CONVENIENT LOCATION. COMPATIBLE WITH MOST 24V POWER WHEELCHAIRS. TOGGLE SWITCH TYPE HORN BUTTON WILL BE SUPPLIED UNLESS YOU SPECIFICALLY REQUEST A PUSH-BUTTON SWITCH.

B8032 LB2. ELECTRIC LEG BAG EMPTIER 2. ELECTRIC LEG BAG EMPTIER 2 ALLOWS THE USER TO DRAIN HIS/HER LEG BAG WITHOUT ASSISTANCE. THIS ENCOURAGES INCREASED FLUID INTAKE, WHICH CAN REDUCE THE LIKELIHOOD OF URINARY TRACT INFECTION. THIS PACKAGE INCLUDES A 24V ELECTRIC PINCH VALVE WITH MANUAL RELEASE TAB THAT IS USUALLY STRAPPED AROUND THE USER'S ANKLE, THOUGH IT CAN BE MOUNTED ON A FOOTPLATE. A DRAIN TUBE EXTENSION THAT IS ATTACHED TO THE LEG BAG DRAIN TUBE IS PINCHED BY THE VALVE. THE LB2 VALVE DOES NOT REQUIRE INTERNAL CLEANING. THE SYSTEM INCLUDES A MOMENTARY TOGGLE SWITCH THAT CAN BE MOUNTED ANYWHERE ON THE WHEELCHAIR TUBING, AND A FUSED BATTERY CABLE. THE SWITCH AND VALVE INCLUDE QUICK DISCONNECT ANDERSON CONNECTORS SO THAT THE WHEELCHAIR FRONT RIGGING AND ARMS CAN BE REMOVED FOR TRANSFER AFTER THE SYSTEM IS INSTALLED. THE LEG BAG DRAIN TUBE EASILY THREADS THROUGH THE PINCH VALVE. LEG BAG AND FRONT RIGGING ARE NOT INCLUDED. KITS FOR CONTROLLING ELECTRIC LEG BAG EMPTIERS BY AN ECU SYSTEM ARE AVAILABLE AT ADDITIONAL COST. PRICE INCLUDES 6 MONTH WARRANTY. CONTACT THE FACTORY FOR MORE INFORMATION.

B8041 FAN. FAN WITH ON-OFF CONTROL. THE PERSONAL FAN CAN BE USED WITH MOST POWER WHEELCHAIRS AND GURNEYS. THIS QUIET FAN PROVIDES A GENTLY COOLING 45 CFM FLOW. MOUNTS ON FRONT LOWER ARM OF WHEELCHAIR OR WHEREVER CONVENIENT FOR THE USER. THE KIT INCLUDES A FUSED 24V ALWAYS ON BATTERY CABLE AND A TOGGLE SWITCH THAT CLAMPS ON ROUND TUBING. CURRENT DRAW: 0.11A @ 24V, 38.1 DBA. GREAT FOR THOSE HOT SUMMER DAYS; A MEDICAL NECESSITY IF VASO-CONSTRICTION AND VASO-DILATION OF YOUR PERIPHERAL VASCULAR SYSTEM IS COMPROMISED.

B8045 SSAI. SPECIALTY SWITCH ACCESSORY INTERFACE. THIS ITEM ALLOWS A LOW-CURRENT SPECIALTY SWITCH TO BE PLUGGED INTO AN 1/8" PHONO PLUG TO OPERATE A MOMENTARY ACCESSORY (E.G., HORN, ELECTRIC LEG BAG EMPTIER 2 ETC.) SWITCH NOT INCLUDED. MOST NORMALLY OPEN MOMENTARY SWITCHES CAN BE USED WITH THIS SYSTEM.

B8046 24/48 TO 12PC. 24V/48V TO 12V POWER CONVERTER (5A MAXIMUM LOAD). CONVERTS 24 OR 48 VOLTS TO 12 VOLTS, PROVIDING UP TO 5 AMPS OF POWER. THIS ALLOWS SOME 12 VOLT ACCESSORIES TO BE INSTALLED ON THE WHEELCHAIR OR CART.

B8049 ECU. ENVIRONMENTAL CONTROL UNIT, REMOTE OUTLET SWITCHING. PROVIDES 5 SETS OF SEPARATE ON-OFF PUSH BUTTON SWITCHES FOR CONTROLLING UP TO 5 AC OUTLETS. EACH AC OUTLET CAN CONTROL UP TO A 10A LOAD(1200W). STRONG RF SIGNAL CAN WORK AS FAR AS 100 FT. PUSH BUTTON CONTROL IS ATTACHED TO THE ARM OF THE CHAIR USING A RAM MOUNT.

Stk#	Note
B8083	TOOL KIT. TOOL KIT. INCLUDES COMMON TOOLS USED TO MAKE ADJUSTMENTS AND MINOR REPAIRS ON CHAIR.

B8091 MIRROR. REAR VIEW MIRROR. THIS DETACHABLE REAR VIEW MIRROR HAS A WIDE ANGLE CONVEX HEAD THAT ALLOWS USERS TO SEE TO THE REAR WITHOUT TURNING THEIR HEAD. IT INCREASES SAFETY IN TRAFFIC AND IS ALSO HANDY WHEN BACKING INTO OR OUT OF ELEVATORS. THE MIRROR COMES WITH A QUICK DETACH BRACKET.

B8127 WC JACK. WHEELCHAIR JACK. USED TO LIFT REAR OF THE WHEELCHAIR IN THE AIR TO CHANGE TIRES OR WHEELS.

SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

CAUTION! DO NOT USE AS SEAT BELTS OR RESTRAINTS IN LICENSED VEHICLES. POSITIONING STRAPS ARE TO BE USED ONLY FOR HOLDING USER IN POSITION WHILE DRIVING THE WHEELCHAIR. FOR WHEELCHAIRS, INDICATE WHETHER LAP OR CHEST MOUNT. FOR GURNEYS, INDICATE DISTANCE TO MOUNT STRAPS FROM FRONT OR REAR OF MATTRESS PAN, LENGTH OF STRAP, AND WHAT PART OF BODY STRAP IS TO GO AROUND.

B8211 PS CUS S. CUSTOM SEAT MOUNT POSITIONING STRAP (SPECIFY BUCKLE TYPE AND LENGTH). REQUIRED FOR ANY POSITIONING STRAP THAT IS NOT 60" LONG. SPECIFY BUCKLE TYPE AND LENGTH.

CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

WARRANTIES AND SPECIAL SERVICE OPTIONS

STANDARD WARRANTIES

B9021B B HF PWC WAR. BOUNDER H-FRAME POWER WHEELCHAIR STANDARD WARRANTY. ONE YEAR WARRANTY ON ENTIRE BOUNDER POWER WHEELCHAIR. FIVE YEAR H-FRAME BASE WARRANTY. TWO YEAR H-FRAME SEAT WARRANTY. THREE YEAR SUPER TORQUE MOTOR AND BRAKE DRIVE TRAIN WARRANTY (INCLUDES MOTORS, BRAKES, DRIVE WHEELS AND DRIVE WHEEL PULLEYS/SPROCKETS, BUT EXCLUDES DRIVE BELTS, TIRES, MOTOR PULLEYS/SPROCKETS, INNER TUBES AND BEARINGS). THIS IS A LIMITED WARRANTY AND SOME RESTRICTIONS APPLY.

EXTENDED WARRANTIES

B9101 EL2 EWAR. EXTEND UE1 SERIES ELECTRONICS WARRANTY TO 2 YEARS. FOR BOUNDER AND BIG BOUNDER CHAIRS ONLY. ALREADY INCLUDED ON BOUNDER PLUS CHAIRS.

SPECIAL SERVICE OPTIONS

B9301 EBO. EMERGENCY BUILD ORDER. BUILD AND SHIP CHAIR AS FAST AS POSSIBLE. CONTACT FACTORY FOR DELIVERY AND UP CHARGE.

B9302 EEC. ENGINEERING AND EVALUATION CHARGE. CHARGE FOR ENGINEERING AND EVALUATING VERY INVOLVED CUSTOM CHAIRS. CONTACT FACTORY FOR PRICING.