

4931 N Manufacturing Way, Coeur d'Alene, ID 83815

21st@wheelchairs.com
www.wheelchairs.com

FAX, PHONE IN OR MAIL COMPLETED FORM TO 21st Century SCIENTIFIC Inc.

This is an order! Our PO No: _____ **This is a Quotation Request Only**

Ship To:	Bill To:
Company: _____	Company: _____
Address: _____	Address: _____
City: _____ State: _____ Zip: _____	City: _____ State: _____ Zip: _____
Attention: _____	Attention: _____
Phone: _____ FAX: _____	Phone: _____ FAX: _____

BOUNDER *Plus* H-FRAME POWER WHEELCHAIR

User Data:

Name: _____ Ht: ___' ___" Wt: _____ lb. D.O.B.: _____ Disability: _____

Driving Skills: good fair poor **Eye-To-Hand Coordination:** good fair poor

Judgment: good fair poor **Equipment Usage:** light typical heavy abusive

Aggressiveness: timid typical hot rodder **Must Operate:** on thick carpets in rain and/or snow on steep hills

Previous Chair Make & Model: _____

Other Information: _____

New Chair Data:

Seat Width..: _____ " **Seat Depth.....:** _____ " **Seat Height.....:** _____ "

Back Height: _____ " **Max Overall Width:** _____ " **Max Overall Length:** _____ "

Desired Top Speed Of New Chair (1-11.6 MPH) _____ **Power Seating Needed:** Recline Tilt Elevate Other

Other Notes: _____

INSTRUCTIONS FOR FILLING OUT THIS FORM:
Thank you for choosing 21st Century SCIENTIFIC, Inc. Since our products tend to be custom, this order/quote form is very detailed. As you complete this form, you will be specifying each parameter of the equipment to be ordered. Accordingly, be patient and review each section carefully. No charge and standard items are usually located near the top of each section, but not always. Check the standard items as well as the custom options in each section to make sure you have not missed anything. You may email this form to us at 21st@wheelchairs.com for review. A detailed written quote will be faxed back to you. If you need assistance filling out this form (or simply prefer us to do it for you), contact our sales department at (800) 448-3680. There is no charge for our assistance and written quotations.

HCPCS codes are not intended to be, nor should they be considered, legal or billing advice. Use of the codes does not ensure coverage or payment for the item. Always verify coverage information with the pay source, attorney or other consultant as needed.

This Form Was Completed By: _____ **Date:** _____ **Phone:** _____ **FAX:** _____

BOUNDER Plus H-FRAME POWER WHEELCHAIR

STANDARD FEATURES

- 16" to 20" seat widths in 1" increments (12" to 15" available at extra cost)
- Durable H-style TIG welded frame using 2.5"x1.5"x0.125" wall steel
 - Fast! Top speeds up to 11.6 MPH (18.7 kph)
 - Super Torque 3 Motors & Brakes (ST3M&B)
 - Non-slip #35 chain drive
 - Sliding dual group 27 battery box
 - UE1 series premium electronics (6 programs)
 - Built in taillights • Battery condition meter
 - Smart brake release switch (for easy attendant pushing)
 - Heavy duty 12 position adjustable suspension forks
- Xtra Duty caster barrels and suspension forks (1" fork stems & bearings ID's)
 - 9"x3.50" aluminum caster wheels
 - 12.75" x 4.00" steel/aluminum drive wheels
 - 0.120" wall seat rails and back posts
 - Black powder coated frame • Sheet Metal Seat Pan
 - Sling back upholstery attached with machine screws
- Quick adjust clutches (combination belt tensioner and belt release mechanism)
 - Detachable desk length arms • Reinforced arm mounts
 - Anti-tipping wheelie wheels
 - Fully automatic 8A charger
- Detailed Owner's Manual • Easy to service and maintain

WARRANTY*

- TWO year warranty on entire chair
- 5 year warranty on Super Torque 3 & 4 Motor & Brake drive trains**
- 10 year H-Frame base warranty • 5 year H-Frame seat warranty

POPULAR OPTIONS

- Independent drive wheel suspension
- High Volume Low Pressure Off-Road package
- Ultra-high performance options (contact factory)
- Quiet non-slip Panther synchronous gearbelt drive
- Front Rigging (footrests or legrests, each with many options)
 - Arm options • Headrests • Captains Seating
- Powerful ST4M Motors • 8"x2" front caster wheels
- Power seating systems: recline, tilt, reverse tilt, seat elevator & power front load
 - 2 or more power seating systems combined on same chair
 - Dual independent power elevating legrests (DIPLR)
 - Power elevating, articulating center mount footboard
- PSM (through-the-joystick proportional control of power seating)
 - Programmer for electronics • Colored (non-black) frame
- Specialty controls (sip & puff, switch controls, head arrays, etc.; DX or ASL)
 - Frame reinforcements • Custom seat depth, seat height, back height, etc.
 - Upholstery and solid seating options
- Hand / chin control customizations & mounting options (many to choose from)
 - Extended range LFP battery (contact factory)
- LED Lighting package (it's 24V and bright!) • Electric horn (it's LOUD)
- Electric leg bag emptier (for unattended leg bag draining) • Positioning straps
 - Wheel locks (with or without wheel lock extensions)
 - Extended 3 year warranty

* Limited warranties – some restrictions apply. See complete warranty for more information

** Includes motors, brakes, drive wheels, drive wheel sprockets (drive belts, tires, inner tubes, flat-free inserts, motor sprockets & bearings not included)

TOP SPEED CHART

SPEEDS ARE APPROXIMATE AND IN MPH. ACTUAL SPEEDS CAN VARY BY AS MUCH AS ± 10%.
CODES NOT LISTED ARE EITHER CUSTOM, NOT AVAILABLE OR NOT POSSIBLE.

SUPER TORQUE 3 MOTORS

12.75"x4.00" DRIVE WHEELS			
CODE	TOP SPEED	CODE	TOP SPEED
PANTHER DRIVE		CHAIN DRIVE	
313 P080 P28	11.6	313 C060 C23	11.6
313 P080 P26	10.8	313 C060 C21	10.8
313 P080 P24	10.0	313 C070 C23	10.0
313 P080 P22	9.1	313 C070 C21	9.1

DRIVE TRAIN CONFIGURATION INFO

313 = ST3 Motors with 12.75"x4" Drive Wheels
4M13 = ST4 Motors with 12.75"x4" Drive Wheels
4M14 = ST4 Motors with 14"x5.40" Drive Wheels

SUPER TORQUE 4M MOTORS

12.75"x4.00" DRIVE WHEELS				14"x5.40" DRIVE WHEELS			
CODE	TOP SPEED	CODE	TOP SPEED	CODE	TOP SPEED	CODE	TOP SPEED
PANTHER DRIVE		CHAIN DRIVE		PANTHER DRIVE		CHAIN DRIVE	
		4M13 C060 C25	7.6			4M14 C060 C25	7.6
4M13 P080 P28	7.0	4M13 C060 C23	7.0	4M14 P080 P28	7.0	4M14 C060 C23	7.0
4M13 P080 P26	6.4	4M13 C060 C21	6.4	4M14 P080 P26	6.4	4M14 C060 C21	6.4
4M13 P080 P24	6.0	4M13 C070 C23	6.0	4M14 P080 P24	6.0	4M14 C070 C23	6.0
4M13 P080 P22	5.5	4M13 C070 C21	5.5	4M14 P080 P22	5.5	4M14 C070 C21	5.5

DRIVE TRAIN CONFIGURATION NOTES:

- 1) Generally, configurations with higher top speeds tend to have reduced hill-climbing capability (less torque) and reduced range.
- 2) Do not order drive train configurations with top speeds that exceed the physical or mental capabilities of the driver. Fast chairs are usually not appropriate for children.
- 3) If the motor sprocket size is increased, speed increases, and hill climbing capability decreases. If the drive wheel sprocket size is decreased, speed increases, and hill climbing capability decreases.
- 4) The Panther and chain drive systems supplied with BOUNDER Plus H-Frame chairs do not slip in the rain or snow.
- 5) The Panther and chain drive systems supplied with BOUNDER Plus H-Frame chairs are quiet but can be heard over the motors, and a slight vibration can be felt.
- 6) BOUNDER Plus chairs include ST3M&B. ST3M&B are necessary if you want to be able to go up steep hills and also be able to have top speeds above 8.5 MPH on level surfaces. A top speed of 11.6 MPH is only recommended for users weighing 150 lbs. or less. Select top speeds of 10.8 MPH or less for users up to 250 lbs.; 10.0 MPH or less for users between 250 and 400 lbs., and 9.1 MPH or less for users over 400 lbs.
- 7) Consider ST4M&B-M for more torque and less speed. Excellent for bariatric patients, people who will use their chair off-road or where a speed limit is enforced. Typically ST4M motors are more efficient than ST3 motors when moving the same user at the same speed.
- 8) A Chain drive is slightly noisier than a Panther drive. Chains need to be lubricated and cleaned, but in general are more durable than a Panther Drive. Manually pushing a chain driven chair is more difficult if the brake release switch fails to operate or the batteries are removed. Chains are recommended for users who are over 300 lbs or hard on equipment (continual fast starts and stops, drive on rough terrain, etc.)
- 9) Top speeds above are estimated. Depending on configuration, your chair may be faster or slower. Specifically, foam filled tires reduce the chair speed by about 10%. Increased patient weight, power seating systems as well as poor battery condition also reduce the chair's top speed.
- 10) Tables revised on 2-20-2018.

\\Swork2014\drive d - data\Data\Sales & Marketing\Marketing\Price List\16th Edition Price List\Price List Cover Sheets & FSS Price List\PL17 BPH Cover 2018-06-01.doc

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
BASIC MODELS			
BOUNDER Plus			
* BPH PWC W/ ELECT	___ B022	BOUNDER Plus H-Frame power wheelchair SEAT & BASE w/ UE1H electronics	\$12,995.00
* BPH PWC NO ELECT	___ B022A	BOUNDER Plus H-Frame power wheelchair SEAT & BASE without electronics	\$10,395.00
* BPH PWB W/ ELECT	___ B022B	BOUNDER Plus H-Frame power chair BASE only w/ UE1H electronics (requires 21st power seating)	\$11,375.00
* BPH PWB NO ELECT	___ B022C	BOUNDER Plus H-Frame power chair BASE only without electronics (requires 21st power seating)	\$8,495.00

CONSTRUCTION OPTIONS

BASE WIDTH

* STD BASE WIDTH	___ B151	Standard base width (overall width: see notes)	Standard
* WIDE BASE WIDTH	___ B151W	Wide base width (28.5" overall width)	\$380.00
* NAR BASE WIDTH	___ B152	Narrow base width (24.0" overall width)	\$506.00
* XNAR BASE WIDTH	___ B153	Extra narrow base width (21.5" overall width)	\$760.00

BASE LENGTH

* SHORT BASE	___ B202	Short H-Frame power base	Standard
* LONG BASE	___ B203	Long H-Frame power base	\$380.00
* XLONG BASE	___ B203X	Xtra Long H-Frame power base	\$650.00

SUSPENSION

* IDWS	___ B209	Independent drive wheel suspension	\$1,250.00
* YELLOW IDWS SPRING	___ B209D	Yellow IDWS springs (for users up to 250 lbs)	No Charge
* BLACK IDWS SPRING	___ B209F	Black IDWS springs (for users 251 lbs and greater)	No Charge

SPECIAL PURPOSE

* HVLP OR	___ B210A	High Volume, Low Pressure Off-Road package	\$1,495.00
-----------	-----------	--	------------

* 21st POWER SEATING SYSTEMS

(many systems can be combined, contact factory for available combinations)

* PRS 80	___ B301A	80 degree power recline system (E1003)	\$5,750.00
* PRS 40	___ B301B	40 degree power recline system (E1003)	\$5,750.00
* SBPRS 70	___ B303A	70 degree sliding back power recline system (E1004)	\$6,900.00
* SBPRS 40	___ B303B	40 degree sliding back power recline system (E1004)	\$6,900.00
* PTS 50	___ B305A	50 degree power tilt system (E1002)	\$5,750.00
* PTS 30	___ B305B	30 degree power tilt system (E1002)	\$5,750.00
PTS 50 HOR	___ B305E	50 degree power tilt system w/ horizontal tilt actuator (E1002)	\$6,750.00
PTS 30 HOR	___ B305F	30 degree power tilt system w/ horizontal tilt actuator (E1002)	\$6,750.00
PTS 50 SS	___ B305K	50 degree power tilt system, sliding seat	\$5,750.00
* APTS 30	___ B306A	30 degree anterior (reverse) power tilt system	\$5,750.00
* PSE2 13	___ B308A	Power seat elevator 2 (13" vert rise)(E2300)	\$5,980.00
* PSE2 8	___ B308B	Power seat elevator 2 (8" vert rise)(E2300)	\$5,980.00
* PFLS	___ B310	Power front load (latitude) system	\$9,775.00

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
SBPRS 70 PTS 50	___ B324	70 deg mechanical sliding back power recline and 50 deg power tilt (E1007)	\$9,995.00
POWER SEATING OPTIONS, HEAVY DUTY UPGRADES & LOCKOUTS			
PS HD	___ B361	Power seating sys heavy duty upgrade (250-400 lbs users)(each system) (K0108)	\$1,265.00
* PTS LO	___ B371	Power tilt drive lockout	\$285.00
* PSE2 LO	___ B373	Power seat elevator drive lockout	\$285.00
* PFLS LO	___ B375	Power Front Load system drive lockout	No Charge
* PTS PSE2 2SC LO	___ B377A	Power tilt/elevate combi drive/actuator lockout	\$790.00
* PFLS PTS PSE2 3SC LO	___ B377B	Power front load/tilt/elevate combi drive/actuator lockout	\$980.00
* DX PSS BOOST	___ B379	Power seating system booster for DX electronics	\$506.00
PSS JOYSWITCH	___ B380	Joystick 4-way power seating system control	\$1,897.00

CAPTAIN'S (VAN STYLE) SEATS

* RECARO ES	___ B392	Recaro ES power seating system (incl Ergomed ES seat & 24-12V converter)	Call Factory
* CUS CAPT S&B	___ B393	Custom Captain's (van) seat & back	Call Factory

BASE COLOR

BLACK	___ B4001	Standard black powder coat	Standard
RED	___ B4002	Red powder coat	\$125.00
BLUE	___ B4003	Blue powder coat	\$125.00
DARK GREEN	___ B4004	Dark green powder coat	\$125.00
YELLOW	___ B4005	Yellow powder coat	\$125.00
LIGHT GRAY	___ B4006	Light gray powder coat	\$125.00
WHITE	___ B4007	White powder coat	\$125.00
TEAL	___ B4008	Teal powder coat	\$125.00
LAVENDER	___ B4009	Lavender powder coat	\$125.00
PINK	___ B4010	Pink powder coat	\$125.00
* CUS PC	___ B4021	Custom powder coat color	\$442.00
* NON-BLACK SAF	___ B4046	Paint seat, arms and front rigging same color as rest of chair or gurney	\$380.00
WD CAMO B	___ B4051	Camouflage water dip finish on base only	Call Factory
WD CAMO BA	___ B4052	Camouflage water dip finish on base and arms	Call Factory

FRAME REINFORCEMENTS

* SBP	___ B4109	Solid backposts	\$980.00
* CBPT	___ B4113	Cross strut between backpost handle tips	\$170.00

REAR WHEEL OFFSET (RWO)

* STD RWO	___ B4301	Standard rear wheel offset	Standard
* CRWO	___ B4302	Custom rear wheel offset	\$632.00

SEAT DEPTH

* HF STD SD	___ B4421	Std seat depth ___ 16" ___ 17" ___ 18"	Standard
* HF LONG SD	___ B4423	Long seat depth ___ 19" ___ 20"	\$575.00
HF XLONG SD	___ B4425	X-long seat depth ___ 21" ___ 22" ___ 23"	\$1,150.00
HF CUS SD	___ B4426	H-Frame custom seat depth (24" & deeper; specify depth: _____)	\$1,380.00
* HF SHORT SD	___ B4427	Short seat depth (short base only) ___ 12" ___ 13" ___ 14" ___ 15"	\$575.00
HF RECARO SD	___ B4431	Std H-Frame 19" Recaro seat depth	No Charge

SEAT WIDTH

HF BP STD SW	___ B4521P	Standard BOUNDER Plus HF seat width ___ 16" ___ 17" ___ 18" ___ 19" ___ 20"	Standard
--------------	------------	--	-----------------

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES				IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES			
Part Number	Stock Qty Number	Part Description	Suggested Retail Price	Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* HF NAR SW	___B4523	Narrow BOUNDER HF seat width ___12" ___13" ___14" ___15"	\$575.00	* FR70	___B5001	70 deg swingaway footrests	\$290.00
* SEAT HEIGHT				* FR60	___B5002	60 deg swingaway footrests	\$290.00
HF STD SH	___B4601H	Standard seat height (21")	Standard	* FR55	___B5003	55 deg swingaway footrests	\$443.00
* HF XNAR SH	___B4601N	Standard 20" seat height (no charge, chairs ordered w/ extra narrow base only)	No Charge	FR80	___B5003E	80 deg swingaway footrests	\$443.00
* HF RECARO SH	___B4602H	Standard H-Frame Recaro 24" or 26" seat height	No Charge	* FR90	___B5004	90 deg swingaway footrests	\$443.00
* CAPT SH	___B4606	Standard 22" or 24" captain's seat height	No Charge	* LRL	___B5005	Low profile elevating legrests (E0990)	\$443.00
HF HIGH SH	___B4615	High seat height ___22" ___23" ___24" ___25"	\$575.00	* LRH	___B5007	High profile (gooseneck) elevating legrests (E0990)	\$443.00
* HF LOW SH	___B4616	Low seat height (K0108) ___19" ___20"	\$575.00	* LRH90	___B50079	90 degree high profile elevating legrests	\$575.00
HF XLOW SH	___B4616X	H-Frame extra low 18" seat height (for chairs w/ extra narrow base only)	\$575.00	* DIPLR	___B5008	Dual indep pwr elev legrest mechanisms (actuators, sw box, legrests) (E1010)	\$2,760.00
* CST	___B4618	Custom seat tilt (rake)	\$575.00	ELR PRM	___B5010	Elevating legrest push rod mechanism (links legrests to recline)	\$822.00
* HF CUS SH	___B4619	H-Frame custom seat height (specify height: _____)	Call Factory	* RFR	___B5014	Reinforced footrests (footrests not included)	\$460.00
FIXED BACK STYLE & HEIGHT				* RLR	___B5016	Reinforced elevating legrests (LRL or LRH not included)	\$575.00
* HF STD BH	___B4701H	Standard 90 deg back height w/ 7 deg bend ___16" ___18" ___20"	Standard	* OFFSET FR	___B5018	Offset front rigging (specify offset)	\$380.00
* HF CUS BH	___B4710	Custom 90 deg back height w/ 7 deg bend ___15" ___17" ___19" ___21" ___22" ___23" ___24"	\$345.00	* TAPER FR	___B5019	Tapered front rigging (specify taper)	\$506.00
* HF CUS L BH	___B4710L	Custom low 90 deg back height w/7 deg bend ___12" ___13" ___14" ___15"	\$345.00	CP ON FR	___B5020	Install calf pads on footrests	\$253.00
* CS945BH	___B4711	Custom straight 94.5 degree backpost height (front mounted uph or solid back)(for SMP BACK or SS ADJ ARM) (specify height: _____)	\$805.00	* QRL	___B5023	Quad release levers	\$89.00
* CBHASBA	___B4712	Custom back height w/ adj seat-to-back angle (20 deg of adj)(400 lb limit)(specify height: _____) ___90 ___95 ___100 ___105 ___110	\$1,207.50	* CUS SFPW	___B5029	Custom welded on steel footplates (specify size)(order heel loops separately)	\$253.00
* CBHWSBA	___B4713	Custom back height w/welded seat-to-back angle (specify height: _____)(specify angle: _____)	\$1,207.50	CUS SFP FLIP UP	___B5030	Custom flip up steel footplates (specify size)(order heel loops separately)	\$322.00
* CB&BBH	___B4714	Custom back height and/or back bend height (specify back height: _____)(specify back bend height: _____)(specify style: _____)	Call Factory	SMFB	___B5032M	1-piece sheet metal footboard, painted	\$202.00
* FB BACK	___B4714F	Fold down back	\$840.00	* WFBU	___B5033	1-piece wooden footboard, upholstered w/ pad	\$202.00
TILT/RECLINE BACKPOST STYLE & HEIGHT				* CFB	___B5034	Custom 1-piece footboard	Call Factory
* STD REC STAND BH	___B4715R	Straight 94.5 deg 24" recline or standing system backpost height	No Charge	* CUS CM FB	___B5035	Custom center mount, angle adjustable footboard	Call Factory
* STD TILT BH	___B4715T	Straight 94.5 deg tilt system backpost height ___18" ___24"	No Charge	CUS PEACM FB	___B5036E	Custom power elevating, articulating center mount footboard	Call Factory
* CTRBH	___B4716	Custom tilt, recline or standing system backpost height (specify height: _____)	\$380.00	* FPHL	___B5041	Heel loops	\$51.00
* CTRSBA	___B4717	Custom tilt and/or recline system seat-to-back angle (specify angle: _____)	\$250.00	* FPAS	___B5042	Ankle straps	\$89.00
CAPTAIN'S BACK HEIGHT				* FPTL	___B5043	Pair of toe loops	\$89.00
* STD CAPT BH	___B4731	Standard captain's back height ___16" ___18" ___20"	No Charge	SLS	___B5044	Single leg (calf) strap, black w/ velcro	\$51.00
* CUS CAPT BH	___B4732	Custom captain's back height (specify height: _____)	\$380.00	HLS	___B5045	H-type leg (calf) strap, black w/ velcro	\$76.00
HEADRESTS				STD CALF PADS	___B5046	Std calf pads (Naugahyde only) (only w/ LRL, LRH, CP ON FR or CUS PEACM FB)	No Charge
* PHR	___B4801	Power headrest	\$3,162.00	* CALF FLAT	___B5047	Flat calf pads	\$152.00
ACPHR MB&H	___B4802D	Adjustable center post headrest mounting bracket and hardware (less pad)(E1028)	\$258.00	CALF TROUGH	___B5048	Trough calf pads	\$222.00
ACPHR PAD	___B4802E	Curved foam pad for adjustable center post headrest (E0955)	\$225.00	CALF CUSTOM	___B5049	Custom calf pads	Call Factory
* RHR	___B4803	10" high removable sling headrest	\$316.00	RCPM	___B5050	Recessed calf pad mounts (specify 1" or 2")	\$253.00
* CSHR	___B4804	Custom size or style headrest for ACPHR or RHR	Call Factory	CCPM	___B5051	Custom calf pad mounts	Call Factory
* FRONT RIGGING				FPRB2	___B5053	Roller wheel bumpers (2.5" dia wheels mounted under footplates)	\$95.00
				RFPE	___B5062	Reduced footplate extension and adjustment range	\$460.00
				AAFP	___B5072	Angle adjustable front rigging extensions	\$270.00
				* FR PED	___B5075	Pediatric front rigging (reduces footplate size and extension adjustment range)	\$506.00
				CFR	___B5081	Custom front rigging	Call Factory
				HF NFR&NFP	___B5091H	Credit for no front rigging and no front posts	-\$34.50
				NFR	___B5092	No front rigging	No Charge
				NCP	___B5093	Credit for no calf pads (legrests or CP ON FR only)	-\$11.50
				ARMS			
				STD DLDA	___B5101	Standard desk length dual post detachable arms	Standard
				FLDA	___B5102	Full length dual post detachable arms	\$151.00
				DLADA	___B5103	Desk length adjustable detachable dual post arms (E0973)	\$265.00
				FLADA	___B5105	Full length adjustable detachable dual post arms (E0973)	\$265.00
				FLIP UP ARMS	___B5107	Add flip up to DLDA, FLDA, DLADA or FLADA	\$380.00

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* DL ART ARM	___ B5108	Desk length articulating arms	\$570.00
* FL ART ARM	___ B5109	Full length articulating arms	\$570.00
* DL SL ARM	___ B5110	Desk length sliding arms	\$570.00
* FL SL ARM	___ B5111	Full length sliding arms	\$570.00
* DL SS ADJ ARM	___ B5112	Desk length self-supporting adj arms	\$630.00
* DL SS ADJ ARM CS	___ B5112C	Desk length self-supporting adj arms for captain's seat	\$630.00
* DL SS ART ARM	___ B5112R	Desk length self-supporting adj articulating arms	\$690.00
DL SS ART ARM CS	___ B5112S	Desk length self-supporting adj articulating arms for captain's seat	\$690.00
* FL SS ADJ ARM	___ B5113	Full length self-supporting adj arms	\$630.00
* FL SS ADJ ARM CS	___ B5113C	Full length self-supporting adj arms for captain's seat	\$630.00
* FL SS ART ARM	___ B5113R	Full length self-supporting adj articulating arms	\$690.00
FL SS ART ARM CS	___ B5113S	Full length self-supporting adj articulating arms, for captain's seat	\$690.00
ARM UPH MOD	___ B5113U	Upholstery modesty arm panels for use with SS ADJ ARMS	\$92.00
* RECARO FU ARMS	___ B5114	Recaro flip up arms (for recaro seats only)	\$1,140.00
SW MOUNT BAR	___ B5115A	Switch mount bar	\$75.00
* ONDA	___ B5116	Offset non-detachable arms	\$316.00
* INDA	___ B5117	In-line non-detachable arms	\$316.00
* PARMS	___ B5121	Pediatric arms (lower arm assembly is 3" lower)	\$190.00
* RAT	___ B5131	Reinforced arm tips	\$125.00
CAH	___ B5132	Custom arm height	\$460.00
* CARMS	___ B5134	Custom arms	Call Factory
* NARMS	___ B5135	Credit for no arms	-\$34.50
ARMREST PADS			
* STD ARMREST PADS	___ B5141	Std upholstered armrest pads	Standard
* WATERFALL ARP	___ B5142	Waterfall armrest pads	\$95.00
* TROUGH ARP	___ B5143	Trough armrest pads	\$278.00
* FLAT ARP	___ B5144	3.5" wide flat armrest pads	\$176.00
* NARROW FLAT ARP	___ B5145	2" wide narrow flat armrest pads	\$125.00
CARP	___ B5146	Custom armrest pads	Call Factory
* NARP	___ B5147	Credit for no armrest pads	-\$6.90
WHEELCHAIR SEATS & SEAT CUSHIONS			
SMP SEAT	___ B5205	Flat powder coated sheet metal pan seat	Standard
* HF SD SEAT UPH	___ B5206	H-Frame super duty screw-on sling seat upholstery	\$632.00
* SMP DROP SEAT	___ B5233	Flat powder coated drop sheet metal seat (specify 1" or 2" drop)	\$885.00
* SMP DROP SEAT ADJ	___ B5234	Flat powder coated sheet metal pan drop seat with adjustable brackets	\$950.00
* SMP SEAT CUSHION	___ B5242	Upholstered foam seat cushion (up to 3"; specify thickness: _____)	\$253.00
CUS CAPT SEAT	___ B5251	Custom captain's seat	Call Factory
* SPEC SEAT FOAM	___ B5262A	Special seat foam (Pudgee, Sunmate, etc.)(each 1/2" thickness)	Call Factory
CSSC	___ B5263	Custom seat or seat cushion	Call Factory
* CC M2-SA SEAT CUSH	___ B5270C	Comfort Company M2 positioning gel seat cushion, up to 21" wide (E2607)	\$390.00
* CC M2-SA SEAT CUSH	___ B5270D	Comfort Company M2 positioning gel seat cushion, 22" or 24" wide (E2608)	\$430.00
* CC AJX-S SEAT CUSH	___ B5270G	Comfort Company Adjuster X seat cushion w/ Vicare Tech, up to 21" wide (E2622)	\$595.00
* CC AJX-S SEAT CUSH	___ B5270H	Comfort Company Adjuster X seat cushion w/ Vicare Tech, 22" and wider (E2623)	\$635.00
NO SEAT	___ B5271	No seat attached to seat rails	No Charge

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
WHEELCHAIR BACKS & BACK CUSHIONS			
* SD BACK UPH NC	___ B5303N	BOUNDER Plus & BIG BOUNDER super duty screw-on sling back upholstery N/C	Standard
* SMPB CURVED	___ B5332	Curved powder coated sheet metal pan back	\$380.00
SMPB CURVED ADJ	___ B5333	Curved sheet metal pan back w/ adj brackets	\$506.00
* SMP BACK CUSHION	___ B5342	Upholstered foam back cushion (up to 2"; specify thickness: _____)	\$253.00
CUS CAPT BACK	___ B5351	Custom captain's back	Call Factory
* SPEC BACK FOAM	___ B5362A	Special back foam (Pudgee, Sunmate, etc.)(each 1/2" thickness)	Call Factory
CBBC	___ B5363	Custom back or back cushion	Call Factory
SB MOD FLAP	___ B5369	Modesty flap, velcros between seat and back upholstery	\$150.00
* CC AB-BSXXXWXL	___ B5370C	Comfort Company Acta-Back, posterior, 16"-21" wide (E2613) (specify width: _____)(specify height: _____)	\$695.00
* CC AB-BSXXXWXL 22+	___ B5370D	Comfort Company Acta-Back, posterior, w/ 22"-24" wide (E2614) (specify width: _____)(specify height: _____)	\$755.00
* CC AR-BSXXXWXL	___ B5370G	Comfort Company Acta Relief Back, positioning, posterior, 16"-20" wide (E2615) (specify width: _____)(specify height: _____)	\$840.00
CC COMPASS FM	___ B5370J	Comfort Company Compass flat mounting bracket (required for sbprs recline)	No Charge
HD-KXXW	___ B5370N	Comfort Company Acta Relief Back Headrest support bracket	\$188.00
NO BACK	___ B5371	No back attached to backposts	No Charge
POSITIONING HARDWARE			
GEL KNEE BUTTON	___ B5392A	pair, 3" gel knee button pad (mounts to legrest pivots)	\$240.00
LATERAL THIGH SUP	___ B5392D	Lateral foam thigh support (specify L or R, specify size)	\$240.00
LATERAL TRUNK	___ B5392	Lateral trunk support with swing away hardware (specify L or R & pad size)	Call Factory
* UPHOLSTERY COLOR			
STD BLACK NAUG	___ B5401	Standard black Naugahyde upholstery	Standard
BLACK RECOVERY 5	___ B5411	Recovery 5 black fabric upholstery	\$125.00
BLACK FAB	___ B5431	Black fabric upholstery	No Charge
CAMO FAB	___ B5434	Camouflage fabric upholstery	\$125.00
CUS UPH	___ B5451	Custom upholstery	Call Factory
CONTROL BOXES & REMOTE DISPLAY			
STD RHC	___ B6001	Right hand control	Standard
LHC	___ B6002	Left hand control	No Charge
DHC T	___ B6005	Driver Hand Control with toggle power, select & AS1 switches	Standard
* DHC PB	___ B6005P	Driver Hand Control with push button switches (specify location of switches)	\$165.00
* RD	___ B6011	Remote Display separate from joystick & switches	\$570.00
* CB KEY LOCK	___ B6012	Add key switch at front of hand control	\$190.00
DCC BIB	___ B6023T	Driver Chin Control, bib mounted (less mount & chin cup)	\$1,265.00
DCC FRONT	___ B6027T	Driver Chin Control with front facing switches (less mount & chin cup)	\$1,265.00
ACDC	___ B6029T	Attendant Control/Dual Control	\$1,518.00
ACDC AC ONLY	___ B6031	Attendant Control/Dual Control, attendant only (no driver control)	\$759.00
* CB JRP	___ B6039	Joystick retention plate	\$253.00

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* CUS CB	___B6041	Custom hand, foot, head or chin control	Call Factory
HAND & CHIN CONTROL MOUNTS & EXTENSIONS			
STD HC MOUNT	___B6111	Standard hand control mount	Standard
STD HC EXT	___B6112	Standard hand control extension slide	Standard
* SA EXT	___B6115	Swingaway hand control extension slide (E1028)	\$345.00
* MIDLINE HC M&E	___B6116	Midline hand control mount & extension slide	\$442.00
* CC MOUNT	___B6121	Chin control mount	\$506.00
* POWER CC MOUNT	___B6122	Power chin control mount	\$1,518.00
* CC BIB MOUNT	___B6131	Chin control bib mount (specify hard or soft collar)	\$632.00
RECARO DHC MNT	___B6142	Recaro driver hand control mount (mounts to Recaro arm)	\$253.00
AC MNT	___B6143	Attendant control mount	\$0.00
CUS CTRL MOUNT	___B6171	Custom control mount	Call Factory
* CUS EXT SLIDE	___B6172	Custom extension slide	Call Factory

DRIVE MODULES

UE1H Premium 6-Program Wheelchair Electronics & Options

UE1H DM24	___B6292	UE1H 24 volt Drive Module w/ smart brake release switch	Standard
PSM 1	___B6293C	Variable Speed Power Seating Module, one actuator (E2310)	\$1,380.00
PSM M	___B6293D	Variable Speed Power Seating Module, multiple actuators (E2311)	\$2,760.00
ESSS	___B6296E	Emergency Stop and Select Switch	\$158.00
RPS	___B6296P	Remote Power Switch	\$158.00
AUX SW	___B6298A	Drive module auxiliary switch (specify function), each (2 max)	\$158.00
* PS OVERRIDE	___B6298C	Power seating system override switch (specify seating system)	\$570.00
PRG1	___B6299	Plug-in programmer	\$632.00
* DX Programmable Electronics			
DX2-PMA90L	___B6311B	DX2 90A power module w/ light control (incl DX2 pm loom kit)	\$1,620.00
DX2-REM421	___B63143	DX2 4 button LED remote w/o light control	Standard
DX2-REM420	___B6314B	DX2 7 button LED remote w/ light control	\$220.00
DX2-REM550	___B6315	DX2 7 button remote w/ color LCD display & light control	\$1,090.00
DX-REMG91	___B6321	DX Remote G91 Display	\$1,282.00
* DX-ACU1	___B6322	DX dual control (attendant control with attendant/user changeover switch)	\$672.00
* DX-RJM	___B6323	DX remote joystick module, small (E2373)	\$702.00
DX BRS	___B6328	Brake release switch for DX Electronics	No Charge
DX-ACC4B	___B6329A	DX 4 switch interface, powered	\$722.00
* DX-SNP	___B6330	DX sip & puff module (E2325)	\$1,980.00
THERAFIN WL MB	___B6331	Therafin Whisper-Lite swingaway sip & puff mounting kit w/ breath tube & straw	\$515.00
DX2-ACT2	___B6334	DX2 actuator module - dual (incl DX2 act loom kit) (E2310/E2311)	\$1,380.00
DX2-ACT4	___B6335	DX2 actuator module - quad (incl DX2 act loom kit) (E2311)	\$2,760.00
* DX-ECU	___B6337	DX ECU	\$1,202.00
* DX-HHPNA	___B6349	DX hand held programmer	\$990.00
* DX-SKT-X3	___B6359	DX bus 3-way socket	\$115.50
* DX2 EXP HARN	___B6262	Wiring harness for DX2 expandable drive module (E2613)	\$440.00

ASL (Adaptive Switch Labs) Wheelchair Control Systems **call factory**

PG DRIVES Programmable Electronics **call factory**

FALCON Components

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
DRIVE MODULE MOUNTS			
* USM HF	___B6702	Drive module mounted under H-Frame wheelchair seat	Standard
BACK MOUNT HF	___B6703H	Drive module mounted on back of H-Frame chair	\$230.00
* OBBM HF	___B6706	Drive module mounted over H-Frame battery box	No Charge
CUS DM MNT	___B6711	Custom drive module mount	Call Factory

RESPIRATOR & OXYGEN BOTTLE MOUNTS

* RESP SHELF	___B6801	Fixed position respirator shelf	\$506.00
* RESP GIMBAL SHELF	___B6803	Gimbal-mounted respirator shelf	\$1,518.00
* RESP BBOX U1	___B6811	Single U1 battery box mounted on shelf (specify location; for respirators)	\$506.00
RESP BAU1 GEL-CELL	___B6812	Respirator U1 gel-cell battery	\$240.00
RESP BC12-6	___B6813	Respirator 12.6V auto charger	\$316.00
SE O2 BOT HLD	___B6901	Single E size oxygen bottle holder	\$632.50
DE O2 BOT HLD	___B6902	Dual E size oxygen bottle holder	\$949.00
TE O2 BOT HLD	___B6902T	Triple E size oxygen bottle holder	\$1,202.00

MOTORS & BRAKES

ST3M&B NC	___B7003N	BOUNDER Plus & Big BOUNDER super torque 3 motors & brakes N/C	Standard
* ST1SM&B NC	___B7006N	Super torque 1S motors & brakes N/C (for extra narrow base only)	No Charge
* ST4M&B-M	___B7007	Super Torque 4 motors & brakes, medium speed	\$1,265.00
* ST4M&B-S	___B7008	Super Torque 4 motors & brakes, slow speed	\$1,265.00

DRIVE WHEEL OPTIONS

* DW 13M SMOOTH	___B7054	12.75"x4.00" metal drive wheels w/ smooth tires (gray only)	Standard
* DW 13M KNOBBY	___B7055	12.75"x4.00" metal drive wheels w/ knobby tires	No Charge

Drive Wheel Tire and Tube Options

STD DT&T	___B7071	Thorn resistant inner tubes & tires	Standard
DT PS	___B7071S	Add puncture sealant to drive tire inner tubes	\$75.00
DWI HD	___B7073	High density airless drive wheel inserts	\$195.50
DT GRAY	___B7077	Gray drive tires	Standard
DT BLACK	___B7078	Black drive tires	No Charge
* DW 14M BKT&T	___B7084	14" x 5.4" metal drive wheels, black knobby 145/70-6 pneumatic tires & tubes	\$506.00
DW 13X5M BKT&T	___B7085	13"x5.00" metal drive wheels, black knobby, HVLP pneumatic Kenda tires & tubes	\$506.00

* CHAIN DRIVES

* FSC	___B7202	Factory select best chain drive	No Charge
* C25	___B7212	25 tooth motor chain sprockets	No Charge
* C23	___B7214	23 tooth motor chain sprockets	No Charge
* C21	___B7216	21 tooth motor chain sprockets	No Charge
C60	___B7243	60 tooth drive wheel chain sprockets	No Charge
* C70	___B7244	70 tooth drive wheel chain sprockets	No Charge

PANTHER DRIVES

FSP	___B7352	Factory to select best Panther drive	No Charge
P28	___B7358	28 tooth motor Panther sprockets	No Charge
P26	___B7359	26 tooth motor Panther sprockets	No Charge
P24	___B7360	24 tooth motor Panther sprockets	No Charge
P22	___B7361	22 tooth motor Panther sprockets	No Charge
* P080	___B7371	80 tooth drive wheel Panther sprockets	No Charge

CASTER WHEEL & FORK OPTIONS

XDCBF 9X3.50M	___B7441X	9"x3.50" Xtra duty caster barrels, suspension forks	Standard
---------------	-----------	---	-----------------

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
XDCBF 8X2	___B7442X	& metal casters 8"x2.00" Xtra duty caster barrels, suspension forks & casters	\$190.00
Caster Tire & Tube Options			
STD CT&T	___B7481	Standard full pneumatic caster tubes & tires	Standard
CT PS	___B7481S	Add puncture sealant to caster tire inner tubes	\$50.00
FFCW HD	___B7483	High density flat-free caster tires	\$172.50
CT GRAY	___B7484	Gray caster tires	Standard
CT BLACK	___B7485	Black caster tires	No Charge
FS COPPER	___B7497C	Copper color fork springs	Standard
FS RED	___B7497R	Red color fork springs, softer, for patients up to 200 lbs	No Charge
VEHICLE TIEDOWNS			
* TD DSI	___B7602	Weld in Driving Systems tiedown bar	\$632.00
* EZ LOCK TD	___B7603	WELD EZ Lock tiedown crossbar onto chair	\$632.00
4P TD	___B7604	4 Point wheelchair transit tiedown	\$506.00
BATTERY BOXES			
STD BBOXD27	___B7701	Standard dual group 27 sliding battery box	Standard
* BBOXD24 LFP	___B7713	Dual group 24 or LFP sliding battery box	\$253.00
* BBOXD22NF	___B7715	Dual group 22NF battery box	\$380.00
* BBOX MNT +1GC	___B7781	Battery box mount with 1" extra ground clearance	\$506.00
BATTERIES			
BA27 GEL-CELL	___B7802	Pair, group 27 gel-cell batteries (E2371)	\$990.00
BA24 GEL-CELL	___B7804	Pair, group 24 gel-cell batteries (E2363)	\$990.00
BA22NF GEL-CELL	___B7806	Pair, group 22NF gel-cell batteries	\$644.00
LFP 24V 100AHR BAT	___B7808	24V 100Ahr LiFePO4 Battery	\$3,750.00
BATTERY CHARGERS			
STD BC24-8	___B7902	24V 8A automatic gel cell battery charger	Standard
BC24-10 LFP	___B7912	24V 10Ahr LiFePO4 automatic battery charger	\$500.00
* NBC	___B7921	Credit for no battery charger	-\$86.25
ACCESSORIES			
* HF LP	___B8006	LED safety illumination package for all H-Frames	\$345.00
* HL2	___B8007	2nd LED headlamp	\$96.60
* AMBER FLASHER	___B8010	LED Amber Safety Flashers (1 flasher mounted in rear/1 mounted in front)	\$365.00
* HORN	___B8021	24V Safety audio alert	\$287.50
* LB2	___B8032	Electric leg bag emptier 2	\$632.50
* FAN	___B8041	Fan with on-off control	\$350.00
* SSAI	___B8045	Specialty switch accessory interface	\$575.00
* 24/48 TO 12PC	___B8046	24V/48V to 12V power converter (5A maximum load)	\$575.00
* ECU	___B8049	Environmental control unit, remote outlet switching	\$180.00
BACKUP CAMERA	___B8050	24V Backup camera with display	\$560.00
DW FENDERS	___B8052	Drive wheel fenders	\$575.00
* GUN MOUNT	___B8063	Height & angle adjustable gun mount with rifle rest	\$1,150.00
SNOW PLOW	___B8064	Power elevating, angle adjustable snow plow	Call Factory
CU TRAILER	___B8066	Custom utility trailer	Call Factory
TRAILER HITCH	___B8067	Trailer hitch plate and tie-rod connector only	\$250.00
RAM DRINK HLDR	___B8073	RAM Drink holder	\$66.00
IV POLE HOLDER	___B8079	IV pole holder	\$155.00
CANE HOLDER	___B8080	Cane holder	\$155.00
BASKET	___B8081	Wire basket (attaches on back of chair)	\$260.00

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* TOOL KIT	___B8083	Tool kit	\$240.00
MOUNT 7 TAB	___B8085A	RAM 7" tablet mount	\$96.00
MOUNT 10 TAB	___B8085B	RAM 10" tablet mount	\$160.00
MOUNT CELL	___B8086	RAM cell phone mount	\$96.00
* MIRROR	___B8091	Rear view mirror	\$96.00
FLAG HOLDER	___B8093	Flag holder	\$80.00
BACKPACK	___B8110	Wheelchair backpack	\$105.00
DM COV NAUG	___B8111	Naugahyde drive module cover	\$75.00
DHC COV	___B8112	Driver hand control weather cover	\$95.00
SADDLE BAG	___B8113	Saddle bag (specify left or right)	\$86.00
WC COV	___B8114	Wheelchair weather cover	\$180.00
* WC JACK	___B8127	Wheelchair jack	\$400.00
* SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)			
PS FLIP LATCH S	___B8201	Flip latch seat mount positioning strap (specify 45" or 60")	\$57.50
PS PUSH BUTTON S	___B8202	Push button seat mount positioning strap (specify 45" or 60")	\$57.50
PS PINCH BUCKLE S	___B8203	Pinch buckle seat mount positioning strap (specify 45" or 60")	\$57.50
PS VELCRO S	___B8204	Velcro closure seat mount positioning strap (specify 45" or 60")	\$57.50
* PS CUS S	___B8211	Custom seat mount positioning strap (specify buckle type and length)	\$115.00
CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)			
PS FLIP LATCH C	___B8251	Flip latch chest mount positioning strap (specify 45" or 60")	\$115.00
PS PUSH BUTTON C	___B8252	Push button chest mount positioning strap (specify 45" or 60")	\$115.00
PS PINCH BUCKLE C	___B8253	Pinch buckle chest mount positioning strap (specify 45" or 60")	\$115.00
PS VELCRO C	___B8454	Velcro closure chest mount positioning strap (specify 45" or 60")	\$115.00
PS CUS C	___B8261	Custom chest mount positioning strap (specify buckle type and length)	\$172.50
WARRANTIES AND SPECIAL SERVICE OPTIONS			
STANDARD WARRANTIES			
* BP HF PWC WAR	___B9022	BOUNDER Plus H-Frame power wheelchair standard warranty	Standard
EXTENDED WARRANTIES			
EL3 EWAR	___B9102	Extend UE1 Series electronics warranty to 3 years	\$632.00
BP PC3 EWAR	___B9203	Extend BOUNDER Plus entire power chair warranty to 3 years	\$1,265.00
SPECIAL SERVICE OPTIONS			
* EBO	___B9301	Emergency Build Order	Call Factory
* EEC	___B9302	Engineering and evaluation charge	Call Factory

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk# Note

BASIC MODELS

BOUNDER Plus

- B022 BPH PWC W/ ELECT. BOUNDER PLUS H-FRAME POWER WHEELCHAIR SEAT & BASE W/ UE1H ELECTRONICS. THIS IS A COMPLETE CHAIR. 16", 17", 18", 19" AND 20" WIDE. 12" - 15" WIDE AVAILABLE AT EXTRA COST. FOR WIDER WIDTHS, ORDER A BIG BOUNDER. PRICE INCLUDES UE1H ELECTRONICS. TO UPGRADE ELECTRONICS, USE B022A SEAT AND BASE WITHOUT ELECTRONICS OR B022C BASE ONLY WITHOUT ELECTRONICS. IF POWER SEATING SYSTEMS ARE REQUIRED, ORDER B022B BASE ONLY WITH UE1H ELECTRONICS OR B022C BASE ONLY WITHOUT ELECTRONICS.
- B022A BPH PWC NO ELECT. BOUNDER PLUS H-FRAME POWER WHEELCHAIR SEAT & BASE WITHOUT ELECTRONICS. THIS IS A COMPLETE CHAIR WITHOUT ELECTRONICS. FOR USE WHEN UPGRADING WHEELCHAIR ELECTRONICS FROM THE STANDARD UE1H TO EITHER DX OR PG DRIVES ELECTRONICS. IF POWER SEATING SYSTEMS ARE REQUIRED, ORDER B022C BASE ONLY WITHOUT ELECTRONICS. CHAIR MUST BE ORDERED WITH A COMPLETE SET OF ELECTRONICS.
- B022B BPH PWB W/ ELECT. BOUNDER PLUS H-FRAME POWER CHAIR BASE ONLY W/ UE1H ELECTRONICS (REQUIRES 21ST POWER SEATING). FOR USE WITH 21ST POWER RECLINE, TILT, REVERSE TILT, ELEVATE, OR POWER ELEVATING LEGRESTS ONLY. NOT AVAILABLE FOR USE WITH OTHER SEATING SYSTEMS. PRICE INCLUDES UE1H ELECTRONICS. FOR SEAT WIDTHS OF 21" AND WIDER, ORDER A BIG BOUNDER.
- B022C BPH PWB NO ELECT. BOUNDER PLUS H-FRAME POWER CHAIR BASE ONLY WITHOUT ELECTRONICS (REQUIRES 21ST POWER SEATING). FOR USE WHEN UPGRADING WHEELCHAIR ELECTRONICS FROM THE STANDARD UE1H TO EITHER DX OR PG DRIVES ELECTRONICS. REQUIRES 21ST POWER RECLINE, TILT, REVERSE TILT, ELEVATE, OR POWER ELEVATING LEGRESTS BE INSTALLED. NOT AVAILABLE FOR USE WITH OTHER SEATING SYSTEMS. CHAIR MUST BE ORDERED WITH A COMPLETE SET OF ELECTRONICS.

CONSTRUCTION OPTIONS

BASE WIDTH

- B151 STD BASE WIDTH. STANDARD BASE WIDTH (OVERALL WIDTH: SEE NOTES). 25.5" OVERALL WIDTH FOR MOST CHAIRS, 28.5" OVERALL WIDTH FOR CHAIRS ORDERED WITH HVLP OR.
- B151W WIDE BASE WIDTH. WIDE BASE WIDTH (28.5" OVERALL WIDTH). FOR USE PRIMARILY WITH CHAIR CONFIGURATIONS WITH IDWS AND GROUP 27 BATTERIES.
- B152 NAR BASE WIDTH. NARROW BASE WIDTH (24.0" OVERALL WIDTH). REQUIRES DUAL GROUP 24 SLIDING BATTERY BOX. SEAT WIDTHS FROM 12" TO 18", SEAT DEPTHS FROM 12" TO 18", BACK HEIGHTS FROM 12" TO 20" NO ADDITIONAL CHARGE. SOME RESTRICTIONS APPLY, CONTACT FACTORY FOR MORE INFORMATION.
- B153 XNAR BASE WIDTH. EXTRA NARROW BASE WIDTH (21.5" OVERALL WIDTH). REQUIRES DUAL GROUP 22NF BATTERY BOX AND ST1S MOTORS AND BRAKES WITH 22 TOOTH PANTHER SPROCKETS. SEAT WIDTHS FROM 12" TO 18", SEAT DEPTHS FROM 12" TO 18", BACK HEIGHT FROM 12" TO 20", NO CHARGE. STANDARD SEAT HEIGHT IS 20". 9"X3.50" FRONT CASTERS ARE NOT AVAILABLE, 8"X2" FRONT CASTERS ARE NO CHARGE. SOME RESTRICTIONS APPLY, CONTACT FACTORY FOR MORE INFORMATION.

BASE LENGTH

- B202 SHORT BASE. SHORT H-FRAME POWER BASE. STANDARD FOR MOST CHAIRS FOR SEAT DEPTHS UP TO 19". SEAT DEPTHS FROM 16" TO 20" CAN NORMALLY BE INSTALLED. A 15" DEEP SEAT PAN CAN ALSO BE INSTALLED. CHAIRS WITH SEAT DEPTHS OF 20" OR GREATER AND USERS WHO WEIGH OVER 300 LB USUALLY REQUIRE A LONG BASE INSTEAD.
- B203 LONG BASE. LONG H-FRAME POWER BASE. STANDARD FOR ALL SEAT DEPTHS 20" OR GREATER. SEAT DEPTHS FROM 19" TO 23" CAN NORMALLY BE INSTALLED. AN 18" DEEP SEAT PAN CAN ALSO BE INSTALLED. THE LONG BASE FRAME IS 3" LONGER THAN THE SHORT BASE. IF SEAT DEPTHS OF 17" OR 16" ARE NEEDED ON A LONG BASE, THE SEAT MUST BE POSITIONED FURTHER FORWARD OF THE REAR WHEELS BY 1" OR 2", RESPECTIVELY. THIS WILL REDUCE MANEUVERABILITY AND INCREASE POWER CONSUMPTION. CONTACT THE FACTORY FOR MORE INFORMATION.
- B203X XLONG BASE. XTRA LONG H-FRAME POWER BASE. 6" LONGER THAN THE SHORT BASE. OFTEN USED WITH POWER CHAIR SEAT DEPTHS GREATER THEN 23" AND GURNEY MATTRESS PAN LENGTHS GREATER THEN 54".

SUSPENSION

- B209 IDWS. INDEPENDENT DRIVE WHEEL SUSPENSION. ONLY AVAILABLE FOR USERS OR PAYLOADS UP TO 500 LB.
- B209D YELLOW IDWS SPRING. YELLOW IDWS SPRINGS (FOR USERS UP TO 250 LBS). FOR USE ON MOST 24V CHAIRS FOR USERS UP TO 300 LB. ALSO USED ON MOTORIZED CARTS WITH LIGHTER PAYLOADS.
- B209F BLACK IDWS SPRING. BLACK IDWS SPRINGS (FOR USERS 251 LBS AND GREATER). FOR USE ON MOST 24V CHAIRS FOR USERS OVER 300 LB. ALSO USED ON 36V & 48V CHAIRS WITH AN OVERSIZED BATTERY BOX. MAY BE USED ON MOTORIZED CARTS WITH HEAVIER PAYLOADS.

SPECIAL PURPOSE

- B210A HVLP OR. HIGH VOLUME, LOW PRESSURE OFF-ROAD PACKAGE. INCLUDES SUPER TORQUE 4M MOTORS AND BRAKES (B7007 ST4M&B), PNEUMATIC HIGH VOLUME, LOW PRESSURE, ATV STYLE OFF-ROAD TIRES (B7084 DW14M BKT&T) & HVLP OFF-ROAD WHEELIE WHEELS (B8126 WW HVLP OR) AT NO CHARGE. CHAIN DRIVE IS STANDARD. 28.5" OVERALL WIDTH FROM OUTSIDE OF DRIVE WHEEL TO OUTSIDE OF DRIVE WHEEL WHEN ORDERED WITH A STANDARD WIDTH BASE.

Stk# Note

21st POWER SEATING SYSTEMS

(many systems can be combined, contact factory for available combinations)

- B301A PRS 80. 80 DEGREE POWER RECLINE SYSTEM (E1003). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON SLIDING BACK; FOR USE WITH POWER LEGRESTS, LEGRESTS W/ PUSHRODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA).
- B301B PRS 40. 40 DEGREE POWER RECLINE SYSTEM (E1003). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON SLIDING BACK; FOR USE WITH POWER LEGRESTS, LEGRESTS WITH PUSHRODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 300 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).
- B303A SBPRS 70. 70 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, LEGRESTS W/ PUSH RODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).
- B303B SBPRS 40. 40 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, LEGRESTS WITH PUSH RODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 300 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).
- B305A PTS 50. 50 DEGREE POWER TILT SYSTEM (E1002). INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA). TILT ANGLE LIMITED TO 40 DEGREE IF COMBINED WITH POWER STANDING SYSTEM (PSTAND).
- B305B PTS 30. 30 DEGREE POWER TILT SYSTEM (E1002). FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 300 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA).
- B306A APTS 30. 30 DEGREE ANTERIOR (REVERSE) POWER TILT SYSTEM. REAR OF SEAT TILTS UPWARD 30 DEGREES SO USER CAN MORE EASILY TRANSFER INTO AND OUT OF CHAIR. FRONT RIGGING ATTACHES TO FRONT POSTS WELDED TO BASE. BACK MOUNTED BACK UPHOLSTERY STANDARD.
- B308A PSE2 13. POWER SEAT ELEVATOR 2 (13" VERT RISE)(E2300). SEAT AND BACK RAISE TOGETHER A TOTAL OF UP TO ABOUT 13 INCHES. 250 LB MAXIMUM USER WEIGHT. THE MINIMUM SEAT HEIGHT IS 21". CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.
- B308B PSE2 8. POWER SEAT ELEVATOR 2 (8" VERT RISE)(E2300). SEAT AND BACK RAISE TOGETHER A TOTAL OF UP TO ABOUT 8 INCHES. FOR USERS WEIGHING 250 - 500 LB. THE MINIMUM SEAT HEIGHT IS 21". CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.
- B310 PFLS. POWER FRONT LOAD (LATITUDE) SYSTEM. ALLOWS SEAT TO MOVE FORWARD AND DOWN, POSITIONING THE SEAT CLOSER TO THE GROUND TO AID IN TRANSFERRING. 250 LB MAXIMUM USER WEIGHT. INCLUDES 3.1" RWO, SOLID BACKPOSTS (SBP), STRAIGHT 94.5 DEGREE BACKPOSTS (CS945BH), AND PFLS LO AT NO CHARGE. 22" MINIMUM SEAT HEIGHT WHEN COMBINED WITH ELEVATE AND TILT. OBBM HF DRIVE MODULE MOUNTED OVER H-FRAME BATTERY BOX, REQUIRED. FLIP UP ARMS ARE NOT AVAILABLE WITH POWER FRONT LOAD SYSTEM. INSTEAD ORDER SELF SUPPORTING ARMS.

POWER SEATING OPTIONS, HEAVY DUTY UPGRADES & LOCKOUTS

- B371 PTS LO. POWER TILT DRIVE LOCKOUT. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.
- B373 PSE2 LO. POWER SEAT ELEVATOR DRIVE LOCKOUT. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.
- B375 PFLS LO. POWER FRONT LOAD SYSTEM DRIVE LOCKOUT. NO CHARGE WITH POWER FRONT LOAD SYSTEM. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.
- B377A PTS PSE2 2SC LO. POWER TILT/ELEVATE COMBI DRIVE/ACTUATOR LOCKOUT. SEAT WILL NOT TILT WHEN ELEVATED. SEAT WILL NOT ELEVATE WHEN TILTED. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT IF DESIRED.
- B377B PFLS PTS PSE2 3SC LO. POWER FRONT LOAD/TILT/ELEVATE COMBI DRIVE/ACTUATOR LOCKOUT. SEAT WILL NOT TILT OR ELEVATE WHEN SEAT IS EXTENDED FORWARD IN THE FRONT LOAD POSITION. AND SEAT WILL NOT EXTEND FORWARD IF TILTED OR ELEVATED. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT IF DESIRED.
- B379 DX PSS BOOST. POWER SEATING SYSTEM BOOSTER FOR DX ELECTRONICS. REQUIRED ON CHAIRS WITH USERS WEIGHING OVER 200 LB, WITH DX2 ELECTRONICS AND EITHER A POWER SEAT ELEVATOR AND/OR POWER TILT SYSTEM.

CAPTAIN'S (VAN STYLE) SEATS

- B392 RECARO ES. RECARO ES POWER SEATING SYSTEM (INCL ERGOMED ES SEAT & 24-12V CONVERTER). RECARO ERGOMED ES STANDARD FEATURES INCLUDE: 1) FULLY PADDED HEADREST WITH HEIGHT AND

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note	Stk#	Note
	TILT ADJUSTMENT, 2) ELECTRIC RECLINE ADJUSTMENT, 3) SEAT BACK RELEASE ON BOTH SIDES, 4) STEEL SHELL CONSTRUCTION SEAT FRAME, 5) ADJUSTABLE BACKREST SIDE BOLSTERS, 6) BACKREST POCKET, 7) ELECTRIC DOUBLE CHAMBER RECARO AIRMATIC FOR LUMBAR SUPPORT, 8) ELECTRIC HEIGHT ADJUSTMENT, 9) ELECTRIC TILT ADJUSTMENT, 10) EXTENDABLE SEAT CUSHION, 11) ILLUMINATED CONTROLS, INTEGRATED INTO SEAT 12) CLIMATE CONTROL PACKAGE (RECARO VENT SYSTEM WITH SEAT CUSHION AND BACKREST HEATING)(INCLUDES 24V TO 12V POWER SUPPLY) 13) BLACK LEATHER WITH AN ARTISTA INSERT STANDARD. CAN BE COMBINED WITH PSE2 OR PTS, AS WELL AS DIPLR (DUAL INDEPENDENT POWER ELEVATING LEGRESTS) ON SOME CHAIRS. SPECIFY LEFT OR RIGHT CONTROLS.	B4616	HF LOW SH. LOW SEAT HEIGHT (K0108). SOME RESTRICTIONS APPLY FOR CHAIRS WITH POWER SEATING SYSTEMS. CONTACT FACTORY FOR MORE INFORMATION.
	PRICE INCLUDES INSTALLATION ON A SPECIAL CONVENTIONAL (TUBE STYLE) FRAME THAT IS 17.75" WIDE AND 18" DEEP, OR A STANDARD H-FRAME. SEAT HEIGHT WILL BE APPROXIMATELY 22" FOR CONVENTIONAL FRAME POWER CHAIRS, 24" OR 26" HIGH ON H-FRAME POWER CHAIRS AND 20" FOR MANUAL CHAIRS.	B4618	CST. CUSTOM SEAT TILT (RAKE). SPECIFY SEAT RAIL HEIGHT ABOVE GROUND AT FRONT AND REAR.
B393	CUS CAPT S&B. CUSTOM CAPTAIN'S (VAN) SEAT & BACK. IF A CAPTAIN'S BACK ONLY IS INSTALLED WITH A SHEET METAL PAN SEAT, THERE WILL BE A 2.5" GAP BETWEEN THE SEAT PAN AND BOTTOM OF CAPTAIN'S BACK.	B4619	HF CUS SH. H-FRAME CUSTOM SEAT HEIGHT. UNDER CERTAIN CONDITIONS A CHAIR CAN BE MADE WITH A LOWER SEAT TO FLOOR HEIGHT. CONTACT THE FACTORY FOR AVAILABILITY AND PRICES.
BASE COLOR		FIXED BACK STYLE & HEIGHT	
B4021	CUS PC. CUSTOM POWDER COAT COLOR. SEND SAMPLE OF COLOR. WE WILL DO OUR BEST TO MATCH IT!	B4701H	HF STD BH. STANDARD 90 DEG BACK HEIGHT W/ 7 DEG BEND. STANDARD BACKPOST FOR USE WITH BACK MOUNTED UPHOLSTERY OR SOLID BACKS WITH ADJUSTABLE HARDWARE. PUSH HANDLES ARE BENT AT TOP OF BACKPOST. STANDARD BACK BEND HEIGHT IS 9.5" ABOVE THE SEAT RAILS FOR ALL NON-RECLINING BACK HEIGHTS. IF YOU NEED A CUSTOM BACK HEIGHT (OTHER THAN 16", 18" OR 20") ORDER HF CUS BH. IF YOU NEED A CUSTOM BACK BEND HEIGHT (OTHER THAN 9.5"), ORDER CB&BBHC.
B4046	NON-BLACK SAF. PAINT SEAT, ARMS AND FRONT RIGGING SAME COLOR AS REST OF CHAIR OR GURNEY. DOES NOT INCLUDE MOST BOLTED ON PARTS SUCH AS THE SEAT PAN, HAND CONTROL MOUNT, FORKS, FOOTREST EXTENSIONS, ETC. ONLY LOWER ARM ASSEMBLIES ARE PAINTED THE SAME COLOR AS THE BASE. UPPER ARM ASSEMBLIES ARE BLACK. FOOTREST BRACKETS ARE PAINTED SAME COLOR AS BASE IF FOOTRESTS ARE ORDERED. LEGREST BRACKETS AND HANGERS ARE PAINTED SAME COLOR AS BASE IF LEGRESTS ARE ORDERED. FOOTREST AND LEGREST EXTENSIONS ARE BLACK.	B4710	HF CUS BH. CUSTOM 90 DEG BACK HEIGHT W/ 7 DEG BEND. CUSTOM HEIGHT BACKPOST FOR USE WITH BACK MOUNTED UPHOLSTERY OR SOLID BACKS WITH ADJUSTABLE HARDWARE. PUSH HANDLES ARE BENT AT TOP OF BACKPOST. STANDARD BACK BEND HEIGHT IS 9.5" ABOVE THE SEAT RAILS FOR ALL NON-RECLINING BACK HEIGHTS. IF YOU NEED A CUSTOM BACK BEND HEIGHT, ORDER CB&BBHC.
FRAME REINFORCEMENTS		B4710L	HF CUS L BH. CUSTOM LOW 90 DEG BACK HEIGHT W/7 DEG BEND. NO CHARGE WHEN NARROW BASE WIDTH OR EXTRA NARROW BASE WIDTH ARE ORDERED.
B4109	SBP. SOLID BACKPOSTS. INCLUDED AT NO CHARGE ON ALL POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS.	B4711	CS945BH. CUSTOM STRAIGHT 94.5 DEGREE BACKPOST HEIGHT (FRONT MOUNTED UPH OR SOLID BACK)(FOR SMP BACK OR SS ADJ ARM) (SPECIFY HEIGHT:. BACKPOSTS ARE STRAIGHT AND WELDED TO THE SEAT RAIL AT 94.5 DEGREES. THERE IS NO BACK BEND AT THE SMALL OF THE BACK. THE BACK UPHOLSTERY OR SOLID BACK IS ATTACHED TO THE FRONT OF THE BACKPOSTS. PUSH HANDLES ARE WELDED PARALLEL TO GROUND. THIS ITEM IS REQUIRED IF INSTALLING A CURVED SHEET METAL PAN BACK OR SELF SUPPORTING ARMS. NOTE: THE EFFECTIVE SEAT DEPTH IS USUALLY DECREASED BY ABOUT 1.5". SPECIFY BACK HEIGHT FROM 12 TO 28 INCHES.
B4113	CBPT. CROSS STRUT BETWEEN BACKPOST HANDLE TIPS. INCLUDED AT NO CHARGE ON ALL POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS.	B4712	CBHASBA. CUSTOM BACK HEIGHT W/ ADJ SEAT-TO-BACK ANGLE (20 DEG OF ADJ)(400 LB LIMIT)(SPECIFY HEIGHT:. AT LEAST 20 DEGREES OF ADJUSTMENT. ALLOWS SEAT TO BACK ANGLE TO BE SET AT 90, 95, 100, 105 OR 110. OFTEN UP TO 40 DEGREES OF ADJUSTMENT CAN BE ACHIEVED DEPENDING ON CHAIR CONFIGURATION. BACKPOSTS ARE ATTACHED W/ SCREWS. 400 LB MAXIMUM USER WEIGHT. SPECIFY BACK STYLE, HEIGHT AND ANGLE.
REAR WHEEL OFFSET (RWO)		B4713	CBHWSBA. CUSTOM BACK HEIGHT W/WELDED SEAT-TO-BACK ANGLE (SPECIFY HEIGHT:.), FOR CHAIRS WITHOUT TILT OR RECLINE SYSTEMS. SPECIFY BACK HEIGHT AND SEAT TO BACK ANGLE BETWEEN SEAT RAIL AND BACKPOST FROM 90 DEGREES (VERTICAL) TO 180 DEGREES (HORIZONTAL).
B4301	STD RWO. STANDARD REAR WHEEL OFFSET. HORIZONTAL DISTANCE FROM CENTER OF BACKPOST TO CENTER OF REAR WHEELS. 2.1" FOR H-FRAME CHAIRS, 3.1" FOR STANDARD CONVENTIONAL FRAME CHAIRS. 0" FOR MOST MANUAL PUSH CHAIRS. 3.66" FOR CHAIRS WITH POWER SEATING SYSTEMS.	B4714	CB&BBH. CUSTOM BACK HEIGHT AND/OR BACK BEND HEIGHT (SPECIFY BACK HEIGHT:. SPECIFY BACKPOST STYLE, BACK HEIGHT AND THE BACK BEND HEIGHT (IF APPLICABLE) ABOVE THE TOP OF THE SEAT RAILS. REQUIRED IF BACK BEND HEIGHT IS DIFFERENT THAN 9.5" ABOVE THE SEAT RAILS. CONTACT FACTORY FOR PRICE.
B4302	CRWO. CUSTOM REAR WHEEL OFFSET. SPECIFY THE OFFSET IN INCHES YOU REQUIRE.	B4714F	FB BACK. FOLD DOWN BACK. BACK FOLDS FORWARD TO ALLOW FOR TRANSPORT IN SMALLER HEIGHT VEHICLES.
SEAT DEPTH		TILT/RECLINE BACKPOST STYLE & HEIGHT	
B4421	HF STD SD. STD SEAT DEPTH. 16" DEEP IS STANDARD FOR MOST CHAIRS (WITHOUT SEATING SYSTEMS) WITH THE BACK UPHOLSTERY MOUNTED ON THE BACK OF THE BACKPOSTS. IF A POWER TILT AND/OR RECLINE IS ORDERED, THE BACK UPHOLSTERY IS MOUNTED ON THE FRONT OF THE BACKPOSTS. TO COMPENSATE, THE STANDARD TILT AND/OR RECLINE SEAT DEPTH IS LENGTHENED TO 17". THE EFFECTIVE DEPTH REMAINS THE SAME FROM THE FRONT EDGE OF THE SEAT PAN OR SEAT UPHOLSTERY TO THE FRONT OF THE BACK UPHOLSTERY. 16" 17" & 18" SEAT DEPTHS AVAILABLE WITH SHORT BASE. 18" SEAT DEPTH AVAILABLE WITH LONG BASE.	B4715R	STD REC STAND BH. STRAIGHT 94.5 DEG 24" RECLINE OR STANDING SYSTEM BACKPOST HEIGHT. AVAILABLE ONLY FOR CHAIRS WITH 21ST RECLINE (OR TILT AND RECLINE) SYSTEMS. 24" HIGH SLING BACK UPHOLSTERY MOUNTS ON FRONT OF BACKPOSTS. BACKPOSTS ARE STRAIGHT AND MEASURE 24.3" FROM THE SEAT RAIL TO THE TOP OF THE BACKPOST. HANDLES ARE WELDED ONTO THE BACK AT A HEIGHT OF APPROXIMATELY 37" ABOVE THE GROUND. EFFECTIVE BACK UPHOLSTERY HEIGHT IS 24.3" ABOVE THE SEAT RAILS. FOR CONVENTIONAL CHAIRS WITH PRS RECLINERS, SLING UPHOLSTERY WILL BE 24" HIGH. FOR TILT & PRS RECLINE, SLING UPHOLSTERY WILL BE 23" HIGH AND START 1" ABOVE SEAT RAILS (EXCEPT FOR 19" AND 20" SEAT HEIGHT CHAIRS). FOR H-FRAMES WITH PRS RECLINERS, SLING UPHOLSTERY WILL BE 22" HIGH. FOR SCBPRS RECLINERS, SLING UPHOLSTERY WILL BE 18" HIGH AND START 6" ABOVE SEAT RAILS. SHEET METAL PANS AND SOLID BACKS CAN BE INSTALLED AT ADDITIONAL COST. DIMENSIONS FOR SOLID AND SHEET METAL PAN BACKS ARE SIMILAR. PRICE INCLUDES SLING BACK UPHOLSTERY.
B4423	HF LONG SD. LONG SEAT DEPTH. H-FRAME 19" AND 20" SEAT DEPTHS CAN BE INSTALLED ON EITHER A SHORT OR A LONG WHEELBASE FRAME. HOWEVER, A LONG BASE PROVIDES BETTER WEIGHT DISTRIBUTION AND IS RECOMMENDED FOR MOST USERS. THE COST OF THE LONG WHEELBASE FRAME IS ADDITIONAL.	B4715T	STD TILT BH. STRAIGHT 94.5 DEG TILT SYSTEM BACKPOST HEIGHT. SPECIFY 18" OR 24". AVAILABLE FOR 21ST TILT SYSTEM CHAIRS, WITH OR WITHOUT A RECLINING BACK AND CHAIRS WITH A POWER STANDING SYSTEM. 18" OR 24" HIGH SLING BACK UPHOLSTERY ON CONVENTIONAL FRAME CHAIRS, 17" OR 23" HIGH SLING BACK UPHOLSTERY ON H-FRAME CHAIRS. BACK UPHOLSTERY MOUNTS ON FRONT OF BACKPOSTS. BACKPOSTS ARE STRAIGHT AND MEASURE 18.3 OR 24.3" FROM THE SEAT RAIL TO THE TOP OF BACKPOSTS, AND FORM AN ANGLE OF 94.5 DEGREES WITH THE SEAT RAIL. EFFECTIVE BACK UPHOLSTERY HEIGHT IS 18" OR 24" ABOVE THE SEAT RAILS. FOR CUSTOM TILT ANGLE, ORDER CTRBSA AT ADDITIONAL EXPENSE. HANDLES ARE WELDED ONTO THE BACKPOSTS AT A HEIGHT OF APPROXIMATELY 37" ABOVE THE GROUND. PRICE INCLUDES THE SLING BACK UPHOLSTERY. SHEET METAL PANS AND SOLID BACKS CAN BE INSTALLED AT ADDITIONAL COST.
B4427	HF SHORT SD. SHORT SEAT DEPTH (SHORT BASE ONLY). NO CHARGE WHEN NARROW BASE WIDTH AND EXTRA NARROW BASE WIDTH ARE ORDERED. SOME RESTRICTIONS APPLY. CONTACT FACTORY FOR DETAILS.	B4716	CTRBH. CUSTOM TILT, RECLINE OR STANDING SYSTEM BACKPOST HEIGHT (SPECIFY HEIGHT:. AVAILABLE ONLY FOR CHAIRS WITH 21ST TILT AND/OR RECLINE SYSTEMS. BACKPOSTS ARE FABRICATED TO THE HEIGHT YOU SPECIFY TO THE NEAREST INCH, FROM 12 TO 32 INCHES. FOR SOME SYSTEMS, BACK HEIGHTS OF LESS THAN 18" CANNOT BE FABRICATED. CONTACT FACTORY FOR MORE INFORMATION.
SEAT WIDTH		B4717	CTRSBA. CUSTOM TILT AND/OR RECLINE SYSTEM SEAT-TO-BACK ANGLE (SPECIFY ANGLE:. SPECIFY THE ANGLE IN DEGREES. ALLOWS CUSTOMIZATION OF THE ANGLE BETWEEN THE SEAT AND THE BACK ON 21ST
B4523	HF NAR SW. NARROW BOUNDER HF SEAT WIDTH. NO CHARGE WHEN NARROW BASE WIDTH AND EXTRA NARROW BASE WIDTH ARE ORDERED. REQUIRES NARROWER CUSTOM STEEL FOOTPLATES. ORDER CUS SFPW (B5029) OR CUS SFP FLIP UP (B5030).		
SEAT HEIGHT			
NOTE THAT THE SEAT HEIGHT AT FRONT CAN BE ADJUSTED TO 20", 20.5" OR 21" BY CHANGING THE POSITION OF THE FRONT WHEELS IN THE SUSPENSION FORKS. THIS ALSO CHANGES THE TILT OF THE SEAT. RECARO SEAT HEIGHTS MAY BE SLIGHTLY HIGHER.			
B4601N	HF XNAR SH. STANDARD 20" SEAT HEIGHT (NO CHARGE, CHAIRS ORDERED W/ EXTRA NARROW BASE ONLY). FOR ALL OTHER H-FRAME CONFIGURATIONS USE B4601H, HF STD SH WITH A STANDARD SEAT HEIGHT OF 21".		
B4602H	HF RECARO SH. STANDARD H-FRAME RECARO 24" OR 26" SEAT HEIGHT. FOR CHAIRS WITH RECARO SEATS. CERTAIN CONFIGURATIONS OF SEATING SYSTEMS MAY INCREASE THE EFFECTIVE SEAT-TO-FLOOR HEIGHT FROM 24" TO 26". SPECIFICALLY, IF A SEAT ELEVATOR IS COMBINED WITH THE RECARO THE SEAT-TO-FLOOR HEIGHT BECOMES 26". CONTACT FACTORY FOR ADDITIONAL INFORMATION.		
B4606	CAPT SH. STANDARD 22" OR 24" CAPTAIN'S SEAT HEIGHT. FOR CHAIRS WITH CAPTAIN'S SEATS. CERTAIN CONFIGURATIONS OF SEATING SYSTEMS MAY INCREASE THE EFFECTIVE SEAT-TO-FLOOR HEIGHT FROM 22" TO 24". SPECIFICALLY, IF A SEAT ELEVATOR IS COMBINED WITH A CAPTAIN'S SEAT THE SEAT-TO-FLOOR HEIGHT BECOMES 24". CONTACT FACTORY FOR ADDITIONAL INFORMATION.		

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
	TILT SYSTEMS. 94.5 DEGREES IS STANDARD; ANY OTHER ANGLE REQUIRES THIS UPCHARGE. CTRSBVA IS ONLY AVAILABLE FOR 21ST TILT SYSTEMS. PRICE DOES NOT INCLUDE CTRBH ABOVE.

CAPTAIN'S BACK HEIGHT

B4731	STD CAPT BH. STANDARD CAPTAIN'S BACK HEIGHT. MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK.
B4732	CUS CAPT BH. CUSTOM CAPTAIN'S BACK HEIGHT (SPECIFY HEIGHT). SPECIFY BACK HEIGHT FROM 12" TO 28" MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK, IN 1" INCREMENTS.

HEADRESTS

B4801	PHR. POWER HEADREST. POWER HEADREST MOVES UP AND FORWARD TO USE; RETRACTS BACK AND DOWN TO STORE. PRIMARILY FOR USE WITH POWER TILT AND/OR RECLINE SYSTEMS, BUT CAN ALSO BE INSTALLED ON SOME STANDARD CHAIRS. A 24" HIGH OR HIGHER BACK HEIGHT IS REQUIRED FOR INSTALLATION OF THE POWER HEADREST. CONTACT FACTORY FOR ADDITIONAL DETAILS. INCLUDES CONTROL SWITCH BOX (UNLESS JOYSTICK PSS CONTROL) AND 7" HIGH X 10" WIDE UPHOLSTERED PAD HEADREST. SPECIFY COLOR.
B4803	RHR. 10" HIGH REMOVABLE SLING HEADREST. SLING UPHOLSTERY HEADREST SLIPS INTO ENDS OF BACKPOSTS OF 21ST POWER TILT AND/OR RECLINE SYSTEMS. CAN ALSO BE USED ON 21ST CHAIRS WITH STRAIGHT BACKPOSTS. INCLUDES HEADREST SLING UPHOLSTERY AND POSTS. ALSO INCLUDES MODIFYING BACKPOSTS TO ACCOMMODATE HEADREST IF REQUIRED. SPECIFY UPHOLSTERY COLOR. FOR HEIGHTS OTHER THAN 10", ORDER CSHR.
B4804	CSHR. CUSTOM SIZE OR STYLE HEADREST FOR ACPHR OR RHR. ANY SIZE BUT STANDARD 6" HIGH X 12.5" WIDE WITH 2" DEEP CURVE FOR ACPHR. ANY SIZE BUT STANDARD 10" HIGH X BACKPOST WIDTH FOR RHR.

FRONT RIGGING

BOUNDER CHAIRS DO NOT INCLUDE FRONT RIGGING. YOU MUST ORDER FRONT RIGGING SEPARATELY IF IT IS NEEDED.	
B5001	FR70. 70 DEG SWINGAWAY FOOTRESTS. FR70 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED.
B5002	FR60. 60 DEG SWINGAWAY FOOTRESTS. FOR H-FRAMES: REQUIRED ON MOST SHORT BASE CHAIRS WITH 15" AND 16" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. REQUIRED ON MOST LONG BASE CHAIRS WITH 17", 18" OR 19" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. FOR CONVENTIONAL FRAMES: USUALLY NECESSARY FOR CASTER WHEEL CLEARANCE WHEN 9"X3.50" FRONT WHEELS ARE INSTALLED. FR60 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED.
B5003	FR55. 55 DEG SWINGAWAY FOOTRESTS. FR55 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED.
B5004	FR90. 90 DEG SWINGAWAY FOOTRESTS. MOST OFTEN USED ON CHAIRS FOR CHILDREN OR USERS WITH VERY SHORT LEGS. BOTTOM OF FOOTPLATE IS USUALLY ADJUSTED TO BE ABOVE THE CASTER WHEEL TIRE, BUT CFR (CUSTOM FRONT RIGGING) CAN BE ORDERED IF CUSTOM FEATURES ARE NEEDED. FR90 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED. MAXIMUM DISTANCE FROM TOP FRONT OF SEAT RAIL TO TOP OF FOOTPLATE IS TYPICALLY 13" ON A 21" SEAT HEIGHT CHAIR.
B5005	LRL. LOW PROFILE ELEVATING LEGRESTS (E0990). LOW PIVOT AT SEAT LEVEL BELOW THE KNEE DESIGN. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS. LRL WILL NOT ELEVATE COMPLETELY WITH DIPLR.
B5007	LRH. HIGH PROFILE (GOOSENECK) ELEVATING LEGRESTS (E0990). HIGH PIVOT (GOOSENECK) AT KNEE LEVEL DESIGN. COMPATIBLE WITH MOST POWER RECLINERS. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS.
B50079	LRH90. 90 DEGREE HIGH PROFILE ELEVATING LEGRESTS. UTILIZES A LRH BRACKET AND A LRL HANGER. THIS ALLOWS THE USER TO GET HIS/HER FEET CLOSER TO THE CASTERS REDUCING THE OVERALL CHAIR LENGTH. NOTE: THE LEGRESTS MUST BE RAISED IN ORDER FOR THE CASTERS TO CLEAR THE LEGRESTS. THESE LEGRESTS FUNCTION BEST WHEN USED WITH DIPLR OR DIPLR HD.
B5008	DIPLR. DUAL INDEP PWR ELEV LEGREST MECHANISMS (ACTUATORS, SW BOX, LEGRESTS) (E1010). DIPLR DUAL INDEPENDENT POWER ELEVATING LEGREST MECHANISM INCLUDES TWO ACTUATORS, ONE ON EACH SIDE, THAT MOVE THE LEGRESTS SEPARATELY FOR INDEPENDENT OPERATION, OR TOGETHER FOR COMBINED OPERATION. INCLUDES 2 SWITCH CONTROL BOX. INCLUDES LRL OR LRH LEGRESTS. DIPLR IS OFTEN ORDERED AS PART OF A POWER RECLINE AND/OR TILT SYSTEM, BUT IT CAN BE ORDERED BY ITSELF. IF ORDERED WITH A POWER TILT, POWER RECLINE AND/OR POWER SEAT ELEVATOR SYSTEM, A 3 OR 4 SWITCH CONTROL BOX WILL BE SUPPLIED UNLESS THROUGH-THE-JOYSTICK CONTROL IS ORDERED (AT EXTRA COST).
B5014	RFR. REINFORCED FOOTRESTS (FOOTRESTS NOT INCLUDED). EXTRA TUBING AND GUSSET ADDED TO FOOTREST BRACKET. ALSO INCLUDES SOLID BAR STOCK IN LOWER FOOTREST EXTENSION.
B5016	RLR. REINFORCED ELEVATING LEGRESTS (LRL OR LRH NOT INCLUDED). SIMILAR TO RFR. PIVOT OF LEGREST BRACKET AND EXTENSION TUBE ARE ALSO REINFORCED. FOR LRL OR LRH ELEVATING LEGRESTS. PRICE DOES NOT INCLUDE LEGRESTS; ORDER LEGRESTS SEPARATELY.
B5018	OFFSET FR. OFFSET FRONT RIGGING (SPECIFY OFFSET). SPECIFY PORTION OF FOOTREST/LEGREST TO BE OFFSET. THE FOOTREST/LEGREST BRACKET OR EXTENSION MAY BE OFFSET EITHER INWARD OR OUTWARD.

Stk#	Note
	SPECIFY THE OFFSET TO THE NEAREST 1/2 INCH. PRICE DOES NOT INCLUDE FRONT RIGGING.
B5019	TAPER FR. TAPERED FRONT RIGGING (SPECIFY TAPER). SPECIFY TAPER TO NEAREST 1/2". ALSO SPECIFY TYPE OF TAPER: DOUBLE BEND OR STRAIGHT ANGLE. UP CHARGE; PRICE DOES NOT INCLUDE FRONT RIGGING.
B5023	QRL. QUAD RELEASE LEVERS. FRONT RIGGING RELEASE LEVERS EXTENDED TO OUTSIDE OF CHAIR.
B5029	CUS SFPW. CUSTOM WELDED ON STEEL FOOTPLATES (SPECIFY SIZE)(ORDER HEEL LOOPS SEPARATELY). STEEL FOOTPLATES WELDED TO FOOTRESTS/LEGREST EXTENSIONS. NOTE: THESE FOOTPLATES WILL NOT FLIP UP.
B5033	WFBU. 1-PIECE WOODEN FOOTBOARD, UPHOLSTERED W/ PAD. ONE-PIECE WOODEN FOOTBOARD ATTACHES TO LEFT FOOTPLATE AND OVERLAPS RIGHT EXTENSION. 6" FRONT TO BACK WITH 3/4" THICK WOOD 1" THICK FOAM AND UPHOLSTERY SIZED TO FIT WIDTH ACROSS FOOTPLATES.
B5034	CFB. CUSTOM 1-PIECE FOOTBOARD. CAN BE FABRICATED FROM WOOD OR SHEET METAL.
B5035	CUS CM FB. CUSTOM CENTER MOUNT, ANGLE ADJUSTABLE FOOTBOARD. MOUNTS IN CENTER OF CHAIR. FLIPS UP TOWARD THE CENTER OF THE CHAIR. SPECIFY WIDTH OF FOOTBOARD. CAUTION: THE USER MUST ALWAYS WEAR SHOES OR FOOT PROTECTION. CONTACT FACTORY FOR ADDITIONAL INFORMATION.
B5041	FPHL. HEEL LOOPS. HEEL LOOPS ARE INSTALLED IN THE NORMAL POSITION ON THE FOOTPLATE UNLESS YOU ADVISE US OTHERWISE.
B5042	FPAS. ANKLE STRAPS. DUE TO THE WIDE RANGE OF FOOT SIZES, ANKLE STRAPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE STRAPS ON THE FOOTPLATES.
B5043	FPTL. PAIR OF TOE LOOPS. DUE TO THE WIDE RANGE OF FOOT SIZES, TOE LOOPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE TOE LOOPS ON THE FOOTPLATES.
B5047	CALF FLAT. FLAT CALF PADS. SPECIFY WIDTH AND HEIGHT TO NEAREST INCH.
B5075	FR PED. PEDIATRIC FRONT RIGGING (REDUCES FOOTPLATE SIZE AND EXTENSION ADJUSTMENT RANGE). REDUCES FOOTPLATE SIZE AND EXTENSION ADJUSTMENT RANGE. FOR USE WITH PEDIATRICS AS WELL AS VERY SMALL ADULT. INCLUDES WELDED ON FOOTPLATES WITH HEELLOOPS. FOOTPLATES DO NOT FLIP UP.
ARMS	
B5108	DL ART ARM. DESK LENGTH ARTICULATING ARMS. DESK LENGTH ARTICULATING ARMS MOVE BACK AND DOWN AS SEAT RECLINES. BOTTOM FRONT OF ARMS SNAP OUT OF RETAINER, ALLOWING ARMS TO BE PIVOTED UP AND FOLDED OUT OF THE WAY FOR TRANSFERRING. HEIGHT CAN BE ADJUSTED. DOES NOT INCLUDE ARM SIDE PANELS (MODESTY PANELS). HEIGHT ADJUSTMENT RANGE IS FROM APPROXIMATELY 10.5" MINIMUM TO 14.5" MAXIMUM ABOVE THE SEAT RAILS. CAN BE USED ON NON-RECLINING BACK CHAIRS ALSO.
B5109	FL ART ARM. FULL LENGTH ARTICULATING ARMS. FULL LENGTH ARTICULATING ARMS MOVE BACK AND DOWN AS BACK RECLINES. SIMILAR TO DESK LENGTH ARTICULATING ARMS ABOVE EXCEPT FULL LENGTH.
B5110	DL SL ARM. DESK LENGTH SLIDING ARMS. DESK LENGTH SLIDING ARM GLIDES BACK AND DOWN UPON A FIXED LOWER ARM AS THE SEAT RECLINES. STATIONARY LOWER ARMS ARE DETACHABLE, CAN BE ADJUSTED IN HEIGHT AND HAVE SIDE PANELS (MODESTY PANELS). DL SL ARM ARE NOT REVERSE MOUNTED. HEIGHT ADJUSTMENT RANGE IS FROM APPROXIMATELY 11" MINIMUM TO 16" MAXIMUM ABOVE THE SEAT RAILS. USUALLY INSTALLED ON RECLINERS ONLY.
B5111	FL SL ARM. FULL LENGTH SLIDING ARMS. SIMILAR TO DESK LENGTH SLIDING ARMS ABOVE EXCEPT FULL LENGTH.
B5112	DL SS ADJ ARM. DESK LENGTH SELF-SUPPORTING ADJ ARMS. DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARMS INCLUDE CLAMP ON BACKPOST MOUNTS AND BACKPOSTS WITH ANTI-ROTATION RIBS. BACKPOST CLAMPS INCLUDE ARM UP AND DOWN STOPS. NO ARM PANELS. THESE ARMS ARE VERY STRONG AND THEY MAKE TRANSFERS EASY. FOR USE WITH NON-RECLINING BACK CHAIRS. REQUIRES STRAIGHT BACKPOSTS USED IN CONJUNCTION WITH FRONT MOUNTED BACK UPHOLSTERY OR A SOLID BACK (TYPICALLY CS945BH, STD REC BH, OR STD TILT BH).
B5112C	DL SS ADJ ARM CS. DESK LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAIN'S SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5" .
B5112R	DL SS ART ARM. DESK LENGTH SELF-SUPPORTING ADJ ARTICULATING ARMS. ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT.
B5113	FL SS ADJ ARM. FULL LENGTH SELF-SUPPORTING ADJ ARMS. SIMILAR TO DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARMS ABOVE EXCEPT FULL LENGTH.
B5113C	FL SS ADJ ARM CS. FULL LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAIN'S SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5" .
B5113R	FL SS ART ARM. FULL LENGTH SELF-SUPPORTING ADJ ARTICULATING ARMS. ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT.
B5114	RECARO FU ARMS. RECARO FLIP UP ARMS (FOR RECARO SEATS ONLY). INCLUDES HAND CONTROL MOUNT BOLTED UNDER LEFT OR RIGHT RECARO ARM.

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
B5116	ONDA. OFFSET NON-DETACHABLE ARMS. ARMS ARE PERMANENTLY WELDED TO THE FRAME. PRICE IS FOR A PAIR.
B5117	INDA. IN-LINE NON-DETACHABLE ARMS. THE FRONT OF THE ARMS ARE WELDED TO THE SEAT RAILS JUST IN FRONT OF THE SEAT UPHOLSTERY. THE REAR OF THE ARMS ARE WELDED TO THE BACKPOSTS. EFFECTIVE SEAT WIDTH IS THEREBY NARROWED BY ABOUT 2 INCHES, BUT THE OVERALL WIDTH OF THE CHAIR AT THE REAR TIRES IS NOT REDUCED. PRICE IS FOR A PAIR.
B5121	PARMS. PEDIATRIC ARMS (LOWER ARM ASSEMBLY IS 3" LOWER). REDUCES HEIGHT OF LOWER ARM ASSEMBLY BY 3". ADJUSTMENT RANGE IS REDUCED. FOR USE WITH PEDIATRICS AS WELL AS VERY SMALL ADULT.
B5131	RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING. NO CHARGE WITH POWER 1000 AND MANUAL 1000 UPGRADE.
B5134	CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE!
B5135	NARMS. CREDIT FOR NO ARMS. CREDIT IS FOR A PAIR OF ARMS AND INCLUDES THE ARMREST PAD CREDIT (NARP) LISTED BELOW.

ARMREST PADS

B5141	STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC BASE WITH NAUGAHYDE COVERED FOAM. NOT AVAILABLE IN FABRIC.
B5142	WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF INSTALLED ON ARTICULATING OR SLIDING ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS.
B5143	TROUGH ARP. TROUGH ARMREST PADS. AVAILABLE IN NAUGAHYDE OR FABRIC.
B5144	FLAT ARP. 3.5" WIDE FLAT ARMREST PADS. 3 1/2" WIDE FLAT PAD WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC.
B5145	NARROW FLAT ARP. 2" WIDE NARROW FLAT ARMREST PADS. 2" WIDE FLAT PAD WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC.
B5147	NARP. CREDIT FOR NO ARMREST PADS. CREDIT IS FOR A PAIR.

WHEELCHAIR SEATS & SEAT CUSHIONS

B5206	HF SD SEAT UPH. H-FRAME SUPER DUTY SCREW-ON SLING SEAT UPHOLSTERY. AVAILABLE IN WIDTHS FROM 12" TO 24". INCLUDES MODIFICATIONS TO SEAT ASSEMBLY TO ALLOW FOR INSTALLATION OF SLING SEAT.
B5233	SMP DROP SEAT. FLAT POWDER COATED DROP SHEET METAL SEAT (SPECIFY 1" OR 2" DROP). INCLUDES MODIFICATIONS TO SEAT ASSEMBLY TO ALLOW FOR INSTALLATION OF DROP SEAT.
B5234	SMP DROP SEAT ADJ. FLAT POWDER COATED SHEET METAL PAN DROP SEAT WITH ADJUSTABLE BRACKETS. INCLUDES MODIFICATIONS TO SEAT ASSEMBLY TO ALLOW FOR INSTALLATION OF DROP SEAT.
B5242	SMP SEAT CUSHION. UPHOLSTERED FOAM SEAT CUSHION (UP TO 3". SPECIFY FOAM THICKNESS: 1" TO 3" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMP SEAT FLAT. VELCRO IS ATTACHED TO SMP SEAT FLAT AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN.
B5262A	SPEC SEAT FOAM. SPECIAL SEAT FOAM (PUDGE, SUNMATE, ETC.)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. OFTEN 1/2" IS INSTALLED ON TOP OF THE 1" THICK STANDARD FOAM.
B5270C	CC M2-SA SEAT CUSH 16-21. COMFORT COMPANY M2 POSITIONING GEL SEAT CUSHION, UP TO 21" WIDE (E2607). SPECIFY WIDTH AND DEPTH.
B5270D	CC M2-SA SEAT CUSH 22+. COMFORT COMPANY M2 POSITIONING GEL SEAT CUSHION, 22" OR 24" WIDE (E2608). SPECIFY WIDTH AND DEPTH.
B5270G	CC AJX-S SEAT CUSH 16-21. COMFORT COMPANY ADJUSTER X SEAT CUSHION W/ VICARE TECH, UP TO 21" WIDE (E2622). SPECIFY WIDTH AND DEPTH.
B5270H	CC AJX-S SEAT CUSH 22+. COMFORT COMPANY ADJUSTER X SEAT CUSHION W/ VICARE TECH, 22" AND WIDER (E2623). SPECIFY WIDTH AND DEPTH.

WHEELCHAIR BACKS & BACK CUSHIONS

B5303N	SD BACK UPH NC. BOUNDER PLUS & BIG BOUNDER SUPER DUTY SCREW-ON SLING BACK UPHOLSTERY N/C. STANDARD ON BOUNDER PLUS AND BIG BOUNDER CHAIRS AND GURNEYS. INCLUDES CAPS, DOUBLE LINER, WEB STRAPS. IT IS AVAILABLE IN BLACK, DARK BLUE, BURGUNDY AND DOVE GRAY. CUSTOM COLORS ARE ADDITIONAL.
B5332	SMPB CURVED. CURVED POWDER COATED SHEET METAL PAN BACK. REQUIRES STRAIGHT BACKPOSTS (TYPICALLY CS945BH, STD REC BH OR STD TLT BH).
B5342	SMP BACK CUSHION. UPHOLSTERED FOAM BACK CUSHION (UP TO 2". SPECIFY FOAM THICKNESS: 1" - 2" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMPB FLAT OR SMB CURVED. VELCRO IS ATTACHED TO THE SEAT PAN AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN.

Stk#	Note
B5362A	SPEC BACK FOAM. SPECIAL BACK FOAM (PUDGE, SUNMATE, ETC.)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. OFTEN 1/2" IS INSTALLED IN FRONT OF THE 1" THICK STANDARD FOAM.
B5370C	CC AB-BSXXXWXL. COMFORT COMPANY ACTA-BACK, POSTERIOR, 16"-21" WIDE (E2613) (SPECIFY WIDTH:. SPECIFY WIDTH AND HEIGHT.
B5370D	CC AB-BSXXXWXL 22+. COMFORT COMPANY ACTA-BACK, POSTERIOR, W/ 22"-24" WIDE (E2614) (SPECIFY WIDTH:. SPECIFY WIDTH AND HEIGHT
B5370G	CC AR-BSXXXWXL. COMFORT COMPANY ACTA RELIEF BACK, POSITIONING, POSTERIOR, 16"-20" WIDE (E2615) (SPECIFY WIDTH:. SPECIFY WIDTH AND HEIGHT. IF HEADREST IS ORDERED WITH CHAIR, ALSO SELECT B5370N HD-KXXW.

POSITIONING HARDWARE

UPHOLSTERY COLOR

IF FABRIC UPHOLSTERY IS ORDERED BLACK NAUGAHYDE CALF PADS AND/OR ARMREST PADS WILL BE SUPPLIED UNLESS CALF FLAT, CALF TROUGH, CALF CUSTOM, TROUGH ARP, FLAT ARP, NARROW FLAT ARP, OR CARP ARE ORDERED.

CONTROL BOXES & REMOTE DISPLAY

B6005P	DHC PB. DRIVER HAND CONTROL WITH PUSH BUTTON SWITCHES (SPECIFY LOCATION OF SWITCHES). PUSH BUTTON POWER SWITCH. PUSH BUTTON SELECT DOWN INSTALLED IN SELECT SWITCH POSITION. SELECT UP CAN BE INSTALLED IN EITHER THE AUX 1 LOCATION OR UNDER THE DHC. SPECIFY AT TIME OF ORDER.
B6011	RD. REMOTE DISPLAY SEPARATE FROM JOYSTICK & SWITCHES. FOR USE WITH CHIN AND SPECIALTY CONTROLS, OR DRIVERS WITH IMPAIRED VISION. INCLUDES GOOSENECK MOUNT.
B6012	CB KEY LOCK. ADD KEY SWITCH AT FRONT OF HAND CONTROL. INCLUDES 2 KEYS.
B6039	CB JRP. JOYSTICK RETENTION PLATE. IDEAL FOR USERS WITH SPASTICITY OR ARE OTHERWISE HARD ON THEIR JOYSTICKS.
B6041	CUS CB. CUSTOM HAND, FOOT, HEAD OR CHIN CONTROL. WE CAN FABRICATE MANY DIFFERENT TYPES OF CUSTOM HAND, FOOT, HEAD OR CHIN CONTROLS TO MEET YOUR SPECIFIC NEEDS. CONTACT THE FACTORY FOR MORE INFORMATION.

HAND & CHIN CONTROL MOUNTS & EXTENSIONS

B6115	SA EXT. SWINGAWAY HAND CONTROL EXTENSION SLIDE (E1028). VERY STURDY. SWINGS OUT TO SIDE AND BACK.
B6116	MIDLINE HC M&E. MIDLINE HAND CONTROL MOUNT & EXTENSION SLIDE. SWINGS UP TO SIDE. SPECIFY LEFT OR RIGHT MOUNT.
B6121	CC MOUNT. CHIN CONTROL MOUNT. MOUNTS ON BACKPOST TUBING ON EITHER SIDE. SPECIFY LEFT OR RIGHT. FULLY ADJUSTABLE WITH SWING TO SIDE FEATURE.
B6122	POWER CC MOUNT. POWER CHIN CONTROL MOUNT. INSTALL POWER CHIN CONTROL MOUNT INSTEAD OF STANDARD HAND CONTROL MOUNT. SPECIFY LEFT OR RIGHT MOUNT. ACTUATOR SWINGS CHIN CONTROL AND BOOM TO SIDE ABOUT 90 DEGREES WHEN CONTROL SWITCH IS OPERATED. BI-DIRECTIONAL MOMENTARY TOGGLE SWITCH CONTROL IS STANDARD. SWITCH CAN BE MOUNTED ANYWHERE CONVENIENT TO USER OR ATTENDANT. OTHER CUSTOM CONTROL SWITCHES AND METHODS OF CONTROL ARE POSSIBLE. LEFT AND RIGHT HAND MODELS AVAILABLE. CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.
B6131	CC BIB MOUNT. CHIN CONTROL BIB MOUNT (SPECIFY HARD OR SOFT COLLAR). SPECIFY HARD OR SOFT BIB COLLAR. DOES NOT INCLUDE CHIN CUP.
B6172	CUS EXT SLIDE. CUSTOM EXTENSION SLIDE. CLOSE IN, STRAIGHT, CUSTOM HEIGHT, ETC. TELL US WHAT YOU NEED.

DRIVE MODULES

UE1H PREMIUM 6-PROGRAM WHEELCHAIR ELECTRONICS & OPTIONS

B6298C	PS OVERRIDE. POWER SEATING SYSTEM OVERRIDE SWITCH (SPECIFY SEATING SYSTEM). TYPICALLY THE OVERRIDE SWITCH IS PLACED AT THE REAR OF THE ARM SO THAT THE USER CAN CONTROL THE RECLINE OR TILT SYSTEM WHEN IT IS FULLY TILTED OR RECLINED. PREVENTS USER FROM GETTING STUCK IN THE FULLY TILTED OR RECLINED POSITION. INCLUDES SWITCH AND RELAY BOX. SPECIFY WHICH POWER SEATING SYSTEM TO CONTROL.
--------	--

DX PROGRAMMABLE ELECTRONICS

CONTACT FACTORY FOR AVAILABILITY AND PRICING.

B6322	DX-ACU1. DX DUAL CONTROL (ATTENDANT CONTROL WITH ATTENDANT/USER CHANGEOVER SWITCH). ATTENDANT CONTROL WITH AN ATTENDANT/USER CHANGEOVER SWITCH.
B6323	DX-RJM. DX REMOTE JOYSTICK MODULE, SMALL (E2373). SMALL JOYSTICK ONLY CONTROL
B6330	DX-SNP. DX SIP & PUFF MODULE (E2325). 1, 3 & 5 SPEED MOMENTARY, LATCHED AND ANALOG LATCHED MODES. DOES NOT INCLUDE BREATH TUBE
B6337	DX-ECU. DX ECU. CONTROLS UP TO 8 SWITCH TYPE OUTPUTS TO CONTROL ON-CHAIR DEVICES.

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk# Note
86349 DX-HHPNA. DX HAND HELD PROGRAMMER. NORTH AMERICAN VERSION: ENGLISH, SPANISH AND FRENCH.

86359 DX-SKT-X3. DX BUS 3-WAY SOCKET. FOR CHAIRS THAT NEED EXTRA SOCKETS TO CONNECT ALL DX MODULES.

86262 DX2 EXP HARN. WIRING HARNESS FOR DX2 EXPANDABLE DRIVE MODULE (E2613). INCLUDES BATTERY CABLE, MOTOR & BRAKE CABLES ALONG WITH ANY BUS CABLES REQUIRED.

ASL (ADAPTIVE SWITCH LABS) WHEELCHAIR CONTROL SYSTEMS

CALL FACTORY

PG DRIVES PROGRAMMABLE ELECTRONICS

CALL FACTORY

FALCON COMPONENTS

DRIVE MODULE MOUNTS

86702 USM HF. DRIVE MODULE MOUNTED UNDER H-FRAME WHEELCHAIR SEAT. DRIVE MODULE MOUNTED VERTICALLY UNDER SEAT BETWEEN MOTORS AND BATTERY BOX, OR HORIZONTALLY UNDER SEAT PAN. SOMETIMES, ALTERNATE LOCATIONS ARE NECESSARY, DEPENDING UPON THE EXACT CHAIR CONFIGURATION.

86706 OBBM HF. DRIVE MODULE MOUNTED OVER H-FRAME BATTERY BOX. DRIVE MODULE MOUNTED HORIZONTALLY OVER BATTERY BOX. THIS ITEM IS REQUIRED FOR CHAIRS WITH PSE2 OR SHORT BASE CHAIRS WITH PTS.

RESPIRATOR & OXYGEN BOTTLE MOUNTS

86801 RESP SHELF. FIXED POSITION RESPIRATOR SHELF. VERY STURDY SHEET METAL SHELF IS WELDED IN PLACE ON BACKPOST TUBING, USUALLY JUST BELOW PUSH HANDLES. APPROXIMATELY 20" WIDE X 10" DEEP. CUSTOM SIZES AVAILABLE. PUSH HANDLES SOMETIMES FLARED FOR CLEARANCE ON NARROW CHAIRS. CONTACT FACTORY FOR MORE INFORMATION.

86803 RESP GIMBAL SHELF. GIMBAL-MOUNTED RESPIRATOR SHELF. FOR CHAIRS WITH TILT AND RECLINE THAT REQUIRE THAT RESPIRATOR BE KEPT APPROXIMATELY LEVEL WITH GROUND.

86811 RESP BBOX U1. SINGLE U1 BATTERY BOX MOUNTED ON SHELF (SPECIFY LOCATION; FOR RESPIRATORS). SHELF USUALLY LOCATED UNDER SEAT NEAR FRONT OF CHAIR. REMOVABLE U1 BATTERY BOX IS HELD ON TRAY WITH A STRAP. ALTERNATE LOCATIONS SUCH AS ON THE SHELF NEXT TO OR BELOW THE RESPIRATOR ARE ALSO AVAILABLE. CONTACT FACTORY FOR MORE INFORMATION.

MOTORS & BRAKES

87006N ST15M&B NC. SUPER TORQUE 1S MOTORS & BRAKES N/C (FOR EXTRA NARROW BASE ONLY). THIS IS THE ONLY MOTOR AVAILABLE WHEN THE EXTRA NARROW BASE IS ORDERED.

87007 ST4M&B-M. SUPER TORQUE 4 MOTORS & BRAKES, MEDIUM SPEED. NO CHARGE WITH POWER 1000 OR HVLP OR. USED PRIMARILY ON CHAIRS EQUIPPED WITH THE HVLP OR OR BARIATRIC PATIENTS OVER 700 LB. ALSO RECOMMENDED FOR USERS BETWEEN 500 & 700 LB. CAN ALSO BE USED FOR PATIENTS THAT WANT A DURABLE, BUT SLOWER CHAIR WITH EXTRA TORQUE AND LONGER RUN TIME PER CHARGE.

87008 ST4M&B-S. SUPER TORQUE 4 MOTORS & BRAKES, SLOW SPEED. RECOMMENDED FOR USERS BETWEEN 700 AND 1000 LB.

DRIVE WHEEL OPTIONS

87054 DW 13M SMOOTH. 12.75"x4.00" METAL DRIVE WHEELS W/ SMOOTH TIRES (GRAY ONLY). FOR H-FRAMES ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15" X 4" AND 12.75" X 4".

87055 DW 13M KNOBBY. 12.75"x4.00" METAL DRIVE WHEELS W/ KNOBBY TIRES. FOR H-FRAMES ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15" X 4" AND 12.75" X 4".

DRIVE WHEEL TIRE AND TUBE OPTIONS

87084 DW 14M BKT&T. 14" X 5.4" METAL DRIVE WHEELS, BLACK KNOBBY 145/70-6 PNEUMATIC TIRES & TUBES. ST4M&B REQUIRED. NO CHARGE WITH HVLP OR.

CHAIN DRIVES

87202 FSC. FACTORY SELECT BEST CHAIN DRIVE. FACTORY SELECTS THE BEST CHAIN DRIVE CONFIGURATION BASED UPON THE CHAIR CONFIGURATION AND CUSTOMER DATA

87212 C25. 25 TOOTH MOTOR CHAIN SPROCKETS. 3.19" OD CHAIN SPROCKETS

87214 C23. 23 TOOTH MOTOR CHAIN SPROCKETS. 2.95" OD CHAIN SPROCKETS

87216 C21. 21 TOOTH MOTOR CHAIN SPROCKETS. 2.71" OD CHAIN SPROCKETS

87244 C70. 70 TOOTH DRIVE WHEEL CHAIN SPROCKETS. 8.58" OD CHAIN SPROCKETS FOR USE WITH 12.75"x4.00" METAL DRIVE WHEELS

PANTHER DRIVES

87371 P080. 80 TOOTH DRIVE WHEEL PANTHER SPROCKETS. 8.00" PD PANTHER SPROCKET FOR USE WITH 12.75"x4.00" METAL DRIVE WHEELS

CASTER WHEEL & FORK OPTIONS

CASTER TIRE & TUBE OPTIONS

VEHICLE TIEDOWNS

87602 TD DSI. WELD IN DRIVING SYSTEMS TIEDOWN BAR. DSI TIEDOWN BAR IS WELDED INTO THE WHEELCHAIR FRAME DURING CONSTRUCTION.

Stk# Note
87603 EZ LOCK TD. WELD EZ LOCK TIEDOWN CROSSBAR ONTO CHAIR. SPECIFY HEIGHT OF TIEDOWN CROSSBAR FROM FLOOR TO BOTTOM OF BAR, BOLT HEIGHT FROM FLOOR TO BOTTOM OF TIEDOWN BOLT AND DISTANCE FROM CENTER OF DRIVE WHEEL AXLE TO CENTER OF TIEDOWN BOLT.

BATTERY BOXES

87713 BBOXD24 LFP. DUAL GROUP 24 OR LFP SLIDING BATTERY BOX. REQUIRED FOR H-FRAMES USING THE NARROW 24" WIDE BASE AND SOME CHAIRS WITH SUSPENSION. NO CHARGE WHEN NARROW BASE OR SUSPENSION IS ORDERED. ALSO REQUIRED FOR 14" WIDE CONVENTIONAL FRAME CHAIRS

87715 BBOXD22NF. DUAL GROUP 22NF BATTERY BOX. NO CHARGE WHEN EXTRA NARROW 21.5" BASE WIDTH IS ORDERED.

87781 BBOX MNT +1GC. BATTERY BOX MOUNT WITH 1" EXTRA GROUND CLEARANCE. NOT AVAILABLE ON CHAIRS WITH PSE2 AND SOME OTHER CHAIR CONFIGURATIONS, CONTACT FACTORY FOR MORE INFORMATION.

BATTERIES

BATTERY CHARGERS

87921 NBC. CREDIT FOR NO BATTERY CHARGER. CREDIT APPLIES TO POWER WHEELCHAIRS AND GURNEYS ONLY! CREDIT NOT AVAILABLE FOR MANUAL CHAIRS OR MANUAL GURNEYS.

ACCESSORIES

88006 HF LP. LED SAFETY ILLUMINATION PACKAGE FOR ALL H-FRAMES. INCLUDES LED HEADLAMP AND SWITCH. LED TAILLIGHTS ARE BUILT INTO THE H-FRAME BASE.

88007 HL2. 2ND LED HEADLAMP. CURRENT DRAW FOR COMPLETE TWO HEADLAMP SYSTEM: 1.0A @ 24V.

88010 AMBER FLASHER. LED AMBER SAFETY FLASHERS (1 FLASHER MOUNTED IN REAR/1 MOUNTED IN FRONT). SAFETY AMBER FLASHER ALLOWS INCREASED VISIBILITY WHILE DRIVING AT NIGHT.

88021 HORN. 24V SAFETY AUDIO ALERT. THIS 24V HORN IS LOUD! THE CONTROL SWITCH (HORN BUTTON) CAN BE MOUNTED ON THE WHEELCHAIR TUBING AT ANY CONVENIENT LOCATION. COMPATIBLE WITH MOST 24V POWER WHEELCHAIRS. TOGGLE SWITCH TYPE HORN BUTTON WILL BE SUPPLIED UNLESS YOU SPECIFICALLY REQUEST A PUSH-BUTTON SWITCH.

88032 LB2. ELECTRIC LEG BAG EMPTIER 2. ELECTRIC LEG BAG EMPTIER 2 ALLOWS THE USER TO DRAIN HIS/HER LEG BAG WITHOUT ASSISTANCE. THIS ENCOURAGES INCREASED FLUID INTAKE, WHICH CAN REDUCE THE LIKELIHOOD OF URINARY TRACT INFECTION. THIS PACKAGE INCLUDES A 24V ELECTRIC PINCH VALVE WITH MANUAL RELEASE TAB THAT IS USUALLY STRAPPED AROUND THE USER'S ANKLE, THOUGH IT CAN BE MOUNTED ON A FOOTPLATE. A DRAIN TUBE EXTENSION THAT IS ATTACHED TO THE LEG BAG DRAIN TUBE IS PINCHED BY THE VALVE. THE LB2 VALVE DOES NOT REQUIRE INTERNAL CLEANING. THE SYSTEM INCLUDES A MOMENTARY TOGGLE SWITCH THAT CAN BE MOUNTED ANYWHERE ON THE WHEELCHAIR TUBING, AND A FUSED BATTERY CABLE. THE SWITCH AND VALVE INCLUDE QUICK DISCONNECT ANDERSON CONNECTORS SO THAT THE WHEELCHAIR FRONT RIGGING AND ARMS CAN BE REMOVED FOR TRANSFER AFTER THE SYSTEM IS INSTALLED. THE LEG BAG DRAIN TUBE EASILY THREADS THROUGH THE PINCH VALVE. LEG BAG AND FRONT RIGGING ARE NOT INCLUDED. KITS FOR CONTROLLING ELECTRIC LEG BAG EMPTIERS BY AN ECU SYSTEM ARE AVAILABLE AT ADDITIONAL COST. PRICE INCLUDES 6 MONTH WARRANTY. CONTACT THE FACTORY FOR MORE INFORMATION.

88041 FAN. FAN WITH ON-OFF CONTROL. THE PERSONAL FAN CAN BE USED WITH MOST POWER WHEELCHAIRS AND GURNEYS. THIS QUIET FAN PROVIDES A GENTLY COOLING 45 CFM FLOW. MOUNTS ON FRONT LOWER ARM OF WHEELCHAIR OR WHEREVER CONVENIENT FOR THE USER. THE KIT INCLUDES A FUSED 24V ALWAYS ON BATTERY CABLE AND A TOGGLE SWITCH THAT CLAMPS ON ROUND TUBING. CURRENT DRAW: 0.11A @ 24V, 38.1 DBA. GREAT FOR THOSE HOT SUMMER DAYS; A MEDICAL NECESSITY IF VASO-CONSTRICTION AND VASO-DILATION OF YOUR PERIPHERAL VASCULAR SYSTEM IS COMPROMISED.

88045 SSAI. SPECIALTY SWITCH ACCESSORY INTERFACE. THIS ITEM ALLOWS A LOW-CURRENT SPECIALTY SWITCH TO BE PLUGGED INTO AN 1/8" PHONO PLUG TO OPERATE A MOMENTARY ACCESSORY (E.G., HORN, ELECTRIC LEG BAG EMPTIER 2 ETC.) SWITCH NOT INCLUDED. MOST NORMALLY OPEN MOMENTARY SWITCHES CAN BE USED WITH THIS SYSTEM.

88046 24/48 TO 12PC. 24V/48V TO 12V POWER CONVERTER (5A MAXIMUM LOAD). CONVERTS 24 OR 48 VOLTS TO 12 VOLTS, PROVIDING UP TO 5 AMPS OF POWER. THIS ALLOWS SOME 12 VOLT ACCESSORIES TO BE INSTALLED ON THE WHEELCHAIR OR CART.

88049 ECU. ENVIRONMENTAL CONTROL UNIT, REMOTE OUTLET SWITCHING. PROVIDES 5 SETS OF SEPARATE ON-OFF PUSH BUTTON SWITCHES FOR CONTROLLING UP TO 5 AC OUTLETS. EACH AC OUTLET CAN CONTROL UP TO A 10A LOAD(1200W). STRONG RF SIGNAL CAN WORK AS FAR AS 100 FT. PUSH BUTTON CONTROL IS ATTACHED TO THE ARM OF THE CHAIR USING A RAM MOUNT.

88063 GUN MOUNT. HEIGHT & ANGLE ADJUSTABLE GUN MOUNT WITH RIFLE REST. INCLUDES CENTER MOUNT SQUARE RECEIVER WELDED UNDER SEAT SO GUN MOUNT CAN EASILY BE ATTACHED AND REMOVED WHEN NOT BEING USED. HEIGHT ADJUSTABLE, ANGLE ADJUSTABLE AND UNIVERSAL FOR LEFT AND RIGHT HANDED SHOOTERS.

88083 TOOL KIT. TOOL KIT. INCLUDES COMMON TOOLS USED TO MAKE ADJUSTMENTS AND MINOR REPAIRS ON CHAIR.

88091 MIRROR. REAR VIEW MIRROR. THIS DETACHABLE REAR VIEW MIRROR HAS A WIDE ANGLE CONVEX HEAD THAT ALLOWS USERS TO SEE TO THE REAR WITHOUT TURNING THEIR HEAD. IT INCREASES SAFETY IN TRAFFIC AND IS ALSO HANDY WHEN BACKING INTO OR OUT OF ELEVATORS. THE MIRROR COMES WITH A

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
	QUICK DETACH BRACKET.

B8127 WC JACK. WHEELCHAIR JACK. USED TO LIFT REAR OF THE WHEELCHAIR IN THE AIR TO CHANGE TIRES OR WHEELS.

SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

CAUTION! DO NOT USE AS SEAT BELTS OR RESTRAINTS IN LICENSED VEHICLES. POSITIONING STRAPS ARE TO BE USED ONLY FOR HOLDING USER IN POSITION WHILE DRIVING THE WHEELCHAIR. FOR WHEELCHAIRS, INDICATE WHETHER LAP OR CHEST MOUNT. FOR GURNEYS, INDICATE DISTANCE TO MOUNT STRAPS FROM FRONT OR REAR OF MATTRESS PAN, LENGTH OF STRAP, AND WHAT PART OF BODY STRAP IS TO GO AROUND.

B8211 PS CUS S. CUSTOM SEAT MOUNT POSITIONING STRAP (SPECIFY BUCKLE TYPE AND LENGTH). REQUIRED FOR ANY POSITIONING STRAP THAT IS NOT 60" LONG. SPECIFY BUCKLE TYPE AND LENGTH.

CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

WARRANTIES AND SPECIAL SERVICE OPTIONS

STANDARD WARRANTIES

B9022 BP HF PWC WAR. BOUNDER PLUS H-FRAME POWER WHEELCHAIR STANDARD WARRANTY. TWO YEAR WARRANTY ON ENTIRE BOUNDER PLUS POWER WHEELCHAIR. TEN YEAR H-FRAME BASE WARRANTY. FIVE YEAR H-FRAME SEAT WARRANTY. FIVE YEAR SUPER TORQUE 3 MOTOR AND BRAKE DRIVE TRAIN WARRANTY (INCLUDES MOTORS, BRAKES, DRIVE WHEELS AND DRIVE WHEEL PULLEYS/SPROCKETS, BUT EXCLUDES DRIVE BELTS, TIRES, MOTOR PULLEYS/SPROCKETS, INNER TUBES AND BEARINGS). THIS IS A LIMITED WARRANTY AND SOME RESTRICTIONS APPLY.

EXTENDED WARRANTIES

SPECIAL SERVICE OPTIONS

B9301 EBO. EMERGENCY BUILD ORDER. BUILD AND SHIP CHAIR AS FAST AS POSSIBLE. CONTACT FACTORY FOR DELIVERY AND UP CHARGE.

B9302 EEC. ENGINEERING AND EVALUATION CHARGE. CHARGE FOR ENGINEERING AND EVALUATING VERY INVOLVED CUSTOM CHAIRS. CONTACT FACTORY FOR PRICING.