

4931 N Manufacturing Way, Coeur d'Alene, ID 83815

**21st@wheelchairs.com
www.wheelchairs.com**

FAX, PHONE IN OR MAIL COMPLETED FORM TO 21st Century SCIENTIFIC Inc.

This is an order! Our PO No: _____ **This is a Quotation Request Only**

Ship To:	Bill To:
Company: _____	Company: _____
Address: _____	Address: _____
City: _____ State: _____ Zip: _____	City: _____ State: _____ Zip: _____
Attention: _____	Attention: _____
Phone: _____ FAX: _____	Phone: _____ FAX: _____

BOUNDER *Plus* H-FRAME POWER WHEELCHAIR

User Data:

Name: _____ Ht: ___' ___" Wt: ___ lb. D.O.B.: _____ Disability: _____

Driving Skills: good fair poor **Eye-To-Hand Coordination:** good fair poor

Judgment: good fair poor **Equipment Usage:** light typical heavy abusive

Aggressiveness: timid typical hot rodder **Must Operate:** on thick carpets in rain and/or snow on steep hills

Previous Chair Make & Model: _____

Other Information: _____

New Chair Data:

Seat Width...: _____" **Seat Depth.....:** _____" **Seat Height.....:** _____"

Back Height: _____" **Max Overall Width:** _____" **Max Overall Length:** _____"

Desired Top Speed Of New Chair (1-11.6 MPH) _____ **Power Seating Needed:** Recline Tilt Elevate Other

Other Notes: _____

INSTRUCTIONS FOR FILLING OUT THIS FORM:
Thank you for choosing 21st Century SCIENTIFIC, Inc. Since our products tend to be custom, this order/quote form is very detailed. As you complete this form, you will be specifying each parameter of the equipment to be ordered. Accordingly, be patient and review each section carefully. No charge and standard items are usually located near the top of each section, but not always. Check the standard items as well as the custom options in each section to make sure you have not missed anything. You may FAX this form to 21st at (208) 667-6600 for review. A detailed written quote will be faxed back to you. If you need assistance filling out this form (or simply prefer us to do it for you), contact our sales department at (800) 448-3680. There is no charge for our assistance and written quotations.

HCPCS codes are not intended to be, nor should they be considered, legal or billing advice. Use of the codes does not ensure coverage or payment for the item. Always verify coverage information with the pay source, attorney or other consultant as needed.

This Form Was Completed By: _____ **Date:** _____ **Phone:** _____ **FAX:** _____

BOUNDER Plus H-FRAME POWER WHEELCHAIR

STANDARD FEATURES

- For users up to 500 lbs (or who are tough on equipment or want more speed)
- 16" to 20" seat widths in 1" increments (12" to 15" available at extra cost)
- Durable H-style TIG welded frame using 2.5"x1.5"x0.125" wall steel
 - Fast! Top speeds up to 11.6 MPH (18.7 kph)
 - Super Torque 3 Motors & Brakes (ST3M&B)
 - Non-slip #35 chain drive
 - Sliding dual group 27 battery box
 - UE1 series premium electronics (6 programs)
 - Built in taillights •Battery condition meter
 - Smart brake release switch (for easy attendant pushing)
 - Heavy duty 12 position adjustable suspension forks
- Xtra Duty caster barrels and suspension forks (1" fork stems & bearings ID's)
 - 9"x3.50" metal caster wheels •12.75" x 4.00" steel drive wheels
 - 0.120" wall seat rails and back posts
 - Black powder coated frame
 - Sheet Metal Seat Pan
 - Sling back upholstery attached with machine screws
 - Quick adjust clutches (combination belt tensioner and belt release mechanism)
 - Detachable desk length arms •Reinforced arm mounts
 - Anti-tipping wheelie wheels
 - Fully automatic 8A charger
 - Detailed Owner's Manual •Easy to service and maintain

WARRANTY*

- TWO year warranty on entire chair
- 5 year warranty on Super Torque 3 & 4 Motor & Brake drive trains**
- 10 year H-Frame base warranty •5 year H-Frame seat warranty

POPULAR OPTIONS

- Independent drive wheel suspension
 - High Volume Low Pressure Off-Road package
 - Ultra-high performance options (contact factory)
 - Quiet non-slip Panther synchronous gearbelt drive
- Front Rigging (footrests or legrests, each with many options)
 - Arm options •Headrests •Captains Seating
 - 8"x2" front caster wheels
- Power seating systems: recline, tilt, reverse tilt, seat elevator, power front load & power standing
 - 2 or more power seating systems combined on same chair
 - Dual independent power elevating legrests (DIPLR)
 - Power elevating, articulating center mount footboard
 - PSM (through-the-joystick proportional control of power seating)
 - Programmer for electronics •Colored (non-black) frame
- Specialty controls (sip & puff, switch controls, head arrays, etc.; DX or ASL)
 - Frame reinforcements •Custom seat depth, seat height, back height, etc.
 - Upholstery and solid seating options
- Hand / chin control customizations & mounting options (many to choose from)
 - Extended range LFP battery (contact factory)
 - Lighting package (it's 24V and bright!) •Electric horn (it's LOUD)
- Electric leg bag emptier (for unattended leg bag draining) •Positioning straps
 - Wheel locks (with or without wheel lock extensions)
 - Extended 3 year warranty

* Limited warranties – some restrictions apply. See complete warranty for more information
 ** Includes motors, brakes, drive wheels, drive wheel sprockets (drive belts, tires, inner tubes, flat-free inserts, motor sprockets & bearings not included)

TOP SPEED CHART

SPEEDS ARE APPROXIMATE. ACTUAL SPEEDS CAN VARY BY AS MUCH AS ± 10%.
 CODES NOT LISTED ARE EITHER CUSTOM, NOT AVAILABLE OR NOT POSSIBLE.

SUPER TORQUE 3 MOTORS

12.75"x4.00" DRIVE WHEELS		12.75"x4.00" DRIVE WHEELS	
CODE	TOP SPEED	CODE	TOP SPEED
PANTHER DRIVE		CHAIN DRIVE	
313 P080 P28	11.6	313 C060 C23	11.7
313 P080 P26	10.8	313 C060 C21	10.7
313 P080 P24	10.0	313 C070 C23	10.0
313 P080 P22	9.1	313 C070 C21	9.2

SUPER TORQUE 4M MOTORS

12.75"x4.00" DRIVE WHEELS		14"x5.40" DRIVE WHEELS		12.75"x4.00" DRIVE WHEELS		14"x5.40" DRIVE WHEELS	
CODE	TOP SPEED	CODE	TOP SPEED	CODE	TOP SPEED	CODE	TOP SPEED
←===== PANTHER DRIVES =====→				←===== CHAIN DRIVES =====→			
4M13 P080 P28	6.0	4M14 P080 P28	6.9	4M13 C060 C25	6.7	4M14 C060 C25	7.6
4M13 P080 P26	5.6	4M14 P080 P26	6.4	4M13 C060 C23	6.2	4M14 C060 C23	7.0
4M13 P080 P24	5.1	4M14 P080 P24	5.9	4M13 C060 C21	5.6	4M14 C060 C21	6.4
4M13 P080 P22	4.7	4M14 P080 P22	5.4	4M13 C070 C23	5.3	4M14 C070 C23	6.0
				4M13 C070 C21	4.8	4M14 C070 C21	5.5

DRIVE TRAIN CONFIGURATION NOTES:

- Generally, configurations with higher top speeds tend to have reduced hill-climbing capability (less torque) and reduced range.
- Do not order drive train configurations with top speeds that exceed the physical or mental capabilities of the driver. Fast chairs are usually not appropriate for children.
- If the motor sprocket size is increased, speed increases, and hill climbing capability decreases. If the drive wheel sprocket size is decreased, speed increases, and hill climbing capability decreases.
- The Panther and chain drive systems supplied with BOUNDER Plus H-Frame chairs do not slip in the rain or snow.
- The Panther and chain drive systems supplied with BOUNDER Plus H-Frame chairs are quiet but can be heard over the motors, and a slight vibration can be felt.
- BOUNDER Plus chairs include ST3M&B. ST3M&B are necessary if you want to be able to go up steep hills and also be able to have top speeds above 8.5 MPH on level surfaces. A top speed of 11.6 MPH is only recommended for users weighing 150 lbs. or less. Select top speeds of 10.8 MPH or less for users up to 250 lbs.; 10.0 MPH or less for users between 250 and 400 lbs., and 9.1 MPH or less for users over 400 lbs.
- Consider ST4M&B-M for more torque and less speed. Excellent for bariatric patients, people who will use their chair off-road or where a speed limit is enforced. Typically ST4M motors are more efficient than ST3 motors when moving the same user at the same speed.
- A Chain drive is slightly noisier than a Panther drive. Chains need to be lubricated and cleaned, but in general are more durable than a Panther Drive. Manually pushing a chain driven chair is more difficult if the brake release switch fails to operate or the batteries are removed.
- Top speeds above are estimated. Depending on configuration, your chair may be faster or slower. Specifically, foam filled tires reduce the chair speed by about 10%. Increased patient weight, power seating systems as well as poor battery condition also reduce the chair's top speed.

\\swork2009\drive d - data\Data\Sales & Marketing\Marketing\Price List\16th Edition Price List\Price List Cover Sheets\PL17 BPH Cover.doc

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
BASIC MODELS			
BOUNDER Plus			
* BPH PWC W/ ELECT	___B022	BOUNDER Plus H-Frame power wheelchair SEAT & BASE w/ UE1H electronics	\$12,995.00
* BPH PWC NO ELECT	___B022A	BOUNDER Plus H-Frame power wheelchair SEAT & BASE without electronics	\$10,395.00
* BPH PWB W/ ELECT	___B022B	BOUNDER Plus H-Frame power chair BASE only w/ UE1H electronics (requires 21st power seating)	\$11,375.00
* BPH PWB NO ELECT	___B022C	BOUNDER Plus H-Frame power chair BASE only without electronics (requires 21st power seating)	\$8,495.00

CONSTRUCTION OPTIONS

BASE WIDTH			
* STD BASE WIDTH	___B151	Standard base width (overall width: see notes)	Standard
* WIDE BASE WIDTH	___B151W	Wide base width (28.5" overall width)	\$380.00
* NAR BASE WIDTH	___B152	Narrow base width (24.0" overall width)	\$506.00
* XNAR BASE WIDTH	___B153	Extra narrow base width (21.5" overall width)	\$760.00

BASE LENGTH			
* SHORT BASE	___B202	Short H-Frame power base	Standard
* LONG BASE	___B203	Long H-Frame power base	\$380.00
* XLONG BASE	___B203X	Xtra Long H-Frame power base	\$650.00

SUSPENSION			
* IDWS	___B209	Independent drive wheel suspension	\$1,250.00
* YELLOW IDWS SPRING	___B209D	Yellow IDWS spring (for users up to 250 lbs)	No Charge
* BLACK IDWS SPRING	___B209F	Black IDWS spring (for users 251 lbs and greater)	No Charge

SPECIAL PURPOSE			
* HVLP OR	___B210A	High Volume, Low Pressure Off-Road package	\$1,495.00

* 21st POWER SEATING SYSTEMS			
(many systems can be combined, contact factory for available combinations)			
* PRS 80	___B301A	80 degree power recline system (E1003)	\$5,750.00
* PRS 40	___B301B	40 degree power recline system (E1003)	\$5,750.00
* SBPRS 70	___B303A	70 degree sliding back power recline system (E1004)	\$6,900.00
* SBPRS 40	___B303B	40 degree sliding back power recline system (E1004)	\$6,900.00
* PTS 50	___B305A	50 degree power tilt system (E1002)	\$5,750.00
* PTS 30	___B305B	30 degree power tilt system (E1002)	\$5,750.00
PTS 50 HOR	___B305E	50 degree power tilt system w/ horizontal tilt actuator (E1002)	\$6,750.00
PTS 30 HOR	___B305F	30 degree power tilt system w/ horizontal tilt actuator (E1002)	\$6,750.00
* RPTS 30	___B306A	30 degree reverse power tilt system	\$5,750.00
* PSE2 13	___B308A	Power seat elevator 2 (13" vert rise)	\$5,980.00
* PSE2 8	___B308B	Power seat elevator 2 (8" vert rise)	\$5,980.00
* PFLS	___B310	Power front load (latitude) system	\$9,775.00
* PSTAND	___B311	Power standing system	\$13,225.00

POWER SEATING OPTIONS, HEAVY DUTY UPGRADES & LOCKOUTS

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
PS HD	___B361	Power seating sys heavy duty upgrade (250-400 lbs users)(each system) (K0108)	\$1,265.00
* PTS LO	___B371	Power tilt drive lockout	\$285.00
* PSE2 LO	___B373	Power seat elevator drive lockout	\$285.00
* PSTAND LO	___B374	Power standing drive lockout	No Charge
* PFLS LO	___B375	Power Front Load system drive lockout	No Charge
* PTS PSE2 2SC LO	___B377A	Power tilt/elevate combi drive/actuator lockout	\$790.00
* PFLS PTS PSE2 3SC LO	___B377B	Power front load/tilt/elevate combi drive/actuator lockout	\$980.00
* PSTAND TILT 2SC LO	___B377C	Power standing/tilt combi drive/actuator lockout	\$790.00
* DX PSS BOOST	___B379	Power seating system booster for DX electronics	\$506.00
PSS JOYSWITCH	___B380	Joyswitch 4-way power seating system control	\$1,897.00

CAPTAIN'S (VAN STYLE) SEATS

* RECARO ES	___B392	Recaro ES power seating system (incl Ergomed ES seat & 24-12V converter)	Call Factory
* CUS CAPT S&B	___B393	Custom Captain's (van) seat & back	Call Factory

BASE COLOR

BLACK	___B4001	Standard black powder coat	Standard
RED	___B4002	Red powder coat	\$125.00
BLUE	___B4003	Blue powder coat	\$125.00
DARK GREEN	___B4004	Dark green powder coat	\$125.00
YELLOW	___B4005	Yellow powder coat	\$125.00
LIGHT GRAY	___B4006	Light gray powder coat	\$125.00
WHITE	___B4007	White powder coat	\$125.00
TEAL	___B4008	Teal powder coat	\$125.00
LAVENDER	___B4009	Lavender powder coat	\$125.00
PINK	___B4010	Pink powder coat	\$125.00
* CUS PC	___B4021	Custom powder coat color	\$442.00
* NON-BLACK SAF	___B4046	Paint seat, arms and front rigging same color as rest of chair or gurney	\$380.00
WD CAMO B	___B4051	Camouflage water dip finish on base only	Call Factory
WD CAMO BA	___B4052	Camouflage water dip finish on base and arms	Call Factory

FRAME REINFORCEMENTS

* SBP	___B4109	Solid backposts	\$980.00
* CBPT	___B4113	Cross strut between backpost handle tips	\$170.00

REAR WHEEL OFFSET (RWO)

* STD RWO	___B4301	Standard rear wheel offset	Standard
* CRWO	___B4302	Custom rear wheel offset	\$632.00

SEAT DEPTH

* HF STD SD	___B4421	Std seat depth ___16" ___17" ___18"	Standard
* HF LONG SD	___B4423	Long seat depth ___19" ___20"	\$575.00
HF XLONG SD	___B4425	X-long seat depth ___21" ___22" ___23"	\$1,150.00
HF CUS SD	___B4426	H-Frame custom seat depth (24" & deeper; specify depth: _____)	\$1,380.00
* HF SHORT SD	___B4427	Short seat depth (short base only) ___12" ___13" ___14" ___15"	\$575.00
HF RECARO SD	___B4431	Std H-Frame 19" Recaro seat depth	No Charge

SEAT WIDTH

HF BP STD SW	___B4521P	Standard BOUNDER Plus HF seat width ___16" ___17" ___18" ___19" ___20"	Standard
* HF NAR SW	___B4523	Narrow BOUNDER Plus HF seat width ___12" ___13" ___14" ___15"	\$575.00

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES				IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES			
Part Number	Stock Qty Number	Part Description	Suggested Retail Price	Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* SEAT HEIGHT				* FR55	___B5003	55 deg swingaway footrests	\$443.00
HF STD SH	___B4601H	Standard seat height (21")	Standard	FR80	___B5003E	80 deg swingaway footrests	\$443.00
* HF XNAR SH	___B4601N	Standard 20" seat height (no charge, chairs ordered w/ extra narrow base only)	No Charge	* FR90	___B5004	90 deg swingaway footrests	\$443.00
* HF RECARO SH	___B4602H	Standard H-Frame Recaro 24" or 26" seat height	No Charge	* LRL	___B5005	Low profile elevating legrests (E0990)	\$443.00
* CAPT SH	___B4606	Standard 22" or 24" captain's seat height	No Charge	* LRH	___B5007	High profile (gooseneck) elevating legrests (E0990)	\$443.00
HF HIGH SH	___B4615	High seat height ___22" ___23" ___24" ___25"	\$575.00	* LRH90	___B50079	90 degree high profile elevating legrests	\$575.00
* HF LOW SH	___B4616	Low seat height (K0108) ___19" ___20"	\$575.00	* DIPLR	___B5008	Dual indep pwr elev legrest mechanisms (actuators, sw box, legrests) (E1010)	\$2,760.00
HF XLOW SH	___B4616X	H-Frame extra low 18" seat height (for chairs w/ extra narrow base only)	\$575.00	ELR PRM	___B5010	Elevating legrest push rod mechanism (links legrests to recline)	\$822.00
* CST	___B4618	Custom seat tilt (rake)	\$575.00	* RFR	___B5014	Reinforced footrests (footrests not included)	\$460.00
* HF CUS SH	___B4619	H-Frame custom seat height (specify height: _____)	Call Factory	* RLR	___B5016	Reinforced elevating legrests (LRL or LRH not included)	\$575.00
FIXED BACK STYLE & HEIGHT				* OFFSET FR	___B5018	Offset front rigging (specify offset)	\$380.00
* HF STD BH	___B4701H	Standard 90 deg back height w/ 7 deg bend ___16" ___18" ___20"	Standard	* TAPER FR	___B5019	Tapered front rigging (specify taper)	\$506.00
* HF CUS BH	___B4710	Custom 90 deg back height w/ 7 deg bend ___15" ___17" ___19" ___21" ___22" ___23" ___24"	\$345.00	CP ON FR	___B5020	Install calf pads on footrests	\$253.00
* HF CUS L BH	___B4710L	Custom low 90 deg back height w/7 deg bend ___12" ___13" ___14" ___15"	\$345.00	* QRL	___B5023	Quad release levers	\$89.00
* CS945BH	___B4711	Custom straight 94.5 degree backpost height (front mounted uph or solid back)(for SMP BACK or SS ADJ ARM) (specify height: _____)	\$805.00	* CUS SFPW	___B5029	Custom welded on steel footplates (specify size)(order heel loops separately)	\$253.00
* CBHASBA	___B4712	Custom back height w/ adj seat-to-back angle (20 deg of adj)(400 lb limit)(specify height: _____) ___90 ___95 ___100 ___105 ___110	\$1,207.50	CUS SFP FLIP UP	___B5030	Custom flip up steel footplates (specify size)(order heel loops separately)	\$322.00
* CBHWSBA	___B4713	Custom back height w/welded seat-to-back angle (specify height: _____)(specify angle: _____)	\$1,207.50	SMFB	___B5032M	1-piece sheet metal footboard, painted	\$202.00
* CB&BBH	___B4714	Custom back height and/or back bend height (specify back height: _____)(specify back bend height: _____)(specify style: _____)	Call Factory	* WFBU	___B5033	1-piece wooden footboard, upholstered w/ pad	\$202.00
* FB BACK	___B4714F	Fold down back	\$840.00	* CFB	___B5034	Custom 1-piece footboard	Call Factory
TILT/RECLINE/STANDING BACK STYLE & HEIGHT				* CUS CM FB	___B5035	Custom center mount, angle adjustable footboard	Call Factory
* STD REC STAND BH	___B4715R	Straight 94.5 deg 24" recline or standing system backpost height	No Charge	CUS PEACM FB	___B5036E	Custom power elevating, articulating center mount footboard	Call Factory
* STD TILT BH	___B4715T	Straight 94.5 deg tilt system backpost height ___18" ___24"	No Charge	* PSTAND FBKS	___B5036	Power standing system flip up footboard and knee support	No Charge
* CTRBH	___B4716	Custom tilt, recline or standing system backpost height (specify height: _____)	\$380.00	* FPHL	___B5041	Heel loops	\$51.00
* CTRSBA	___B4717	Custom tilt and/or recline system seat-to-back angle (specify angle: _____)	\$250.00	* FPAS	___B5042	Ankle straps	\$89.00
CAPTAIN'S BACK HEIGHT				* FPTL	___B5043	Pair of toe loops	\$89.00
* STD CAPT BH	___B4731	Standard captain's back height ___16" ___18" ___20"	No Charge	SLS	___B5044	Single leg (calf) strap, black w/ velcro	\$51.00
* CUS CAPT BH	___B4732	Custom captain's back height (specify height: _____)	\$380.00	HLS	___B5045	H-type leg (calf) strap, black w/ velcro	\$76.00
HEADRESTS				STD CALF PADS	___B5046	Std calf pads (Naugahyde only) (only w/ LRL, LRH, CP ON FR or CUS PEACM FB)	No Charge
* PHR	___B4801	Power headrest	\$3,162.00	* CALF FLAT	___B5047	Flat calf pads	\$152.00
ACPHR MB&H	___B4802D	Adjustable center post headrest mounting bracket and hardware (less pad)(E1028)	\$258.00	CALF TROUGH	___B5048	Trough calf pads	\$222.00
ACPHR PAD	___B4802E	Curved foam pad for adjustable center post headrest (E0955)	\$225.00	CALF CUSTOM	___B5049	Custom calf pads	Call Factory
* RHR	___B4803	10" high removable sling headrest	\$316.00	RCPM	___B5050	Recessed calf pad mounts (specify 1" or 2")	\$253.00
* CSHR	___B4804	Custom size or style headrest for ACPHR or RHR	Call Factory	CCPM	___B5051	Custom calf pad mounts	Call Factory
* FRONT RIGGING				FPRB2	___B5053	Roller wheel bumpers (2.5" dia wheels mounted under footplates)	\$95.00
* FR70	___B5001	70 deg swingaway footrests	\$290.00	RFPE	___B5062	Reduced footplate extension and adjustment range	\$460.00
* FR60	___B5002	60 deg swingaway footrests	\$290.00	AAFP	___B5072	Angle adjustable front rigging extensions	\$270.00
				* FR PED	___B5075	Pediatric front rigging (reduces footplate size and extension adjustment range)	\$506.00
				CFR	___B5081	Custom front rigging	Call Factory
				HF NFR&NFP	___B5091H	Credit for no front rigging and no front posts	-\$34.50
				NFR	___B5092	No front rigging	No Charge
				NCP	___B5093	Credit for no calf pads (legrests or CP ON FR only)	-\$11.50
				ARMS			
				STD DLDA	___B5101	Standard desk length detachable arms	Standard
				FLDA	___B5102	Full length detachable arms	\$151.00
				DLADA	___B5103	Desk length adj detachable arms (E0973)	\$265.00
				FLADA	___B5105	Full length adj detachable arms (E0973)	\$265.00
				FLIP UP ARMS	___B5107	Add flip up to DLDA, FLDA, DLADA or FLADA	\$380.00
				* DL ART ARM	___B5108	Desk length articulating arms	\$570.00

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES				IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES			
Part Number	Stock Qty Number	Part Description	Suggested Retail Price	Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* FL ART ARM	___ B5109	Full length articulating arms	\$570.00			thick foam (up to 24" wide)	
* DL SL ARM	___ B5110	Desk length sliding arms	\$570.00	* FCWB CURVED ADJ	___ B5325	Foam covered curved wood back with adjustable brackets, 1" thick foam	\$632.00
* FL SL ARM	___ B5111	Full length sliding arms	\$570.00	SMPB FLAT	___ B5331	Flat powder coated sheet metal pan back	\$253.00
* DL SS ADJ ARM	___ B5112	Desk length self-supporting adj arms	\$630.00	* SMPB CURVED	___ B5332	Curved powder coated sheet metal pan back	\$380.00
* DL SS ADJ ARM CS	___ B5112C	Desk length self-supporting adj arms for captain's seat	\$630.00	SMPB CURVED ADJ	___ B5333	Curved sheet metal pan back w/ adj brackets	\$506.00
* DL SS CBL ARM	___ B5112R	Desk length self-supporting cable style arms	\$690.00	* SMP BACK CUSHION	___ B5342	Upholstered foam pan cushion (up to 2"; specify thickness: ____)	\$253.00
* FL SS ADJ ARM	___ B5113	Full length self-supporting adj arms	\$630.00	CUS CAPT BACK	___ B5351	Custom captain's back	Call Factory
* FL SS ADJ ARM CS	___ B5113C	Full length self-supporting adj arms for captain's seat	\$630.00	* SPEC BACK FOAM	___ B5362A	Special back foam (Pudgee, Sunmate, etc.)(each 1/2" thickness)	Call Factory
* FL SS CBL ARM	___ B5113R	Full length self-supporting cable style arms	\$690.00	CBBC	___ B5363	Custom back or back cushion	Call Factory
ARM UPH MOD	___ B5113U	Upholstery modesty arm panels for use with SS ADJ ARMS	\$92.00	SB MOD FLAP	___ B5369	Modesty flap, velcros between seat and back upholstery	\$150.00
* RECARO FU ARMS	___ B5114	Recaro flip up arms (for recaro seats only)	\$1,140.00	* CC AB-BSXXXWXL	___ B5370C	Comfort Company Acta-Back, posterior, 16"-21" wide (E2613) (specify width: ____)(specify height: ____)	\$695.00
SW MOUNT BAR	___ B5115A	Switch mount bar	\$75.00	* CC AB-BSXXXWXL 22+	___ B5370D	Comfort Company Acta-Back, posterior, w/ 22"-24" wide (E2614) (specify width: ____)(specify height: ____)	\$755.00
* ONDA	___ B5116	Offset non-detachable arms	\$316.00	* CC AR-BSXXXWXL	___ B5370G	Comfort Company Acta Relief Back, positioning, posterior, 16"-20" wide (E2615) (specify width: ____)(specify height: ____)	\$840.00
* INDA	___ B5117	In-line non-detachable arms	\$316.00	HD-KXXW	___ B5370N	Comfort Company Acta Relief Back Headrest support bracket	\$188.00
* PARMS	___ B5121	Pediatric arms (lower arm assembly is 3" lower)	\$190.00	NO BACK	___ B5371	No back attached to backposts	No Charge
* RAT	___ B5131	Reinforced arm tips	\$125.00				
CAH	___ B5132	Custom arm height	\$460.00				
* CARMS	___ B5134	Custom arms	Call Factory				
* NARMS	___ B5135	Credit for no arms	-\$34.50				
ARMREST PADS				* UPHOLSTERY COLOR			
* STD ARMREST PADS	___ B5141	Std upholstered armrest pads	Standard	STD BLACK NAUG	___ B5401	Standard black Naugahyde upholstery	Standard
* WATERFALL ARP	___ B5142	Waterfall armrest pads	\$95.00	BLACK RECOVERY 5	___ B5411	Recovery 5 black fabric upholstery	\$125.00
* TROUGH ARP	___ B5143	Trough armrest pads	\$278.00	BLACK FAB	___ B5431	Black fabric upholstery	No Charge
* FLAT ARP	___ B5144	3.5" wide flat armrest pads	\$176.00	CAMO FAB	___ B5434	Camo fabric upholstery	\$125.00
* NARROW FLAT ARP	___ B5145	2" wide narrow flat armrest pads	\$125.00	CUS UPH	___ B5451	Custom upholstery	Call Factory
CARP	___ B5146	Custom armrest pads	Call Factory				
* NARP	___ B5147	Credit for no armrest pads	\$-6.90				
WHEELCHAIR SEATS & SEAT CUSHIONS				CONTROL BOXES & REMOTE DISPLAY			
SMP SEAT	___ B5205	Flat powder coated sheet metal pan seat	Standard	STD RHC	___ B6001	Right hand control	Standard
* HF SD SEAT UPH	___ B5206	H-Frame super duty screw-on sling seat upholstery	\$632.00	LHC	___ B6002	Left hand control	No Charge
* SMP DROP SEAT	___ B5233	Flat powder coated drop sheet metal seat (specify 1" or 2" drop)	\$885.00	DHC T	___ B6005	Driver Hand Control with toggle power, select & AS1 switches	Standard
* SMP DROP SEAT ADJ	___ B5234	Flat powder coated sheet metal pan drop seat with adjustable brackets	\$950.00	* DHC PB	___ B6005P	Driver Hand Control with push button switches (specify location of switches)	\$165.00
* SMP SEAT CUSHION	___ B5242	Upholstered foam seat cushion (up to 3"; specify thickness: ____)	\$253.00	* RD	___ B6011	Remote Display separate from joystick & switches	\$570.00
CUS CAPT SEAT	___ B5251	Custom captain's seat	Call Factory	* CB KEY LOCK	___ B6012	Add key switch at front of hand control	\$190.00
* SPEC SEAT FOAM	___ B5262A	Special seat foam (Pudgee, Sunmate, etc.)(each 1/2" thickness)	Call Factory	OPT SP	___ B6013	Add speed pot to driver hand control in place of AUX SW	\$380.00
CSSC	___ B5263	Custom seat or seat cushion	Call Factory	DCC BIB	___ B6023T	Driver Chin Control, bib mounted (less mount & chin cup)	\$1,265.00
* CC M2-SA SEAT CUSH	___ B5270C	Comfort Company M2 positioning gel seat cushion, up to 21" wide (E2607)	\$390.00	DCC FRONT	___ B6027T	Driver Chin Control with front facing switches (less mount & chin cup)	\$1,265.00
* CC M2-SA SEAT CUSH	___ B5270D	Comfort Company M2 positioning gel seat cushion, 22" or 24" wide (E2608)	\$430.00	ACDC	___ B6029T	Attendant Control/Dual Control	\$1,518.00
* CC AJX-S SEAT CUSH	___ B5270G	Comfort Company Adjuster X seat cushion w/ Vicare Tech, up to 21" wide (E2622)	\$595.00	ACDC AC ONLY	___ B6031	Attendant Control/Dual Control, attendant only (no driver control)	\$759.00
* CC AJX-S SEAT CUSH	___ B5270H	Comfort Company Adjuster X seat cushion w/ Vicare Tech, 22" and wider (E2623)	\$635.00	* CB JRP	___ B6039	Joystick retention plate	\$253.00
NO SEAT	___ B5271	No seat attached to seat rails	No Charge	* CUS CB	___ B6041	Custom hand, foot, head or chin control	Call Factory
WHEELCHAIR BACKS & BACK CUSHIONS				HAND & CHIN CONTROL MOUNTS & EXTENSIONS			
* SD BACK UPH NC	___ B5303N	BOUNDER Plus & BIG BOUNDER super duty screw-on sling back upholstery N/C	Standard	STD HC MOUNT	___ B6111	Standard hand control mount	Standard
* FCWB ADJ	___ B5324	Foam covered flat wood back with adj brackets, 1"	\$380.00	STD HC EXT	___ B6112	Standard hand control extension slide	Standard
				* SA EXT	___ B6115	Swingaway hand control extension slide (E1028)	\$345.00
				* MIDLINE HC M&E	___ B6116	Midline hand control mount & extension slide	\$442.00

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* CC MOUNT	___ B6121	Chin control mount	\$506.00
* POWER CC MOUNT	___ B6122	Power chin control mount	\$1,518.00
* CG BIB MOUNT	___ B6131	Chin control bib mount (specify hard or soft collar)	\$632.00
RECARO DHC MNT	___ B6142	Recaro driver hand control mount (mounts to Recaro arm)	\$253.00
AC MNT	___ B6143	Attendant control mount	\$0.00
CUS CTRL MOUNT	___ B6171	Custom control mount	Call Factory
* CUS EXT SLIDE	___ B6172	Custom extension slide	Call Factory

DRIVE MODULES

UE1H Premium 6-Program Wheelchair Electronics & Options

UE1H DM24	___ B6292	UE1H 24 volt Drive Module w/ smart brake release switch	Standard
PSM 1	___ B6293C	Variable Speed Power Seating Module, one actuator (E2310)	\$1,380.00
PSM M	___ B6293D	Variable Speed Power Seating Module, multiple actuators (E2311)	\$2,760.00
ESSS	___ B6296E	Emergency Stop and Select Switch	\$158.00
RPS	___ B6296P	Remote Power Switch	\$158.00
AUX SW	___ B6298A	Auxiliary switch (specify function)	\$158.00
* PS OVERRIDE	___ B6298C	Power seating system override switch (specify seating system)	\$570.00
PRG1	___ B6299	Plug-in programmer	\$632.00

* DX Programmable Electronics

call factory

DX2-PMA90L	___ B6311B	DX2 90A power module w/ light control (incl DX2 pm loom kit)	\$1,620.00
DX2-REM550	___ B6315	DX2 7 button remote w/ color LCD display	\$1,090.00
DX-REM91	___ B6321	DX Remote G91 Display	\$1,282.00
* DX-ACU1	___ B6322	DX dual control (attendant control with attendant/user changeover switch)	\$672.00
* DX-RJM	___ B6323	DX remote joystick module (small)	\$702.00
DX BRS	___ B6328	Brake release switch for DX Electronics	No Charge
DX-ACC4B	___ B6329A	DX 4 switch interface, powered	\$722.00
* DX-SNP	___ B6330	DX sip & puff module	\$1,980.00
THERAFIN WL MB	___ B6331	Therafin Whisper-Lite swingaway sip & puff mounting kit w/ breath tube & straw	\$515.00
DX2-ACT2	___ B6334	DX2 actuator module - dual (incl DX2 act loom kit) (E2310/E2311)	\$1,380.00
DX2-ACT4	___ B6335	DX2 actuator module - quad (incl DX2 act loom kit) (E2311)	\$2,760.00
* DX-ECU	___ B6337	DX ECU	\$1,202.00
* DJ-BTINT-HID-ACC	___ B6340	DX iPortal Accessibility + Mouse Mover	\$1,716.00
* DX-HHPNA	___ B6349	DX hand held programmer	\$990.00
DX-BUS-1.0M	___ B6353	DX bus cable, 1.0m (39.37") long	\$50.00
DX-BUS-2.0M	___ B6355	DX bus cable, 2.0m (78.74") long	\$63.00
* DX-SKT-X3	___ B6359	DX bus 3-way socket	\$115.50
DX-BATT-CBL	___ B6361	DX battery cable	\$172.50
DX-LM&B-CBL	___ B6363	DX left motor and brake cable	\$86.25
DX-RM&B-CBL	___ B6364	DX right motor and brake cable	\$86.25

ASL (Adaptive Switch Labs) Wheelchair Control Systems

call factory

PG DRIVES Programmable Electronics

call factory

FALCON Components

DRIVE MODULE MOUNTS

* USM HF	___ B6702	Drive module mounted under H-Frame wheelchair seat	Standard
BACK MOUNT HF	___ B6703H	Drive module mounted on back of H-Frame chair	\$230.00
* OBBM HF	___ B6706	Drive module mounted over H-Frame battery box	No Charge
CUS DM MNT	___ B6711	Custom drive module mount	Call Factory

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
RESPIRATOR & OXYGEN BOTTLE MOUNTS			
* RESP SHELF	___ B6801	Fixed position respirator shelf	\$506.00
* RESP GIMBAL SHELF	___ B6803	Gimbal-mounted respirator shelf	\$1,518.00
* RESP BBOX U1	___ B6811	Single U1 battery box mounted on shelf (specify location; for respirators)	\$506.00
RESP BAU1 GEL-CELL	___ B6812	Respirator U1 gel-cell battery	\$240.00
RESP BC12-6	___ B6813	Respirator 12.6V auto charger	\$316.00
SE O2 BOT HLD	___ B6901	Single E size oxygen bottle holder	\$632.50
DE O2 BOT HLD	___ B6902	Dual E size oxygen bottle holder	\$949.00
TE O2 BOT HLD	___ B6902T	Triple E size oxygen bottle holder	\$1,202.00

MOTORS & BRAKES

ST3M&B NC	___ B7003N	BOUNDER Plus & Big BOUNDER super torque 3 motors & brakes N/C	Standard
* ST1SM&B NC	___ B7006N	Super torque 1S motors & brakes N/C (for extra narrow base only)	No Charge
* ST4M&B-M	___ B7007	Super Torque 4 motors & brakes, medium speed	\$1,265.00
* ST4M&B-S	___ B7008	Super Torque 4 motors & brakes, slow speed	\$1,265.00

DRIVE WHEEL OPTIONS

* DW 13M SMOOTH	___ B7054	12.75"x4.00" metal drive wheels w/ smooth tires (gray only)	Standard
* DW 13M KNOBBY	___ B7055	12.75"x4.00" metal drive wheels w/ knobby tires	No Charge
STD DT&T	___ B7071	Thorn resistant inner tubes & tires	Standard
DT PS	___ B7071S	Add puncture sealant to drive tire inner tubes	\$75.00
DWI HD	___ B7073	High density airless drive wheel inserts	\$195.50

DT GRAY	___ B7077	Gray drive tires	Standard
DT BLACK	___ B7078	Black drive tires	No Charge

* DW 14M BKT&T	___ B7084	14" x 5.4" metal drive wheels, black knobby 145/70-6 pneumatic tires & tubes	\$506.00
----------------	-----------	--	----------

* CHAIN DRIVES

* FSC	___ B7202	Factory select best chain drive	No Charge
* C25	___ B7212	25 tooth motor chain sprockets	No Charge
* C23	___ B7214	23 tooth motor chain sprockets	No Charge
* C21	___ B7216	21 tooth motor chain sprockets	No Charge
C60	___ B7243	60 tooth drive wheel chain sprockets	No Charge
* C70	___ B7244	70 tooth drive wheel chain sprockets	No Charge

PANTHER DRIVES

FSP	___ B7352	Factory to select best Panther drive	No Charge
P28	___ B7358	28 tooth motor Panther sprockets	No Charge
P26	___ B7359	26 tooth motor Panther sprockets	No Charge
P24	___ B7360	24 tooth motor Panther sprockets	No Charge
P22	___ B7361	22 tooth motor Panther sprockets	No Charge

CASTER WHEEL & FORK OPTIONS

XDCBF 9X3.50M	___ B7441X	9"x3.50" Xtra duty caster barrels, suspension forks & metal casters	Standard
XDCBF 8X2	___ B7442X	8"x2.00" Xtra duty caster barrels, suspension forks & casters	\$190.00

STD CT&T	___ B7481	Standard full pneumatic caster tubes & tires	Standard
CT PS	___ B7481S	Add puncture sealant to caster tire inner tubes	\$50.00
FFCW HD	___ B7483	High density flat-free caster tires	\$172.50

CT GRAY	___ B7484	Gray caster tires	Standard
---------	-----------	-------------------	-----------------

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
CT BLACK	___B7485	Black caster tires	No Charge
FS COPPER	___B7497C	Copper color fork springs	Standard
FS RED	___B7497R	Red color fork springs, softer, for patients up to 200 lbs	No Charge
VEHICLE TIEDOWNS			
* TD DSI	___B7602	Weld in Driving Systems tiedown bar	\$632.00
* EZ LOCK TD	___B7603	Install EZ Lock tiedown crossbar and bolt onto chair	\$632.00
4P TD	___B7604	4 Point wheelchair transit tiedown	\$506.00
BATTERY BOXES			
STD BBOXD27	___B7701	Standard dual group 27 sliding battery box	Standard
* BBOXD24 LFP	___B7713	Dual group 24 or LFP sliding battery box	\$253.00
* BBOXD22NF	___B7715	Dual group 22NF battery box	\$380.00
* BBOX MNT +1GC	___B7781	Battery box mount with 1" extra ground clearance	\$506.00
BATTERIES			
BA27 GEL-CELL	___B7802	Pair, group 27 gel-cell batteries (E2371)	\$990.00
BA24 GEL-CELL	___B7804	Pair, group 24 gel-cell batteries (E2363)	\$990.00
BA22NF GEL-CELL	___B7806	Pair, group 22NF gel-cell batteries	\$644.00
LFP 24V 100AHR BAT	___B7808	24V 100Ahr LiFePO4 Battery	\$3,750.00
BATTERY CHARGERS			
STD BC24-8	___B7902	24V 8A automatic gel cell battery charger	Standard
BC24-10 LFP	___B7912	24V 10Ahr LiFePO4 automatic battery charger	\$500.00
* NBC	___B7921	Credit for no battery charger	-\$86.25
ACCESSORIES			
* HF LP	___B8006	LED safety illumination package for all H-Frames	\$345.00
* HL2	___B8007	2nd LED headlamp	\$96.60
* AMBER FLASHER	___B8010	LED Amber Safety Flashers (1 flasher mounted in rear/1 mounted in front)	\$365.00
* HORN	___B8021	24V Safety audio alert	\$287.50
* LB2	___B8032	Electric leg bag emptier 2	\$632.50
* FAN	___B8041	Fan with on-off control	\$350.00
* SSAI	___B8045	Specialty switch accessory interface	\$575.00
* 24/48 TO 12PC	___B8046	24V/48V to 12V power converter (5A maximum load)	\$575.00
* ECU	___B8049	Environmental control unit, remote outlet switching	\$180.00
BACKUP CAMERA	___B8050	24V Backup camera with display	\$560.00
DW FENDERS	___B8052	Drive wheel fenders	\$575.00
* GUN MOUNT	___B8063	Height & angle adjustable gun mount/rest	\$1,150.00
SNOW PLOW	___B8064	Power elevating, angle adjustable snow plow	Call Factory
CU TRAILER	___B8066	Custom utility trailer	Call Factory
RAM DRINK HLDR	___B8073	RAM Drink holder	\$66.00
IV POLE HOLDER	___B8079	IV pole holder	\$155.00
CANE HOLDER	___B8080	Cane holder	\$155.00
BASKET	___B8081	Wire basket (attaches on back of chair)	\$260.00
* TOOL KIT	___B8083	Tool kit	\$240.00
MOUNT 7 TAB	___B8085A	RAM 7" tablet mount	\$96.00
MOUNT 10 TAB	___B8085B	RAM 10" tablet mount	\$160.00
MOUNT CELL	___B8086	RAM cell phone mount	\$96.00
* MIRROR	___B8091	Rear view mirror	\$96.00
FLAG HOLDER	___B8093	Flag holder	\$80.00
WL HF	___B8102	Wheel locks on H-Frame power chair w/o suspension	\$280.00
WLE	___B8105	Wheel lock extensions (pair)	\$63.00

IF * SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
DM COV NAUG	___B8111	Naugahyde drive module cover	\$75.00
DHC COV	___B80112	Driver hand control weather cover	\$95.00
SADDLE BAG	___B8113	Saddle bag (specify left or right)	\$86.00
WC COV	___B8114	Wheelchair weather cover	\$180.00
* WC JACK	___B8127	Wheelchair jack	\$400.00
* SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)			
PS FLIP LATCH S	___B8201	Flip latch seat mount positioning strap (specify 45" or 60")	\$57.50
PS PUSH BUTTON S	___B8202	Push button seat mount positioning strap (specify 45" or 60")	\$57.50
PS PINCH BUCKLE S	___B8203	Pinch buckle seat mount positioning strap (specify 45" or 60")	\$57.50
PS VELCRO S	___B8204	Velcro closure seat mount positioning strap (specify 45" or 60")	\$57.50
* PS CUS S	___B8211	Custom seat mount positioning strap (specify buckle type and length)	\$115.00
CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)			
PS FLIP LATCH C	___B8251	Flip latch chest mount positioning strap (specify 45" or 60")	\$115.00
PS PUSH BUTTON C	___B8252	Push button chest mount positioning strap (specify 45" or 60")	\$115.00
PS PINCH BUCKLE C	___B8253	Pinch buckle chest mount positioning strap (specify 45" or 60")	\$115.00
PS VELCRO C	___B8454	Velcro closure chest mount positioning strap (specify 45" or 60")	\$115.00
PS CUS C	___B8261	Custom chest mount positioning strap (specify buckle type and length)	\$172.50

WARRANTIES AND SPECIAL SERVICE OPTIONS

STANDARD WARRANTIES

* BP HF PWC WAR	___B9022	BOUNDER Plus H-Frame power wheelchair standard warranty	Standard
-----------------	----------	---	-----------------

EXTENDED WARRANTIES

EL3 EWAR	___B9102	Extend UE1 Series electronics warranty to 3 years	\$632.00
BP PC3 EWAR	___B9203	Extend BOUNDER Plus entire power chair warranty to 3 years	\$1,265.00

SPECIAL SERVICE OPTIONS

* EBO	___B9301	Emergency Build Order	Call Factory
* EEC	___B9302	Engineering and evaluation charge	Call Factory

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Slk# Note

BASIC MODELS

BOUNDER Plus

- B022 BPH PWC W/ ELECT. BOUNDER PLUS H-FRAME POWER WHEELCHAIR SEAT & BASE W/ UE1H ELECTRONICS. THIS IS A COMPLETE CHAIR. 16", 17", 18", 19" AND 20" WIDE. 12" - 15" WIDE AVAILABLE AT EXTRA COST. FOR WIDER WIDTHS, ORDER A BIG BOUNDER. PRICE INCLUDES UE1H ELECTRONICS. TO UPGRADE ELECTRONICS, USE B022A SEAT AND BASE WITHOUT ELECTRONICS OR B022C BASE ONLY WITHOUT ELECTRONICS. IF POWER SEATING SYSTEMS ARE REQUIRED, ORDER B022B BASE ONLY WITH UE1H ELECTRONICS OR B022C BASE ONLY WITHOUT ELECTRONICS.
- B022A BPH PWC NO ELECT. BOUNDER PLUS H-FRAME POWER WHEELCHAIR SEAT & BASE WITHOUT ELECTRONICS. THIS IS A COMPLETE CHAIR WITHOUT ELECTRONICS. FOR USE WHEN UPGRADING WHEELCHAIR ELECTRONICS FROM THE STANDARD UE1H TO EITHER DX OR PG DRIVES ELECTRONICS. IF POWER SEATING SYSTEMS ARE REQUIRED, ORDER B022C BASE ONLY WITHOUT ELECTRONICS. CHAIR MUST BE ORDERED WITH A COMPLETE SET OF ELECTRONICS.
- B022B BPH PWB W/ ELECT. BOUNDER PLUS H-FRAME POWER CHAIR BASE ONLY W/ UE1H ELECTRONICS (REQUIRES 21ST POWER SEATING). FOR USE WITH 21ST POWER RECLINE, TILT, REVERSE TILT, ELEVATE, OR POWER ELEVATING LEGRESTS ONLY. NOT AVAILABLE FOR USE WITH OTHER SEATING SYSTEMS. PRICE INCLUDES UE1H ELECTRONICS. FOR SEAT WIDTHS OF 21" AND WIDER, ORDER A BIG BOUNDER.
- B022C BPH PWB NO ELECT. BOUNDER PLUS H-FRAME POWER CHAIR BASE ONLY WITHOUT ELECTRONICS (REQUIRES 21ST POWER SEATING). FOR USE WHEN UPGRADING WHEELCHAIR ELECTRONICS FROM THE STANDARD UE1H TO EITHER DX OR PG DRIVES ELECTRONICS. REQUIRES 21ST POWER RECLINE, TILT, REVERSE TILT, ELEVATE, OR POWER ELEVATING LEGRESTS BE INSTALLED. NOT AVAILABLE FOR USE WITH OTHER SEATING SYSTEMS. CHAIR MUST BE ORDERED WITH A COMPLETE SET OF ELECTRONICS.

CONSTRUCTION OPTIONS

BASE WIDTH

- B151 STD BASE WIDTH. STANDARD BASE WIDTH (OVERALL WIDTH: SEE NOTES). 25.5" OVERALL WIDTH FOR MOST CHAIRS, 28.5" OVERALL WIDTH FOR CHAIRS ORDERED WITH HVLP OR.
- B151W WIDE BASE WIDTH. WIDE BASE WIDTH (28.5" OVERALL WIDTH). FOR USE PRIMARILY WITH CHAIR CONFIGURATIONS WITH IDWS AND GROUP 27 BATTERIES.
- B152 NAR BASE WIDTH. NARROW BASE WIDTH (24.0" OVERALL WIDTH). REQUIRES DUAL GROUP 24 SLIDING BATTERY BOX. SEAT WIDTHS FROM 12" TO 18", SEAT DEPTHS FROM 12" TO 18", BACK HEIGHTS FROM 12" TO 20" NO ADDITIONAL CHARGE. SOME RESTRICTIONS APPLY, CONTACT FACTORY FOR MORE INFORMATION.
- B153 XNAR BASE WIDTH. EXTRA NARROW BASE WIDTH (21.5" OVERALL WIDTH). REQUIRES DUAL GROUP 22NF BATTERY BOX AND ST1S MOTORS AND BRAKES WITH 22 TOOTH PANTHER SPROCKETS. SEAT WIDTHS FROM 12" TO 18", SEAT DEPTHS FROM 12" TO 18", BACK HEIGHT FROM 12" TO 20", NO CHARGE. STANDARD SEAT HEIGHT IS 20". 9"X3.50" FRONT CASTERS ARE NOT AVAILABLE, 8"X2" FRONT CASTERS ARE NO CHARGE. SOME RESTRICTIONS APPLY, CONTACT FACTORY FOR MORE INFORMATION.

BASE LENGTH

- B202 SHORT BASE. SHORT H-FRAME POWER BASE. STANDARD FOR MOST CHAIRS FOR SEAT DEPTHS UP TO 19". SEAT DEPTHS FROM 16" TO 20" CAN NORMALLY BE INSTALLED. A 15" DEEP SEAT PAN CAN ALSO BE INSTALLED. CHAIRS WITH SEAT DEPTHS OF 20" OR GREATER AND USERS WHO WEIGH OVER 300 LB USUALLY REQUIRE A LONG BASE INSTEAD.
- B203 LONG BASE. LONG H-FRAME POWER BASE. STANDARD FOR ALL SEAT DEPTHS 20" OR GREATER. SEAT DEPTHS FROM 19" TO 23" CAN NORMALLY BE INSTALLED. AN 18" DEEP SEAT PAN CAN ALSO BE INSTALLED. THE LONG BASE FRAME IS 3" LONGER THAN THE SHORT BASE. IF SEAT DEPTHS OF 17" OR 16" ARE NEEDED ON A LONG BASE, THE SEAT MUST BE POSITIONED FURTHER FORWARD OF THE REAR WHEELS BY 1" OR 2", RESPECTIVELY. THIS WILL REDUCE MANEUVERABILITY AND INCREASE POWER CONSUMPTION. CONTACT THE FACTORY FOR MORE INFORMATION.
- B203X XLONG BASE. XTRA LONG H-FRAME POWER BASE. 6" LONGER THAN THE SHORT BASE. OFTEN USED WITH POWER CHAIR SEAT DEPTHS GREATER THEN 23" AND GURNEY MATTRESS PAN LENGTHS GREATER THEN 54".

SUSPENSION

- B209 IDWS. INDEPENDENT DRIVE WHEEL SUSPENSION. ONLY AVAILABLE FOR USERS OR PAYLOADS UP TO 500 LB.
- B209D YELLOW IDWS SPRING. YELLOW IDWS SPRING (FOR USERS UP TO 250 LBS). FOR USE ON MOST 24V CHAIRS FOR USERS UP TO 300 LB. ALSO USED ON MOTORIZED CARTS WITH LIGHTER PAYLOADS.
- B209F BLACK IDWS SPRING. BLACK IDWS SPRING (FOR USERS 251 LBS AND GREATER). FOR USE ON MOST 24V CHAIRS FOR USERS OVER 300 LB. ALSO USED ON 36V & 48V CHAIRS WITH AN OVERSIZED BATTERY BOX. MAY BE USED ON MOTORIZED CARTS WITH HEAVIER PAYLOADS.

SPECIAL PURPOSE

- B210A HVLP OR. HIGH VOLUME, LOW PRESSURE OFF-ROAD PACKAGE. INCLUDES SUPER TORQUE 4M MOTORS AND BRAKES (B7007 ST4M&B), PNEUMATIC HIGH VOLUME, LOW PRESSURE, ATV STYLE OFF-ROAD TIRES (B7084 DW13.5M BKT&T), BLACK PNEUMATIC 9"X3.50" CASTERS (B7486 BCT&T 9X3.50) & HVLP OFF-ROAD WHEELIE WHEELS (B8126 WW HVLP OR) AT NO CHARGE. CHAIN DRIVE IS STANDARD. 28.5" OVERALL WIDTH FROM OUTSIDE OF DRIVE WHEEL TO OUTSIDE OF DRIVE WHEEL WHEN ORDERED WITH A STANDARD

Slk# Note

WIDTH BASE.

21st POWER SEATING SYSTEMS

(many systems can be combined, contact factory for available combinations)

- B301A PRS 80. 80 DEGREE POWER RECLINE SYSTEM (E1003). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON SLIDING BACK; FOR USE WITH POWER LEGRESTS, LEGRESTS W/ PUSHRODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA).
- B301B PRS 40. 40 DEGREE POWER RECLINE SYSTEM (E1003). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON SLIDING BACK; FOR USE WITH POWER LEGRESTS, LEGRESTS WITH PUSHRODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).
- B303A SBPRS 70. 70 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, LEGRESTS W/ PUSH RODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).
- B303B SBPRS 40. 40 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). CONVENTIONAL FRAME CHAIRS HAVE THE ACTUATOR MOUNTED UNDER THE SEAT. H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, LEGRESTS WITH PUSH RODS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 300 LB. COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA & FLADA).
- B305A PTS 50. 50 DEGREE POWER TILT SYSTEM (E1002). INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA). TILT ANGLE LIMITED TO 40 DEGREE IF COMBINED WITH POWER STANDING SYSTEM (PSTAND).
- B305B PTS 30. 30 DEGREE POWER TILT SYSTEM (E1002). FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 300 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. INCLUDES CHOICE OF ARMS (DLDA, DLADA, FLDA OR FLADA).
- B306A RPTS 30. 30 DEGREE REVERSE POWER TILT SYSTEM. REAR OF SEAT TILTS UPWARD 30 DEGREES SO USER CAN MORE EASILY TRANSFER INTO AND OUT OF CHAIR. FRONT RIGGING ATTACHES TO FRONT POSTS WELDED TO BASE. BACK MOUNTED BACK UPHOLSTERY STANDARD.
- B308A PSE2 13. POWER SEAT ELEVATOR 2 (13" VERT RISE). SEAT AND BACK RAISE TOGETHER A TOTAL OF UP TO ABOUT 13 INCHES. 250 LB MAXIMUM USER WEIGHT. THE MINIMUM SEAT HEIGHT IS 21". CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.
- B308B PSE2 8. POWER SEAT ELEVATOR 2 (8" VERT RISE). SEAT AND BACK RAISE TOGETHER A TOTAL OF UP TO ABOUT 8 INCHES. FOR USERS WEIGHING 250 - 500 LB. THE MINIMUM SEAT HEIGHT IS 21". CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.
- B310 PFLS. POWER FRONT LOAD (LATITUDE) SYSTEM. ALLOWS SEAT TO MOVE FORWARD AND DOWN, POSITIONING THE SEAT CLOSER TO THE GROUND TO AID IN TRANSFERRING. 250 LB MAXIMUM USER WEIGHT. INCLUDES 3.1" RWO, SOLID BACKPOSTS (SBP), STRAIGHT 94.5 DEGREE BACKPOSTS (CS945BH), AND PFLS LO AT NO CHARGE. 22" MINIMUM SEAT HEIGHT WHEN COMBINED WITH ELEVATE AND TILT. OBBM HF DRIVE MODULE MOUNTED OVER H-FRAME BATTERY BOX, REQUIRED. FLIP UP ARMS ARE NOT AVAILABLE WITH POWER FRONT LOAD SYSTEM. INSTEAD ORDER SELF SUPPORTING ARMS.
- B311 PSTAND. POWER STANDING SYSTEM. SEAT AND BACK ARTICULATE TO PLACE USER IN A STANDING POSITION. USER CAN DRIVE AT SLOW SPEEDS IN STANDING POSITION ON LEVEL SURFACES ONLY. INCLUDES PSTAND LO, PSTAND FBKS AND CHOICE OF DL SS ADJ ARM OR FL SS ADJ ARM AT NO CHARGE. DRIVE MODULE MOUNTED OVER THE BATTERY BOX (OBBM HF) AND CHEST MOUNT POSITIONING STRAP IS REQUIRED. USERS UP TO 200 LB, MAY DRIVE IN THE STANDING POSITION. USERS BETWEEN 200 LB AND 300 LB MAY REQUIRE A LONG BASE, DRIVE LOCKOUT WHEN STANDING OR MAY NOT BE ABLE TO STAND COMPLETELY, CONTACT FACTORY FOR RESTRICTIONS.
- POWER SEATING OPTIONS, HEAVY DUTY UPGRADES & LOCKOUTS**
- B371 PTS LO. POWER TILT DRIVE LOCKOUT. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.
- B373 PSE2 LO. POWER SEAT ELEVATOR DRIVE LOCKOUT. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.
- B374 PSTAND LO. POWER STANDING DRIVE LOCKOUT. NO CHARGE WITH POWER STANDING SYSTEM. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.
- B375 PFLS LO. POWER FRONT LOAD SYSTEM DRIVE LOCKOUT. NO CHARGE WITH POWER FRONT LOAD SYSTEM. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT.
- B377A PTS PSE2 2SC LO. POWER TILT/ELEVATE COMBI DRIVE/ACTUATOR LOCKOUT. SEAT WILL NOT TILT WHEN ELEVATED. SEAT WILL NOT ELEVATE WHEN TILTED. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT IF DESIRED.

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
B377B	PFLS PTS PSE2 3SC LO. POWER FRONT LOAD/TILT/ELEVATE COMBI DRIVE/ACTUATOR LOCKOUT. SEAT WILL NOT TILT OR ELEVATE WHEN SEAT IS EXTENDED FORWARD IN THE FRONT LOAD POSITION. AND SEAT WILL NOT EXTEND FORWARD IF TILTED OR ELEVATED. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT IF DESIRED.
B377C	PSTAND TILT 2SC LO. POWER STANDING/TILT COMBI DRIVE/ACTUATOR LOCKOUT. SEAT WILL NOT TILT WHEN STANDING. SEAT WILL NOT STAND WHEN TILTED. SPECIFY COMPLETE (STOP), SLOW, MEDIUM OR FAST SPEED DRIVE LOCKOUT IF DESIRED.
B379	DX PSS BOOST. POWER SEATING SYSTEM BOOSTER FOR DX ELECTRONICS. REQUIRED ON CHAIRS WITH USERS WEIGHING OVER 200 LB. WITH DX2 ELECTRONICS AND EITHER A POWER SEAT ELEVATOR AND/OR POWER TILT SYSTEM.

CAPTAIN'S (VAN STYLE) SEATS

B392	RECARO ES. RECARO ES POWER SEATING SYSTEM (INCL ERGOMED ES SEAT & 24-12V CONVERTER). RECARO ERGOMED ES STANDARD FEATURES INCLUDE: 1) FULLY PADDED HEADREST WITH HEIGHT AND TILT ADJUSTMENT, 2) ELECTRIC RECLINE ADJUSTMENT, 3) SEAT BACK RELEASE ON BOTH SIDES, 4) STEEL SHELL CONSTRUCTION SEAT FRAME, 5) ADJUSTABLE BACKREST SIDE BOLSTERS, 6) BACKREST POCKET, 7) ELECTRIC DOUBLE CHAMBER RECARO AIRMATIC FOR LUMBAR SUPPORT, 8) ELECTRIC HEIGHT ADJUSTMENT, 9) ELECTRIC TILT ADJUSTMENT, 10) EXTENDABLE SEAT CUSHION, 11) ILLUMINATED CONTROLS, INTEGRATED INTO SEAT 12) CLIMATE CONTROL PACKAGE (RECARO VENT SYSTEM WITH SEAT CUSHION AND BACKREST HEATING)(INCLUDES 24V TO 12V POWER SUPPLY) 13) BLACK LEATHER WITH AN ARTISTA INSERT STANDARD. CAN BE COMBINED WITH PSE2 OR PTS, AS WELL AS DIPLR (DUAL INDEPENDENT POWER ELEVATING LEGRESTS) ON SOME CHAIRS. SPECIFY LEFT OR RIGHT CONTROLS.
------	--

PRICE INCLUDES INSTALLATION ON A SPECIAL CONVENTIONAL (TUBE STYLE) FRAME THAT IS 17.75" WIDE AND 18" DEEP, OR A STANDARD H-FRAME. SEAT HEIGHT WILL BE APPROXIMATELY 22" FOR CONVENTIONAL FRAME POWER CHAIRS, 24" OR 26" HIGH ON H-FRAME POWER CHAIRS AND 20" FOR MANUAL CHAIRS.

B393	CUS CAPT S&B. CUSTOM CAPTAIN'S (VAN) SEAT & BACK. IF A CAPTAIN'S BACK ONLY IS INSTALLED WITH A SHEET METAL PAN SEAT, THERE WILL BE A 2.5" GAP BETWEEN THE SEAT PAN AND BOTTOM OF CAPTAIN'S BACK.
------	--

BASE COLOR

B4021	CUS PC. CUSTOM POWDER COAT COLOR. SEND SAMPLE OF COLOR. WE WILL DO OUR BEST TO MATCH IT!
B4046	NON-BLACK SAF. PAINT SEAT, ARMS AND FRONT RIGGING SAME COLOR AS REST OF CHAIR OR GURNEY. DOES NOT INCLUDE MOST BOLTED ON PARTS SUCH AS THE SEAT PAN, HAND CONTROL MOUNT, FORKS, FOOTREST EXTENSIONS, ETC. ONLY LOWER ARM ASSEMBLIES ARE PAINTED THE SAME COLOR AS THE BASE. UPPER ARM ASSEMBLIES ARE BLACK. FOOTREST BRACKETS ARE PAINTED SAME COLOR AS BASE IF FOOTRESTS ARE ORDERED. LEGREST BRACKETS AND HANGERS ARE PAINTED SAME COLOR AS BASE IF LEGRESTS ARE ORDERED. FOOTREST AND LEGREST EXTENSIONS ARE BLACK.

FRAME REINFORCEMENTS

B4109	SBP. SOLID BACKPOSTS. INCLUDED AT NO CHARGE ON ALL POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS.
B4113	CBPT. CROSS STRUT BETWEEN BACKPOST HANDLE TIPS. INCLUDED AT NO CHARGE ON ALL POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS.

REAR WHEEL OFFSET (RWO)

B4301	STD RWO. STANDARD REAR WHEEL OFFSET. HORIZONTAL DISTANCE FROM CENTER OF BACKPOST TO CENTER OF REAR WHEELS. 2.1" FOR H-FRAME CHAIRS, 3.1" FOR STANDARD CONVENTIONAL FRAME CHAIRS. 0" FOR MOST MANUAL PUSH CHAIRS. 3.66" FOR CHAIRS WITH POWER SEATING SYSTEMS.
B4302	CRWO. CUSTOM REAR WHEEL OFFSET. SPECIFY THE OFFSET IN INCHES YOU REQUIRE.

SEAT DEPTH

B4421	HF STD SD. STD SEAT DEPTH. 16" DEEP IS STANDARD FOR MOST CHAIRS (WITHOUT SEATING SYSTEMS) WITH THE BACK UPHOLSTERY MOUNTED ON THE BACK OF THE BACKPOSTS. IF A POWER TILT AND/OR RECLINE IS ORDERED, THE BACK UPHOLSTERY IS MOUNTED ON THE FRONT OF THE BACKPOSTS. TO COMPENSATE, THE STANDARD TILT AND/OR RECLINE SEAT DEPTH IS LENGTHENED TO 17". THE EFFECTIVE DEPTH REMAINS THE SAME FROM THE FRONT EDGE OF THE SEAT PAN OR SEAT UPHOLSTERY TO THE FRONT OF THE BACK UPHOLSTERY. 16" 17" & 18" SEAT DEPTHS AVAILABLE WITH SHORT BASE. 18" SEAT DEPTH AVAILABLE WITH LONG BASE.
B4423	HF LONG SD. LONG SEAT DEPTH. H-FRAME 19" AND 20" SEAT DEPTHS CAN BE INSTALLED ON EITHER A SHORT OR A LONG WHEELBASE FRAME. HOWEVER, A LONG BASE PROVIDES BETTER WEIGHT DISTRIBUTION AND IS RECOMMENDED FOR MOST USERS. THE COST OF THE LONG WHEELBASE FRAME IS ADDITIONAL.
B4427	HF SHORT SD. SHORT SEAT DEPTH (SHORT BASE ONLY). NO CHARGE WHEN NARROW BASE WIDTH AND EXTRA NARROW BASE WIDTH ARE ORDERED. SOME RESTRICTIONS APPLY. CONTACT FACTORY FOR DETAILS.

SEAT WIDTH

B4523	HF NAR SW. NARROW BOUNDER PLUS HF SEAT WIDTH. NO CHARGE WHEN NARROW BASE WIDTH AND EXTRA NARROW BASE WIDTH ARE ORDERED. REQUIRES NARROWER CUSTOM STEEL FOOTPLATES. ORDER CUS SFPW (B5029) OR CUS SFP FLIP UP (B5030).
-------	---

Stk#	Note
SEAT HEIGHT NOTE THAT THE SEAT HEIGHT AT FRONT CAN BE ADJUSTED TO 20", 20.5" OR 21" BY CHANGING THE POSITION OF THE FRONT WHEELS IN THE SUSPENSION FORKS. THIS ALSO CHANGES THE TILT OF THE SEAT. RECARO SEAT HEIGHTS MAY BE SLIGHTLY HIGHER.	
B4601N	HF XNAR SH. STANDARD 20" SEAT HEIGHT (NO CHARGE, CHAIRS ORDERED W/ EXTRA NARROW BASE ONLY). FOR ALL OTHER H-FRAME CONFIGURATIONS USE B4601H, HF STD SH WITH A STANDARD SEAT HEIGHT OF 21".
B4602H	HF RECARO SH. STANDARD H-FRAME RECARO 24" OR 26" SEAT HEIGHT. FOR CHAIRS WITH RECARO SEATS. CERTAIN CONFIGURATIONS OF SEATING SYSTEMS MAY INCREASE THE EFFECTIVE SEAT-TO-FLOOR HEIGHT FROM 24" TO 26". SPECIFICALLY, IF A SEAT ELEVATOR IS COMBINED WITH THE RECARO THE SEAT-TO-FLOOR HEIGHT BECOMES 26". CONTACT FACTORY FOR ADDITIONAL INFORMATION.
B4606	CAPT SH. STANDARD 22" OR 24" CAPTAIN'S SEAT HEIGHT. FOR CHAIRS WITH CAPTAIN'S SEATS. CERTAIN CONFIGURATIONS OF SEATING SYSTEMS MAY INCREASE THE EFFECTIVE SEAT-TO-FLOOR HEIGHT FROM 22" TO 24". SPECIFICALLY, IF A SEAT ELEVATOR IS COMBINED WITH A CAPTAIN'S SEAT THE SEAT-TO-FLOOR HEIGHT BECOMES 24". CONTACT FACTORY FOR ADDITIONAL INFORMATION.
B4616	HF LOW SH. LOW SEAT HEIGHT (K0108). SOME RESTRICTIONS APPLY FOR CHAIRS WITH POWER SEATING SYSTEMS. CONTACT FACTORY FOR MORE INFORMATION.
B4618	CST. CUSTOM SEAT TILT (RAKE). SPECIFY SEAT RAIL HEIGHT ABOVE GROUND AT FRONT AND REAR.
B4619	HF CUS SH. H-FRAME CUSTOM SEAT HEIGHT. UNDER CERTAIN CONDITIONS A CHAIR CAN BE MADE WITH A LOWER SEAT TO FLOOR HEIGHT. CONTACT THE FACTORY FOR AVAILABILITY AND PRICES.

FIXED BACK STYLE & HEIGHT

B4701H	HF STD BH. STANDARD 90 DEG BACK HEIGHT W/ 7 DEG BEND. STANDARD BACKPOST FOR USE WITH BACK MOUNTED UPHOLSTERY OR SOLID BACKS WITH ADJUSTABLE HARDWARE. PUSH HANDLES ARE BENT AT TOP OF BACKPOST. STANDARD BACK BEND HEIGHT IS 9.5" ABOVE THE SEAT RAILS FOR ALL NON-RECLINING BACK HEIGHTS. IF YOU NEED A CUSTOM BACK HEIGHT (OTHER THAN 16", 18" OR 20") ORDER HF CUS BH. IF YOU NEED A CUSTOM BACK BEND HEIGHT (OTHER THAN 9.5"), ORDER CB&BBHC.
B4710	HF CUS BH. CUSTOM 90 DEG BACK HEIGHT W/ 7 DEG BEND. CUSTOM HEIGHT BACKPOST FOR USE WITH BACK MOUNTED UPHOLSTERY OR SOLID BACKS WITH ADJUSTABLE HARDWARE. PUSH HANDLES ARE BENT AT TOP OF BACKPOST. STANDARD BACK BEND HEIGHT IS 9.5" ABOVE THE SEAT RAILS FOR ALL NON-RECLINING BACK HEIGHTS. IF YOU NEED A CUSTOM BACK BEND HEIGHT, ORDER CB&BBHC.
B4710L	HF CUS L BH. CUSTOM LOW 90 DEG BACK HEIGHT W/7 DEG BEND. NO CHARGE WHEN NARROW BASE WIDTH OR EXTRA NARROW BASE WIDTH ARE ORDERED.
B4711	CS945BH. CUSTOM STRAIGHT 94.5 DEGREE BACKPOST HEIGHT (FRONT MOUNTED UPH OR SOLID BACK)(FOR SMP BACK OR SS ADJ ARM) (SPECIFY HEIGHT). BACKPOSTS ARE STRAIGHT AND WELDED TO THE SEAT RAIL AT 94.5 DEGREES. THERE IS NO BACK BEND AT THE SMALL OF THE BACK. THE BACK UPHOLSTERY OR SOLID BACK IS ATTACHED TO THE FRONT OF THE BACKPOSTS. PUSH HANDLES ARE WELDED PARALLEL TO GROUND. THIS ITEM IS REQUIRED IF INSTALLING A CURVED SHEET METAL PAN BACK OR SELF SUPPORTING ARMS. NOTE: THE EFFECTIVE SEAT DEPTH IS USUALLY DECREASED BY ABOUT 1.5". SPECIFY BACK HEIGHT FROM 12 TO 28 INCHES.
B4712	CBHASBA. CUSTOM BACK HEIGHT W/ ADJ SEAT-TO-BACK ANGLE (20 DEG OF ADJ)(400 LB LIMIT)(SPECIFY HEIGHT). AT LEAST 20 DEGREES OF ADJUSTMENT. ALLOWS SEAT TO BACK ANGLE TO BE SET AT 90, 95, 100, 105 OR 110. OFTEN UP TO 40 DEGREES OF ADJUSTMENT CAN BE ACHIEVED DEPENDING ON CHAIR CONFIGURATION. BACKPOSTS ARE ATTACHED W/ SCREWS. 400 LB MAXIMUM USER WEIGHT. SPECIFY BACK STYLE, HEIGHT AND ANGLE.
B4713	CBHWSBA. CUSTOM BACK HEIGHT W/WELDED SEAT-TO-BACK ANGLE (SPECIFY HEIGHT). FOR CHAIRS WITHOUT TILT OR RECLINE SYSTEMS. SPECIFY BACK HEIGHT AND SEAT TO BACK ANGLE BETWEEN SEAT RAIL AND BACKPOST FROM 90 DEGREES (VERTICAL) TO 180 DEGREES (HORIZONTAL).
B4714	CB&BBH. CUSTOM BACK HEIGHT AND/OR BACK BEND HEIGHT (SPECIFY BACK HEIGHT). SPECIFY BACKPOST STYLE, BACK HEIGHT AND THE BACK BEND HEIGHT (IF APPLICABLE) ABOVE THE TOP OF THE SEAT RAILS. REQUIRED IF BACK BEND HEIGHT IS DIFFERENT THAN 9.5" ABOVE THE SEAT RAILS. CONTACT FACTORY FOR PRICE.
B4714F	FB BACK. FOLD DOWN BACK. BACK FOLDS FORWARD TO ALLOW FOR TRANSPORT IN SMALLER HEIGHT VEHICLES.
TILT/RECLINE/STANDING BACK STYLE & HEIGHT	
B4715R	STD REC STAND BH. STRAIGHT 94.5 DEG 24" RECLINE OR STANDING SYSTEM BACKPOST HEIGHT. AVAILABLE ONLY FOR CHAIRS WITH 21ST RECLINE (OR TILT AND RECLINE) SYSTEMS. 24" HIGH SLING BACK UPHOLSTERY MOUNTS ON FRONT OF BACKPOSTS. BACKPOSTS ARE STRAIGHT AND MEASURE 24.3" FROM THE SEAT RAIL TO THE TOP OF THE BACKPOST. HANDLES ARE WELDED ONTO THE BACK AT A HEIGHT OF APPROXIMATELY 37" ABOVE THE GROUND. EFFECTIVE BACK UPHOLSTERY HEIGHT IS 24.3" ABOVE THE SEAT RAILS. FOR CONVENTIONAL CHAIRS WITH PRS RECLINERS, SLING UPHOLSTERY WILL BE 24" HIGH. FOR TILT & PRS RECLINE, SLING UPHOLSTERY WILL BE 23" HIGH AND START 1" ABOVE SEAT RAILS (EXCEPT FOR 19" AND 20" SEAT HEIGHT CHAIRS). FOR H-FRAMES WITH PRS RECLINERS, SLING UPHOLSTERY WILL BE 22" HIGH. FOR SCBPRS RECLINERS, SLING UPHOLSTERY WILL BE 18" HIGH AND START 6" ABOVE SEAT RAILS. SHEET METAL PANS AND SOLID BACKS CAN BE INSTALLED AT ADDITIONAL COST. DIMENSIONS FOR SOLID AND SHEET METAL PAN BACKS ARE SIMILAR. PRICE INCLUDES SLING BACK UPHOLSTERY.

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Slk#	Note	Slk#	Note
B4715T	STD TILT BH. STRAIGHT 94.5 DEG TILT SYSTEM BACKPOST HEIGHT. SPECIFY 18" OR 24". AVAILABLE FOR 21ST TILT SYSTEM CHAIRS, WITH OR WITHOUT A RECLINING BACK AND CHAIRS WITH A POWER STANDING SYSTEM. 18" OR 24" HIGH SLING BACK UPHOLSTERY ON CONVENTIONAL FRAME CHAIRS. 17" OR 23" HIGH SLING BACK UPHOLSTERY ON H-FRAME CHAIRS. BACK UPHOLSTERY MOUNTS ON FRONT OF BACKPOSTS. BACKPOSTS ARE STRAIGHT AND MEASURE 18.3 OR 24.3" FROM THE SEAT RAIL TO THE TOP OF BACKPOSTS, AND FORM AN ANGLE OF 94.5 DEGREES WITH THE SEAT RAIL. EFFECTIVE BACK UPHOLSTERY HEIGHT IS 18" OR 24" ABOVE THE SEAT RAILS. FOR CUSTOM TILT ANGLE, ORDER CTRSB A AT ADDITIONAL EXPENSE. HANDLES ARE WELDED ONTO THE BACKPOSTS AT A HEIGHT OF APPROXIMATELY 37" ABOVE THE GROUND. PRICE INCLUDES THE SLING BACK UPHOLSTERY. SHEET METAL PANS AND SOLID BACKS CAN BE INSTALLED AT ADDITIONAL COST.	B5008	DIPLR. DUAL INDEP PWR ELEV LEGREST MECHANISMS (ACTUATORS, SW BOX, LEGRESTS) (E1010). DIPLR DUAL INDEPENDENT POWER ELEVATING LEGREST MECHANISM INCLUDES TWO ACTUATORS, ONE ON EACH SIDE, THAT MOVE THE LEGRESTS SEPARATELY FOR INDEPENDENT OPERATION, OR TOGETHER FOR COMBINED OPERATION. INCLUDES 2 SWITCH CONTROL BOX. INCLUDES LRL OR LRH LEGRESTS. DIPLR IS OFTEN ORDERED AS PART OF A POWER RECLINE AND/OR TILT SYSTEM, BUT IT CAN BE ORDERED BY ITSELF. IF ORDERED WITH A POWER TILT, POWER RECLINE AND/OR POWER SEAT ELEVATOR SYSTEM, A 3 OR 4 SWITCH CONTROL BOX WILL BE SUPPLIED UNLESS THROUGH-THE-JOYSTICK CONTROL IS ORDERED (AT EXTRA COST).
B4716	CTRBH. CUSTOM TILT, RECLINE OR STANDING SYSTEM BACKPOST HEIGHT (SPECIFY HEIGHT:). AVAILABLE ONLY FOR CHAIRS WITH 21ST TILT AND/OR RECLINE SYSTEMS. BACKPOSTS ARE FABRICATED TO THE HEIGHT YOU SPECIFY TO THE NEAREST INCH, FROM 12 TO 32 INCHES. FOR SOME SYSTEMS, BACK HEIGHTS OF LESS THAN 18" CANNOT BE FABRICATED. CONTACT FACTORY FOR MORE INFORMATION.	B5014	RFR. REINFORCED FOOTRESTS (FOOTRESTS NOT INCLUDED). EXTRA TUBING AND GUSSET ADDED TO FOOTREST BRACKET. ALSO INCLUDES SOLID BAR STOCK IN LOWER FOOTREST EXTENSION.
B4717	CTRSBA. CUSTOM TILT AND/OR RECLINE SYSTEM SEAT-TO-BACK ANGLE (SPECIFY ANGLE:). SPECIFY THE ANGLE IN DEGREES. ALLOWS CUSTOMIZATION OF THE ANGLE BETWEEN THE SEAT AND THE BACK ON 21ST TILT SYSTEMS. 94.5 DEGREES IS STANDARD; ANY OTHER ANGLE REQUIRES THIS UPCHARGE. CTRSB A IS ONLY AVAILABLE FOR 21ST TILT SYSTEMS. PRICE DOES NOT INCLUDE CTRBH ABOVE.	B5016	RLR. REINFORCED ELEVATING LEGRESTS (LRL OR LRH NOT INCLUDED). SIMILAR TO RFR. PIVOT OF LEGREST BRACKET AND EXTENSION TUBE ARE ALSO REINFORCED. FOR LRL OR LRH ELEVATING LEGRESTS. PRICE DOES NOT INCLUDE LEGRESTS; ORDER LEGRESTS SEPARATELY.
CAPTAIN'S BACK HEIGHT		B5018	OFFSET FR. OFFSET FRONT RIGGING (SPECIFY OFFSET). SPECIFY PORTION OF FOOTREST/LEGREST TO BE OFFSET. THE FOOTREST/LEGREST BRACKET OR EXTENSION MAY BE OFFSET EITHER INWARD OR OUTWARD. SPECIFY THE OFFSET TO THE NEAREST 1/2 INCH. PRICE DOES NOT INCLUDE FRONT RIGGING.
B4731	STD CAPT BH. STANDARD CAPTAIN'S BACK HEIGHT. MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK.	B5019	TAPER FR. TAPERED FRONT RIGGING (SPECIFY TAPER). SPECIFY TAPER TO NEAREST 1/2". ALSO SPECIFY TYPE OF TAPER: DOUBLE BEND OR STRAIGHT ANGLE. UP CHARGE; PRICE DOES NOT INCLUDE FRONT RIGGING.
B4732	CUS CAPT BH. CUSTOM CAPTAIN'S BACK HEIGHT (SPECIFY HEIGHT:). SPECIFY BACK HEIGHT FROM 12" TO 28" MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK, IN 1" INCREMENTS.	B5023	QRL. QUAD RELEASE LEVERS. FRONT RIGGING RELEASE LEVERS EXTENDED TO OUTSIDE OF CHAIR.
HEADRESTS		B5029	CUS SFPW. CUSTOM WELDED ON STEEL FOOTPLATES (SPECIFY SIZE)(ORDER HEEL LOOPS SEPARATELY). STEEL FOOTPLATES WELDED TO FOOTRESTS/LEGREST EXTENSIONS. NOTE: THESE FOOTPLATES WILL NOT FLIP UP.
B4801	PHR. POWER HEADREST. POWER HEADREST MOVES UP AND FORWARD TO USE; RETRACTS BACK AND DOWN TO STORE. PRIMARILY FOR USE WITH POWER TILT AND/OR RECLINE SYSTEMS, BUT CAN ALSO BE INSTALLED ON SOME STANDARD CHAIRS. A 24" HIGH OR HIGHER BACK HEIGHT IS REQUIRED FOR INSTALLATION OF THE POWER HEADREST. CONTACT FACTORY FOR ADDITIONAL DETAILS. INCLUDES CONTROL SWITCH BOX (UNLESS JOYSTICK PSS CONTROL) AND 7" HIGH X 10" WIDE UPHOLSTERED PAD HEADREST. SPECIFY COLOR.	B5033	WFBU. 1-PIECE WOODEN FOOTBOARD, UPHOLSTERED W/ PAD. ONE-PIECE WOODEN FOOTBOARD ATTACHES TO LEFT FOOTPLATE AND OVERLAPS RIGHT EXTENSION. 6" FRONT TO BACK WITH 3/4" THICK WOOD 1" THICK FOAM AND UPHOLSTERY SIZED TO FIT WIDTH ACROSS FOOTPLATES.
B4803	RHR. 10" HIGH REMOVABLE SLING HEADREST. SLING UPHOLSTERY HEADREST SLIPS INTO ENDS OF BACKPOSTS OF 21ST POWER TILT AND/OR RECLINE SYSTEMS. CAN ALSO BE USED ON 21ST CHAIRS WITH STRAIGHT BACKPOSTS. INCLUDES HEADREST SLING UPHOLSTERY AND POSTS. ALSO INCLUDES MODIFYING BACKPOSTS TO ACCOMMODATE HEADREST IF REQUIRED. SPECIFY UPHOLSTERY COLOR. FOR HEIGHTS OTHER THAN 10", ORDER CSHR.	B5034	CFB. CUSTOM 1-PIECE FOOTBOARD. CAN BE FABRICATED FROM WOOD OR SHEET METAL.
B4804	CSHR. CUSTOM SIZE OR STYLE HEADREST FOR ACPHR OR RHR. ANY SIZE BUT STANDARD 6" HIGH X 12.5" WIDE WITH 2" DEEP CURVE FOR ACPHR. ANY SIZE BUT STANDARD 10" HIGH X BACKPOST WIDTH FOR RHR.	B5035	CUS CM FB. CUSTOM CENTER MOUNT, ANGLE ADJUSTABLE FOOTBOARD. MOUNTS IN CENTER OF CHAIR. FLIPS UP TOWARD THE CENTER OF THE CHAIR. SPECIFY WIDTH OF FOOTBOARD. CAUTION: THE USER MUST ALWAYS WEAR SHOES OR FOOT PROTECTION. CONTACT FACTORY FOR ADDITIONAL INFORMATION.
FRONT RIGGING		B5036	PSTAND FBKS. POWER STANDING SYSTEM FLIP UP FOOTBOARD AND KNEE SUPPORT. NO CHARGE WITH POWER STANDING SYSTEM.
BOUNDER CHAIRS DO NOT INCLUDE FRONT RIGGING. YOU MUST ORDER FRONT RIGGING SEPARATELY IF IT IS NEEDED.		B5041	FPHL. HEEL LOOPS. HEEL LOOPS ARE INSTALLED IN THE NORMAL POSITION ON THE FOOTPLATE UNLESS YOU ADVISE US OTHERWISE.
B5001	FR70. 70 DEG SWINGAWAY FOOTRESTS. FR70 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED.	B5042	FPAS. ANKLE STRAPS. DUE TO THE WIDE RANGE OF FOOT SIZES, ANKLE STRAPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE STRAPS ON THE FOOTPLATES.
B5002	FR60. 60 DEG SWINGAWAY FOOTRESTS. FOR H-FRAMES: REQUIRED ON MOST SHORT BASE CHAIRS WITH 15" AND 16" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. REQUIRED ON MOST LONG BASE CHAIRS WITH 17", 18" OR 19" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. FOR CONVENTIONAL FRAMES: USUALLY NECESSARY FOR CASTER WHEEL CLEARANCE WHEN 9"X3.50" FRONT WHEELS ARE INSTALLED. FR60 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED.	B5043	FPTL. PAIR OF TOE LOOPS. DUE TO THE WIDE RANGE OF FOOT SIZES, TOE LOOPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE TOE LOOPS ON THE FOOTPLATES.
B5003	FR55. 55 DEG SWINGAWAY FOOTRESTS. FR55 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED.	B5047	CALF FLAT. FLAT CALF PADS. SPECIFY WIDTH AND HEIGHT TO NEAREST INCH.
B5004	FR90. 90 DEG SWINGAWAY FOOTRESTS. MOST OFTEN USED ON CHAIRS FOR CHILDREN OR USERS WITH VERY SHORT LEGS. BOTTOM OF FOOTPLATE IS USUALLY ADJUSTED TO BE ABOVE THE CASTER WHEEL TIRE, BUT CFR (CUSTOM FRONT RIGGING) CAN BE ORDERED IF CUSTOM FEATURES ARE NEEDED. FR90 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED. MAXIMUM DISTANCE FROM TOP FRONT OF SEAT RAIL TO TOP OF FOOTPLATE IS TYPICALLY 13" ON A 21" SEAT HEIGHT CHAIR.	B5075	FR PED. PEDIATRIC FRONT RIGGING (REDUCES FOOTPLATE SIZE AND EXTENSION ADJUSTMENT RANGE). REDUCES FOOTPLATE SIZE AND EXTENSION ADJUSTMENT RANGE. FOR USE WITH PEDIATRICS AS WELL AS VERY SMALL ADULT. INCLUDES WELDED ON FOOTPLATES WITH HEELLOOPS. FOOTPLATES DO NOT FLIP UP.
B5005	LRL. LOW PROFILE ELEVATING LEGRESTS (E0990). LOW PIVOT AT SEAT LEVEL BELOW THE KNEE DESIGN. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS. LRL WILL NOT ELEVATE COMPLETELY WITH DIPLR.	ARMS	
B5007	LRH. HIGH PROFILE (GOOSENECK) ELEVATING LEGRESTS (E0990). HIGH PIVOT (GOOSENECK) AT KNEE LEVEL DESIGN. COMPATIBLE WITH MOST POWER RECLINERS. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS.	B5108	DL ART ARM. DESK LENGTH ARTICULATING ARMS. DESK LENGTH ARTICULATING ARMS MOVE BACK AND DOWN AS SEAT RECLINES. BOTTOM FRONT OF ARMS SNAP OUT OF RETAINER, ALLOWING ARMS TO BE PIVOTED UP AND FOLDED OUT OF THE WAY FOR TRANSFERRING. HEIGHT CAN BE ADJUSTED. DOES NOT INCLUDE ARM SIDE PANELS (MODESTY PANELS). HEIGHT ADJUSTMENT RANGE IS FROM APPROXIMATELY 10.5" MINIMUM TO 14.5" MAXIMUM ABOVE THE SEAT RAILS. CAN BE USED ON NON-RECLINING BACK CHAIRS ALSO.
B50079	LRH90. 90 DEGREE HIGH PROFILE ELEVATING LEGRESTS. UTILIZES A LRH BRACKET AND A LRL HANGER. THIS ALLOWS THE USER TO GET HIS/HER FEET CLOSER TO THE CASTERS REDUCING THE OVERALL CHAIR LENGTH. NOTE: THE LEGRESTS MUST BE RAISED IN ORDER FOR THE CASTERS TO CLEAR THE LEGRESTS. THESE LEGRESTS FUNCTION BEST WHEN USED WITH DIPLR OR DIPLR HD.	B5109	FL ART ARM. FULL LENGTH ARTICULATING ARMS. FULL LENGTH ARTICULATING ARMS MOVE BACK AND DOWN AS BACK RECLINES. SIMILAR TO DESK LENGTH ARTICULATING ARMS ABOVE EXCEPT FULL LENGTH.
		B5110	DL SL ARM. DESK LENGTH SLIDING ARMS. DESK LENGTH SLIDING ARM GLIDES BACK AND DOWN UPON A FIXED LOWER ARM AS THE SEAT RECLINES. STATIONARY LOWER ARMS ARE DETACHABLE, CAN BE ADJUSTED IN HEIGHT AND HAVE SIDE PANELS (MODESTY PANELS). DL SL ARM ARE NOT REVERSE MOUNTED. HEIGHT ADJUSTMENT RANGE IS FROM APPROXIMATELY 11" MINIMUM TO 16" MAXIMUM ABOVE THE SEAT RAILS. USUALLY INSTALLED ON RECLINERS ONLY.
		B5111	FL SL ARM. FULL LENGTH SLIDING ARMS. SIMILAR TO DESK LENGTH SLIDING ARMS ABOVE EXCEPT FULL LENGTH.
		B5112	DL SS ADJ ARM. DESK LENGTH SELF-SUPPORTING ADJ ARMS. DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARMS INCLUDE CLAMP ON BACKPOST MOUNTS AND BACKPOSTS WITH ANTI-ROTATION RIBS. BACKPOST CLAMPS INCLUDE ARM UP AND DOWN STOPS. NO ARM PANELS. THESE ARMS ARE VERY

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Slk#	Note
	STRONG AND THEY MAKE TRANSFERS EASY. FOR USE WITH NON-RECLINING BACK CHAIRS. REQUIRES STRAIGHT BACKPOSTS USED IN CONJUNCTION WITH FRONT MOUNTED BACK UPHOLSTERY OR A SOLID BACK (TYPICALLY CS945BH, STD REC BH, OR STD TILT BH).
B5112C	DL SS ADJ ARM CS. DESK LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAIN'S SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5" .
B5112R	DL SS CBL ARM. DESK LENGTH SELF-SUPPORTING CABLE STYLE ARMS. ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT.
B5113	FL SS ADJ ARM. FULL LENGTH SELF-SUPPORTING ADJ ARMS. SIMILAR TO DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARMS ABOVE EXCEPT FULL LENGTH.
B5113C	FL SS ADJ ARM CS. FULL LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAIN'S SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5" .
B5113R	FL SS CBL ARM. FULL LENGTH SELF-SUPPORTING CABLE STYLE ARMS. ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT.
B5114	RECARO FU ARMS. RECARO FLIP UP ARMS (FOR RECARO SEATS ONLY). INCLUDES HAND CONTROL MOUNT BOLTED UNDER LEFT OR RIGHT RECARO ARM.
B5116	ONDA. OFFSET NON-DETACHABLE ARMS. ARMS ARE PERMANENTLY WELDED TO THE FRAME. PRICE IS FOR A PAIR.
B5117	INDA. IN-LINE NON-DETACHABLE ARMS. THE FRONT OF THE ARMS ARE WELDED TO THE SEAT RAILS JUST IN FRONT OF THE SEAT UPHOLSTERY. THE REAR OF THE ARMS ARE WELDED TO THE BACKPOSTS. EFFECTIVE SEAT WIDTH IS THEREBY NARROWED BY ABOUT 2 INCHES, BUT THE OVERALL WIDTH OF THE CHAIR AT THE REAR TIRES IS NOT REDUCED. PRICE IS FOR A PAIR.
B5121	PARMS. PEDIATRIC ARMS (LOWER ARM ASSEMBLY IS 3" LOWER). REDUCES HEIGHT OF LOWER ARM ASSEMBLY BY 3". ADJUSTMENT RANGE IS REDUCED. FOR USE WITH PEDIATRICS AS WELL AS VERY SMALL ADULT.
B5131	RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING. NO CHARGE WITH POWER 1000 AND MANUAL 1000 UPGRADE.
B5134	CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE!
B5135	NARMS. CREDIT FOR NO ARMS. CREDIT IS FOR A PAIR OF ARMS AND INCLUDES THE ARMREST PAD CREDIT (NARP) LISTED BELOW.
ARMREST PADS	
B5141	STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC BASE WITH NAUGAHYDE COVERED FOAM. NOT AVAILABLE IN FABRIC.
B5142	WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF INSTALLED ON ARTICULATING OR SLIDING ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS.
B5143	TROUGH ARP. TROUGH ARMREST PADS. AVAILABLE IN NAUGAHYDE OR FABRIC.
B5144	FLAT ARP. 3.5" WIDE FLAT ARMREST PADS. 3 1/2" WIDE FLAT PAD WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC.
B5145	NARROW FLAT ARP. 2" WIDE NARROW FLAT ARMREST PADS. 2" WIDE FLAT PAD WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC.
B5147	NARP. CREDIT FOR NO ARMREST PADS. CREDIT IS FOR A PAIR.
WHEELCHAIR SEATS & SEAT CUSHIONS	
B5206	HF SD SEAT UPH. H-FRAME SUPER DUTY SCREW-ON SLING SEAT UPHOLSTERY. AVAILABLE IN WIDTHS FROM 12" TO 24". INCLUDES MODIFICATIONS TO SEAT ASSEMBLY TO ALLOW FOR INSTALLATION OF SLING SEAT.
B5233	SMP DROP SEAT. FLAT POWDER COATED DROP SHEET METAL SEAT (SPECIFY 1" OR 2" DROP). INCLUDES MODIFICATIONS TO SEAT ASSEMBLY TO ALLOW FOR INSTALLATION OF DROP SEAT.
B5234	SMP DROP SEAT ADJ. FLAT POWDER COATED SHEET METAL PAN DROP SEAT WITH ADJUSTABLE BRACKETS. INCLUDES MODIFICATIONS TO SEAT ASSEMBLY TO ALLOW FOR INSTALLATION OF DROP SEAT.
B5242	SMP SEAT CUSHION. UPHOLSTERED FOAM SEAT CUSHION (UP TO 3". SPECIFY FOAM THICKNESS: 1" TO 3" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMP SEAT FLAT. VELCRO IS ATTACHED TO SMP SEAT FLAT AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN.
B5262A	SMP SEAT FOAM. SPECIAL SEAT FOAM (PUDGE, SUNMATE, ETC.)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. OFTEN 1/2" IS INSTALLED ON TOP OF THE 1" THICK STANDARD FOAM.
B5270C	CC M2-SA SEAT CUSH 16-21. COMFORT COMPANY M2 POSITIONING GEL SEAT CUSHION, UP TO 21" WIDE (E2607). SPECIFY WIDTH AND DEPTH.

Slk#	Note
B5270D	CC M2-SA SEAT CUSH 22+ . COMFORT COMPANY M2 POSITIONING GEL SEAT CUSHION, 22" OR 24" WIDE (E2608). SPECIFY WIDTH AND DEPTH.
B5270G	CC AJX-S SEAT CUSH 16-21. COMFORT COMPANY ADJUSTER X SEAT CUSHION W/ VICARE TECH. UP TO 21" WIDE (E2622). SPECIFY WIDTH AND DEPTH.
B5270H	CC AJX-S SEAT CUSH 22+ . COMFORT COMPANY ADJUSTER X SEAT CUSHION W/ VICARE TECH, 22" AND WIDER (E2623). SPECIFY WIDTH AND DEPTH.
WHEELCHAIR BACKS & BACK CUSHIONS	
B5303N	SD BACK UPH NC. BOUNDER PLUS & BIG BOUNDER SUPER DUTY SCREW-ON SLING BACK UPHOLSTERY N/C. STANDARD ON BOUNDER PLUS AND BIG BOUNDER CHAIRS AND GURNEYS. INCLUDES CAPS, DOUBLE LINER, WEB STRAPS. IT IS AVAILABLE IN BLACK, DARK BLUE, BURGUNDY AND DOVE GRAY. CUSTOM COLORS ARE ADDITIONAL.
B5324	FCWB ADJ. FOAM COVERED FLAT WOOD BACK WITH ADJ BRACKETS, 1" THICK FOAM (UP TO 24" WIDE). BRACKETS (J-HOOKS) ALLOW BACK TO BE ADJUSTED UP TO 3" IN FRONT OR 3" BEHIND THE BACKPOSTS. THE BACK CAN ALSO BE TILTED RELATIVE TO THE FRAME. SOLID BACK WITH 1" THICK FOAM.
B5325	FCWB CURVED ADJ. FOAM COVERED CURVED WOOD BACK WITH ADJUSTABLE BRACKETS, 1" THICK FOAM. BRACKETS (J-HOOKS) ALLOW BACK TO BE ADJUSTED UP TO 3" IN FRONT OR 3" BEHIND THE BACKPOSTS. BACK CAN ALSO BE TILTED RELATIVE TO FRAME. SOLID BACK WITH 1" THICK FOAM.
B5332	SMPB CURVED. CURVED POWDER COATED SHEET METAL PAN BACK. REQUIRES STRAIGHT BACKPOSTS (TYPICALLY CS945BH, STD REC BH OR STD TILT BH).
B5342	SMP BACK CUSHION. UPHOLSTERED FOAM BACK CUSHION (UP TO 2". SPECIFY FOAM THICKNESS: 1" - 2" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMPB FLAT OR SMB CURVED. VELCRO IS ATTACHED TO THE SEAT PAN AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN.
B5362A	SMP BACK FOAM. SPECIAL BACK FOAM (PUDGE, SUNMATE, ETC.)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. OFTEN 1/2" IS INSTALLED IN FRONT OF THE 1" THICK STANDARD FOAM.
B5370C	CC AB-BSXXXWXL. COMFORT COMPANY ACTA-BACK, POSTERIOR, 16"-21" WIDE (E2613) (SPECIFY WIDTH: SPECIFY WIDTH AND HEIGHT.
B5370D	CC AB-BSXXXWXL 22+ . COMFORT COMPANY ACTA-BACK, POSTERIOR, W/ 22"-24" WIDE (E2614) (SPECIFY WIDTH: SPECIFY WIDTH AND HEIGHT
B5370G	CC AR-BSXXXWXL. COMFORT COMPANY ACTA RELIEF BACK, POSITIONING, POSTERIOR, 16"-20" WIDE (E2615) (SPECIFY WIDTH: SPECIFY WIDTH AND HEIGHT. IF HEADREST IS ORDERED WITH CHAIR, ALSO SELECT B5370N HD-KXXW.
UPHOLSTERY COLOR	
IF FABRIC UPHOLSTERY IS ORDERED BLACK NAUGAHYDE CALF PADS AND/OR ARMREST PADS WILL BE SUPPLIED UNLESS CALF FLAT, CALF TROUGH, CALF CUSTOM, TROUGH ARP, FLAT ARP, NARROW FLAT ARP, OR CARP ARE ORDERED.	
CONTROL BOXES & REMOTE DISPLAY	
B6005P	DHC PB. DRIVER HAND CONTROL WITH PUSH BUTTON SWITCHES (SPECIFY LOCATION OF SWITCHES). PUSH BUTTON POWER SWITCH. PUSH BUTTON SELECT DOWN INSTALLED IN SELECT SWITCH POSITION, SELECT UP CAN BE INSTALLED IN EITHER THE AUX 1 LOCATION OR UNDER THE DHC. SPECIFY AT TIME OF ORDER.
B6011	RD. REMOTE DISPLAY SEPARATE FROM JOYSTICK & SWITCHES. FOR USE WITH CHIN AND SPECIALTY CONTROLS, OR DRIVERS WITH IMPAIRED VISION. INCLUDES GOOSENECK MOUNT.
B6012	CB KEY LOCK. ADD KEY SWITCH AT FRONT OF HAND CONTROL. INCLUDES 2 KEYS.
B6039	CB JRP. JOYSTICK RETENTION PLATE. IDEAL FOR USERS WITH SPASTICITY OR ARE OTHERWISE HARD ON THEIR JOYSTICKS.
B6041	CUS CB. CUSTOM HAND, FOOT, HEAD OR CHIN CONTROL. WE CAN FABRICATE MANY DIFFERENT TYPES OF CUSTOM HAND, FOOT, HEAD OR CHIN CONTROLS TO MEET YOUR SPECIFIC NEEDS. CONTACT THE FACTORY FOR MORE INFORMATION.
HAND & CHIN CONTROL MOUNTS & EXTENSIONS	
B6115	SA EXT. SWINGAWAY HAND CONTROL EXTENSION SLIDE (E1028). VERY STURDY. SWINGS OUT TO SIDE AND BACK.
B6116	MIDLINE HC M&E. MIDLINE HAND CONTROL MOUNT & EXTENSION SLIDE. SWINGS UP TO SIDE. SPECIFY LEFT OR RIGHT MOUNT.
B6121	CC MOUNT. CHIN CONTROL MOUNT. MOUNTS ON BACKPOST TUBING ON EITHER SIDE. SPECIFY LEFT OR RIGHT. FULLY ADJUSTABLE WITH SWING TO SIDE FEATURE.
B6122	POWER CC MOUNT. POWER CHIN CONTROL MOUNT. INSTALL POWER CHIN CONTROL MOUNT INSTEAD OF STANDARD HAND CONTROL MOUNT. SPECIFY LEFT OR RIGHT MOUNT. ACTUATOR SWINGS CHIN CONTROL AND BOOM TO SIDE ABOUT 90 DEGREES WHEN CONTROL SWITCH IS OPERATED. BI-DIRECTIONAL MOMENTARY TOGGLE SWITCH CONTROL IS STANDARD. SWITCH CAN BE MOUNTED ANYWHERE CONVENIENT TO USER OR ATTENDANT. OTHER CUSTOM CONTROL SWITCHES AND METHODS OF CONTROL

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Slk# Note
ARE POSSIBLE. LEFT AND RIGHT HAND MODELS AVAILABLE. CONTACT THE FACTORY FOR ADDITIONAL INFORMATION.

B6131 CC BIB MOUNT. CHIN CONTROL BIB MOUNT (SPECIFY HARD OR SOFT COLLAR). SPECIFY HARD OR SOFT BIB COLLAR. DOES NOT INCLUDE CHIN CUP.

B6172 CUS EXT SLIDE. CUSTOM EXTENSION SLIDE. CLOSE IN, STRAIGHT, CUSTOM HEIGHT, ETC. TELL US WHAT YOU NEED.

DRIVE MODULES

UEITH PREMIUM 6-PROGRAM WHEELCHAIR ELECTRONICS & OPTIONS

B6298C PS OVERRIDE. POWER SEATING SYSTEM OVERRIDE SWITCH (SPECIFY SEATING SYSTEM). TYPICALLY THE OVERRIDE SWITCH IS PLACED AT THE REAR OF THE ARM SO THAT THE USER CAN CONTROL THE RECLINE OR TILT SYSTEM WHEN IT IS FULLY TILTED OR RECLINED. PREVENTS USER FROM GETTING STUCK IN THE FULLY TILTED OR RECLINED POSITION. INCLUDES SWITCH AND RELAY BOX. SPECIFY WHICH POWER SEATING SYSTEM TO CONTROL.

DX PROGRAMMABLE ELECTRONICS

CALL FACTORY

CONTACT FACTORY FOR AVAILABILITY AND PRICING.

B6322 DX-ACU1. DX DUAL CONTROL (ATTENDANT CONTROL WITH ATTENDANT/USER CHANGEVER SWITCH). ATTENDANT CONTROL WITH AN ATTENDANT/USER CHANGEVER SWITCH.

B6323 DX-RJM. DX REMOTE JOYSTICK MODULE (SMALL). SMALL JOYSTICK ONLY CONTROL

B6330 DX-SNP. DX SIP & PUFF MODULE. 1, 3 & 5 SPEED MOMENTARY, LATCHED AND ANALOG LATCHED MODES. DOES NOT INCLUDE BREATH TUBE

B6337 DX-ECU. DX ECU. CONTROLS UP TO 8 SWITCH TYPE OUTPUTS TO CONTROL ON-CHAIR DEVICES.

B6340 DJ-BTINT-HID-ACC. DX IPORAL ACCESSIBILITY + MOUSE MOVER. USED TO CONTROL A CELL PHONE, TABLET OR COMPUTER THROUGH BLUETOOTH USING THE WHEELCHAIR INPUT DEVICE SUCH AS A HAND CONTROL.

B6349 DX-HHPNA. DX HAND HELD PROGRAMMER. NORTH AMERICAN VERSION: ENGLISH, SPANISH AND FRENCH.

B6359 DX-SKT-X3. DX BUS 3-WAY SOCKET. FOR CHAIRS THAT NEED EXTRA SOCKETS TO CONNECT ALL DX MODULES.

ASL (ADAPTIVE SWITCH LABS) WHEELCHAIR CONTROL SYSTEMS

CALL FACTORY

PG DRIVES PROGRAMMABLE ELECTRONICS

CALL FACTORY

FALCON COMPONENTS

DRIVE MODULE MOUNTS

B6702 USM HF. DRIVE MODULE MOUNTED UNDER H-FRAME WHEELCHAIR SEAT. DRIVE MODULE MOUNTED VERTICALLY UNDER SEAT BETWEEN MOTORS AND BATTERY BOX, OR HORIZONTALLY UNDER SEAT PAN. SOMETIMES, ALTERNATE LOCATIONS ARE NECESSARY, DEPENDING UPON THE EXACT CHAIR CONFIGURATION.

B6706 OBBM HF. DRIVE MODULE MOUNTED OVER H-FRAME BATTERY BOX. DRIVE MODULE MOUNTED HORIZONTALLY OVER BATTERY BOX. THIS ITEM IS REQUIRED FOR CHAIRS WITH PSE2 OR SHORT BASE CHAIRS WITH PTS.

RESPIRATOR & OXYGEN BOTTLE MOUNTS

B6801 RESP SHELF. FIXED POSITION RESPIRATOR SHELF. VERY STURDY SHEET METAL SHELF IS WELDED IN PLACE ON BACKPOST TUBING, USUALLY JUST BELOW PUSH HANDLES. APPROXIMATELY 20" WIDE X 10" DEEP. CUSTOM SIZES AVAILABLE. PUSH HANDLES SOMETIMES FLARED FOR CLEARANCE ON NARROW CHAIRS. CONTACT FACTORY FOR MORE INFORMATION.

B6803 RESP GIMBAL SHELF. GIMBAL-MOUNTED RESPIRATOR SHELF. FOR CHAIRS WITH TILT AND RECLINE THAT REQUIRE THAT RESPIRATOR BE KEPT APPROXIMATELY LEVEL WITH GROUND.

B6811 RESP BBOX U1. SINGLE U1 BATTERY BOX MOUNTED ON SHELF (SPECIFY LOCATION; FOR RESPIRATORS). SHELF USUALLY LOCATED UNDER SEAT NEAR FRONT OF CHAIR. REMOVABLE U1 BATTERY BOX IS HELD ON TRAY WITH A STRAP. ALTERNATE LOCATIONS SUCH AS ON THE SHELF NEXT TO OR BELOW THE RESPIRATOR ARE ALSO AVAILABLE. CONTACT FACTORY FOR MORE INFORMATION.

MOTORS & BRAKES

B7006N ST1SM&B NC. SUPER TORQUE 1S MOTORS & BRAKES N/C (FOR EXTRA NARROW BASE ONLY). THIS IS THE ONLY MOTOR AVAILABLE WHEN THE EXTRA NARROW BASE IS ORDERED.

B7007 ST4M&B-M. SUPER TORQUE 4 MOTORS & BRAKES, MEDIUM SPEED. NO CHARGE WITH POWER 1000 OR HVLP OR. USED PRIMARILY ON CHAIRS EQUIPPED WITH THE HVLP OR OR BARIATRIC PATIENTS OVER 700 LB. ALSO RECOMMENDED FOR USERS BETWEEN 500 & 700 LB. CAN ALSO BE USED FOR PATIENTS THAT WANT A DURABLE, BUT SLOWER CHAIR WITH EXTRA TORQUE AND LONGER RUN TIME PER CHARGE.

B7008 ST4M&B-S. SUPER TORQUE 4 MOTORS & BRAKES, SLOW SPEED. RECOMMENDED FOR USERS BETWEEN 700 AND 1000 LB.

DRIVE WHEEL OPTIONS

B7054 DW 13M SMOOTH. 12.75"x4.00" METAL DRIVE WHEELS W/ SMOOTH TIRES (GRAY ONLY). FOR H-FRAMES ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15" X 4" AND 12.75" X 4".

Slk# Note
B7055 DW 13M KNOBBY. 12.75"x4.00" METAL DRIVE WHEELS W/ KNOBBY TIRES. FOR H-FRAMES ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15" X 4" AND 12.75" X 4".

B7084 DW 14M BKT&T. 14" X 5.4" METAL DRIVE WHEELS, BLACK KNOBBY 145/70-6 PNEUMATIC TIRES & TUBES. ST4M&B REQUIRED. NO CHARGE WITH HVLP OR.

CHAIN DRIVES

B7202 FSC. FACTORY SELECT BEST CHAIN DRIVE. FACTORY SELECTS THE BEST CHAIN DRIVE CONFIGURATION BASED UPON THE CHAIR CONFIGURATION AND CUSTOMER DATA

B7212 C25. 25 TOOTH MOTOR CHAIN SPROCKETS. 3.19" OD CHAIN SPROCKETS

B7214 C23. 23 TOOTH MOTOR CHAIN SPROCKETS. 2.95" OD CHAIN SPROCKETS

B7216 C21. 21 TOOTH MOTOR CHAIN SPROCKETS. 2.71" OD CHAIN SPROCKETS

B7244 C70. 70 TOOTH DRIVE WHEEL CHAIN SPROCKETS. 8.58" OD CHAIN SPROCKETS FOR USE WITH 12.75"x4.00" METAL DRIVE WHEELS

PANTHER DRIVES

CASTER WHEEL & FORK OPTIONS

VEHICLE TIEDOWNS

B7602 TD DSI. WELD IN DRIVING SYSTEMS TIEDOWN BAR. DSI TIEDOWN BAR IS WELDED INTO THE WHEELCHAIR FRAME DURING CONSTRUCTION.

B7603 EZ LOCK TD. INSTALL EZ LOCK TIEDOWN CROSSBAR AND BOLT ONTO CHAIR. SPECIFY HEIGHT OF TIEDOWN CROSSBAR FROM FLOOR TO BOTTOM OF BAR. SPECIFY DISTANCE FROM CENTER OF DRIVE WHEEL AXLE TO CENTER OF TIEDOWN BOLT.

BATTERY BOXES

B7713 BBOXD24 LFP. DUAL GROUP 24 OR LFP SLIDING BATTERY BOX. REQUIRED FOR H-FRAMES USING THE NARROW 24" WIDE BASE AND SOME CHAIRS WITH SUSPENSION. NO CHARGE WHEN NARROW BASE OR SUSPENSION IS ORDERED. ALSO REQUIRED FOR 14" WIDE CONVENTIONAL FRAME CHAIRS

B7715 BBOXD22NF. DUAL GROUP 22NF BATTERY BOX. NO CHARGE WHEN EXTRA NARROW 21.5" BASE WIDTH IS ORDERED.

B7781 BBOX MNT + 1GC. BATTERY BOX MOUNT WITH 1" EXTRA GROUND CLEARANCE. NOT AVAILABLE ON CHAIRS WITH PSE2 AND SOME OTHER CHAIR CONFIGURATIONS, CONTACT FACTORY FOR MORE INFORMATION.

BATTERIES

BATTERY CHARGERS

B7921 NBC. CREDIT FOR NO BATTERY CHARGER. CREDIT APPLIES TO POWER WHEELCHAIRS AND GURNEYS ONLY! CREDIT NOT AVAILABLE FOR MANUAL CHAIRS OR MANUAL GURNEYS.

ACCESSORIES

B8006 HF LP. LED SAFETY ILLUMINATION PACKAGE FOR ALL H-FRAMES. INCLUDES LED HEADLAMP AND SWITCH. LED TAILLIGHTS ARE BUILT INTO THE H-FRAME BASE.

B8007 HL2. 2ND LED HEADLAMP. CURRENT DRAW FOR COMPLETE TWO HEADLAMP SYSTEM: 1.0A @ 24V.

B8010 AMBER FLASHER. LED AMBER SAFETY FLASHERS (1 FLASHER MOUNTED IN REAR/1 MOUNTED IN FRONT). SAFETY AMBER FLASHER ALLOWS INCREASED VISIBILITY WHILE DRIVING AT NIGHT.

B8021 HORN. 24V SAFETY AUDIO ALERT. THIS 24V HORN IS LOUD! THE CONTROL SWITCH (HORN BUTTON) CAN BE MOUNTED ON THE WHEELCHAIR TUBING AT ANY CONVENIENT LOCATION. COMPATIBLE WITH MOST 24V POWER WHEELCHAIRS. TOGGLE SWITCH TYPE HORN BUTTON WILL BE SUPPLIED UNLESS YOU SPECIFICALLY REQUEST A PUSH-BUTTON SWITCH.

B8032 LB2. ELECTRIC LEG BAG EMPTIER 2. ELECTRIC LEG BAG EMPTIER 2 ALLOWS THE USER TO DRAIN HIS/HER LEG BAG WITHOUT ASSISTANCE. THIS ENCOURAGES INCREASED FLUID INTAKE, WHICH CAN REDUCE THE LIKELIHOOD OF URINARY TRACT INFECTION. THIS PACKAGE INCLUDES A 24V ELECTRIC PINCH VALVE WITH MANUAL RELEASE TAB THAT IS USUALLY STRAPPED AROUND THE USER'S ANKLE, THOUGH IT CAN BE MOUNTED ON A FOOTPLATE. A DRAIN TUBE EXTENSION THAT IS ATTACHED TO THE LEG BAG DRAIN TUBE IS PINCHED BY THE VALVE. THE LB2 VALVE DOES NOT REQUIRE INTERNAL CLEANING. THE SYSTEM INCLUDES A MOMENTARY TOGGLE SWITCH THAT CAN BE MOUNTED ANYWHERE ON THE WHEELCHAIR TUBING, AND A FUSED BATTERY CABLE. THE SWITCH AND VALVE INCLUDE QUICK DISCONNECT ANDERSON CONNECTORS SO THAT THE WHEELCHAIR FRONT RIGGING AND ARMS CAN BE REMOVED FOR TRANSFER AFTER THE SYSTEM IS INSTALLED. THE LEG BAG DRAIN TUBE EASILY THREADS THROUGH THE PINCH VALVE. LEG BAG AND FRONT RIGGING ARE NOT INCLUDED. KITS FOR CONTROLLING ELECTRIC LEG BAG EMPTIERS BY AN ECU SYSTEM ARE AVAILABLE AT ADDITIONAL COST. PRICE INCLUDES 6 MONTH WARRANTY. CONTACT THE FACTORY FOR MORE INFORMATION.

B8041 FAN. FAN WITH ON-OFF CONTROL. THE PERSONAL FAN CAN BE USED WITH MOST POWER WHEELCHAIRS AND GURNEYS. THIS QUIET FAN PROVIDES A GENTLY COOLING 45 CFM FLOW. MOUNTS ON FRONT LOWER ARM OF WHEELCHAIR OR WHEREVER CONVENIENT FOR THE USER. THE KIT INCLUDES A FUSED 24V ALWAYS ON BATTERY CABLE AND A TOGGLE SWITCH THAT CLAMPS ON ROUND TUBING. CURRENT DRAW: 0.11A @ 24V, 38.1 DBA. GREAT FOR THOSE HOT SUMMER DAYS; A MEDICAL NECESSITY IF VASO-CONSTRICTION AND VASO-DILATION OF YOUR PERIPHERAL VASCULAR SYSTEM IS COMPROMISED.

BOUNDER Plus H-FRAME POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
B8045	SSAI. SPECIALTY SWITCH ACCESSORY INTERFACE. THIS ITEM ALLOWS A LOW-CURRENT SPECIALTY SWITCH TO BE PLUGGED INTO AN 1/8" PHONO PLUG TO OPERATE A MOMENTARY ACCESSORY (E.G., HORN, ELECTRIC LEG BAG EMPTIER 2 ETC.) SWITCH NOT INCLUDED. MOST NORMALLY OPEN MOMENTARY SWITCHES CAN BE USED WITH THIS SYSTEM.
B8046	24/48 TO 12PC. 24V/48V TO 12V POWER CONVERTER (5A MAXIMUM LOAD). CONVERTS 24 OR 48 VOLTS TO 12 VOLTS, PROVIDING UP TO 5 AMPS OF POWER. THIS ALLOWS SOME 12 VOLT ACCESSORIES TO BE INSTALLED ON THE WHEELCHAIR OR CART.
B8049	ECU. ENVIRONMENTAL CONTROL UNIT, REMOTE OUTLET SWITCHING. PROVIDES 5 SETS OF SEPARATE ON-OFF PUSH BUTTON SWITCHES FOR CONTROLLING UP TO 5 AC OUTLETS. EACH AC OUTLET CAN CONTROL UP TO A 10A LOAD(1200W). STRONG RF SIGNAL CAN WORK AS FAR AS 100 FT. PUSH BUTTON CONTROL IS ATTACHED TO THE ARM OF THE CHAIR USING A RAM MOUNT.
B8063	GUN MOUNT. HEIGHT & ANGLE ADJUSTABLE GUN MOUNT/REST. INCLUDES CENTER MOUNT SQUARE RECEIVER WELDED UNDER SEAT SO GUN MOUNT CAN EASILY BE ATTACHED AND REMOVED WHEN NOT BEING USED. HEIGHT ADJUSTABLE, ANGLE ADJUSTABLE AND UNIVERSAL FOR LEFT AND RIGHT HANDED SHOOTERS.
B8083	TOOL KIT. TOOL KIT. INCLUDES COMMON TOOLS USED TO MAKE ADJUSTMENTS AND MINOR REPAIRS ON CHAIR.
B8091	MIRROR. REAR VIEW MIRROR. THIS DETACHABLE REAR VIEW MIRROR HAS A WIDE ANGLE CONVEX HEAD THAT ALLOWS USERS TO SEE TO THE REAR WITHOUT TURNING THEIR HEAD. IT INCREASES SAFETY IN TRAFFIC AND IS ALSO HANDY WHEN BACKING INTO OR OUT OF ELEVATORS. THE MIRROR COMES WITH A QUICK DETACH BRACKET.
B8127	WC JACK. WHEELCHAIR JACK. USED TO LIFT REAR OF THE WHEELCHAIR IN THE AIR TO CHANGE TIRES OR WHEELS.

SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

CAUTION! DO NOT USE AS SEAT BELTS OR RESTRAINTS IN LICENSED VEHICLES. POSITIONING STRAPS ARE TO BE USED ONLY FOR HOLDING USER IN POSITION WHILE DRIVING THE WHEELCHAIR. FOR WHEELCHAIRS, INDICATE WHETHER LAP OR CHEST MOUNT. FOR GURNEYS, INDICATE DISTANCE TO MOUNT STRAPS FROM FRONT OR REAR OF MATTRESS PAN, LENGTH OF STRAP, AND WHAT PART OF BODY STRAP IS TO GO AROUND.

B8211 PS CUS S. CUSTOM SEAT MOUNT POSITIONING STRAP (SPECIFY BUCKLE TYPE AND LENGTH). REQUIRED FOR ANY POSITIONING STRAP THAT IS NOT 60" LONG. SPECIFY BUCKLE TYPE AND LENGTH.

CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

WARRANTIES AND SPECIAL SERVICE OPTIONS

STANDARD WARRANTIES

B9022 BP HF PWC WAR. BOUNDER PLUS H-FRAME POWER WHEELCHAIR STANDARD WARRANTY. TWO YEAR WARRANTY ON ENTIRE BOUNDER PLUS POWER WHEELCHAIR. TEN YEAR H-FRAME BASE WARRANTY. FIVE YEAR H-FRAME SEAT WARRANTY. FIVE YEAR SUPER TORQUE 3 MOTOR AND BRAKE DRIVE TRAIN WARRANTY (INCLUDES MOTORS, BRAKES, DRIVE WHEELS AND DRIVE WHEEL PULLEYS/SPROCKETS, BUT EXCLUDES DRIVE BELTS, TIRES, MOTOR PULLEYS/SPROCKETS, INNER TUBES AND BEARINGS). THIS IS A LIMITED WARRANTY AND SOME RESTRICTIONS APPLY.

EXTENDED WARRANTIES

SPECIAL SERVICE OPTIONS

B9301 EBO. EMERGENCY BUILD ORDER. BUILD AND SHIP CHAIR AS FAST AS POSSIBLE. CONTACT FACTORY FOR DELIVERY AND UP CHARGE.

B9302 EEC. ENGINEERING AND EVALUATION CHARGE. CHARGE FOR ENGINEERING AND EVALUATING VERY INVOLVED CUSTOM CHAIRS. CONTACT FACTORY FOR PRICING.