	ay, Coeur d'Alene, ID 83815 MPLETED FORM TO 21 st Century SCIENTIFIC Inc. This is a Quotation Request On
Ship To:	Bill To:
Company:	
Address:	
City: State: Zip:	
Attention:	Attention:
Phone:FAX:	
User Data:	R WHEELCHAIR
User Data:	Barbon Barbon Barbon Disability:
User Data: Name: Ht:	
User Data: Name: Ht: Hip Width: " Chest V	: Wt: lb. D.O.B.: Disability:
User Data: Name: Ht: Hip Width: " Chest V	:" Wt:lb. D.O.B.:Disability: Width:"Back to Knee:"Top of Shoulder:" o Heel:"Elbow to Hand:"Gluteal Shelf: Y / N
User Data: Name: Ht: Hip Width " Chest V Seat Pan to Elbow: " Knee to Driving Skills: good fair poor	:" Wt:lb. D.O.B.:Disability: Width:"Back to Knee:"Top of Shoulder:" o Heel:"Elbow to Hand:"Gluteal Shelf: Y / N
User Data: Name: Ht: Hip Width:" Chest ` Seat Pan to Elbow:" Knee to Driving Skills: good fair poor Previous Chair Make & Model:	: Wt: lb. D.O.B.: Disability: Width: Back to Knee: Top of Shoulder:? o Heel: Elbow to Hand: Gluteal Shelf: Y / N Judgment: good fair poor Height: Depth:
User Data: Name: Ht: Hip Width:" Chest Seat Pan to Elbow:" Knee to Driving Skills: good fair poor Previous Chair Make & Model:	: Wt: lb. D.O.B.: Disability: Width: Back to Knee: Top of Shoulder:? o Heel: Elbow to Hand: Gluteal Shelf: Y / N Judgment: good fair poor Height: Depth:
User Data: Name: Ht: Hip Width: " Chest ` Seat Pan to Elbow: " Knee to Driving Skills: good fair poor Previous Chair Make & Model: Other Information:	: Wt: lb. D.O.B.: Disability: Width: Back to Knee: Top of Shoulder: ' o Heel: Elbow to Hand: Gluteal Shelf: Y / N Judgment: good fair poor Height: Depth:
User Data: Name: Ht: Hip Width: " Chest V Seat Pan to Elbow: " Knee to Driving Skills: good fair poor Previous Chair Make & Model: Other Information: New Chair Data:	:" Wt:lb. D.O.B.:Disability: Width:" Back to Knee:" Top of Shoulder:" o Heel:" Elbow to Hand:" Gluteal Shelf: Y / N Judgment: good fair poor Height:" Depth:" Height:" Depth:" .:" Seat Height:" Backpost Height:"

Thank you for choosing 21st Century SCIENTIFIC, Inc. Since our products tend to be custom, this order/quote form is very detailed. As you complete this form, you will be specifying each parameter of the equipment to be ordered. Accordingly, be patient and review each section carefully. No charge and standard items are usually located near the top of each section, but not always. Check the standard items as well as the custom options in each section to make sure you have not missed anything. You may email this form to us at 21st@wheelchairs.com for review. A detailed written quote will be emailed back to you. If you need assistance filling out this form (or simply prefer us to do it for you), contact our sales department at (800) 448-3680. There is no charge for our assistance and written quotations.

HCPCS codes are not intended to be, nor should they be considered, legal or billing advice. Use of the codes does not ensure coverage or payment for the item. Always verify coverage information with the pay source, attorney or other consultant as needed.

This Form Was				
Completed By:	D	Date:	Phone:	FAX:

Sales & Service (800) 448-3680

STANDARD FEATURES

•Independent drive wheel suspension •For users up to 600 lb •24" to 32" seat widths in 1" increments •Durable H-style TIG welded frame using 2.5"x1.5"x0.125" wall steel •4.5 MPH top speed •LiNX electronics •Super Torque 4 Motors & Brakes (ST4M&B) •Sliding dual group 24 battery box •4 button LED hand control •Smart brake release switch (for easy attendant pushing) Xtra Duty adjustable suspension forks •Xtra Duty caster barrels and suspension forks (1" fork stems & bearings ID's) •9"x3.50" aluminum caster wheels •13" x 4.00" steel/aluminum drive wheels •Foam filled caster tires and drive wheel tires · Gray or black tires •0.120" wall seat rails and back posts •Black powder coated frame •Sheet Metal Seat Pan •70 deg swingaway footrests •Quick adjust clutches (combination tensioner and chain release mechanism) •Flip-up self-supporting arms w/ standard armrest pads •Anti-tipping wheelie wheels •Fully automatic 8A charger •Push button seat positioning strap •Detailed Owner's Manual •Easy to service and maintain

POPULAR OPTIONS

•Speed package - top speeds up to 5.9 mph •Front Rigging (footrests or legrests, each with many options) •Center Mount Footboard •Arm options •Headrests •Power seating systems: recline, tilt, anterior tilt & seat elevator •2 or more power seating systems combined on same chair •Dual independent power elevating legrests (DIPLR) •Power elevating, articulating center mount footboard (PEACM FB) •R-net electronics ·Joystick control of power seating •Programmer for electronics •Colored (non-black) frame •Specialty controls (switch controls, head arrays, etc.) •Frame reinforcements •Custom seat depth, seat height, back height, etc. •Seating & positioning options •Hand / chin control customizations & mounting options (many to choose from) •Built in taillights •LED Lighting package (it's 24V and bright!) •Electric horn (it's LOUD) Positioning straps •Extended 2 or 3 year warranty

WARRANTY*

•1 year warranty on entire chair •5 year warranty on Super Torque 3 & 4 Motor & Brake drive trains** •5 year H-Frame base warranty •2 year H-Frame seat warranty

* Limited warranties - some restrictions apply. See complete warranty for more information ** Includes motors, brakes, drive wheels, drive wheel sprockets (chains, tires, inner tubes, flat-free inserts, motor sprockets & bearings not included)

DRIVE TRAIN CONFIGURATION NOTE:

Top speeds above are estimated. Depending on configuration, your chair may be faster or slower. Chair configuration, patient weight, tire choices and battery condition can affect the chair's top speed.

\\SWORK2014\Drive D - Data\Data\Sales & Marketing\Marketing\Price List\19th Edition Price List\Price List Cover Sheets\External\PL19 BB600 Cover 2021-11-15.doc

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

*, SEE NOTE LISTED BY UMBER ON LAST PAGES	S Stock	Ped Description	Suggested	NUMBER ON LAST PAGE	STOCK	Deat Description	Suggest
Part Number		Part Description	Retail Price	Part Number	Qty Number	Part Description	Retail Pr
BIG BOUNDER 600		SE CONFIGURATION		FRAME REINFOR	CEMENTS	rest of chair	
BIG BOUNDER 000 BB600	, B014A	BIG BOUNDER 600 Power Wheelchair, no power	\$14,995.00	SBP NC		Solid backposts N/C	No Cha
10000	DUTHA	seating	ψ14,335.00	CBPT NC		Cross strut between backpost handle tips N/C	No Ch
BB600S	B014B	BIG BOUNDER 600 Power Wheelchair, single	\$12,995.00	ODI I NO	D+110N		
		power seating option		REAR WHEEL OF	FSET (RWO)		
BB600M	B014C	BIG BOUNDER 600 Power Wheelchair, multiple	\$11,995.00	* STD RWO	B4301	Standard rear wheel offset	Stan
		power seating options		* CRWO	B4302	Custom rear wheel offset	\$63
	CON	STRUCTION OPTIONS					
BASE WIDTH				SEAT DEPTH			•
STD BASE WIDTH	B151	Standard base width (overall width: see notes)	Standard	* STD SD	B4421	Std seat depth 16" 17" 18" 19" 20"	Stan
WIDE BASE WIDTH	B151W	Wide base width (28.5" overall width)	No Charge	XLONG SD	B4425	X-long seat depth	\$1,25
WIDE BASE WIDTH	B151X	Xtra wide base width (overall width: see notes)	\$540.00	ALONG OD	01120	21"22"23"	ψ1,20
SASE LENGTH SHORT BASE	B202	Short H-Frame power base	Standard	SEAT WIDTH	D / 50 / 5		<u>.</u> .
LONG BASE NC	B202 B203N	Long H-Frame power base (no charge)	No Charge	BB600 STD SW	B4521D	Standard BB600 seat width (24"-28") 24"25"26"27"28"	Star
LONG BASE NC	B203N B203X	Xtra Long H-Frame power base (no charge)	\$650.00	BB600 XWIDE SW	R4522A	Big Bounder 600 extra wide seat width	\$57
HF ROW	B206	Reduce overall width by installing control box on inside of arm	No Charge	bboot Ambe of	D TOLEN	(29" & wider; specify width:)	ψŪΪ
POWER 700	B207	Increase maximum user weight of power	\$2,100.00	* SEAT HEIGHT			
		chair/gurney to 700 lbs		STD SH	B4601M	Bounder standard seat height19"20"21"	Star
SUSPENSION				* CAPT SH	B4606	Standard 22" or 24" captain's seat height	No C
DWS NC	B209B	Independent drive wheel suspension, no charge	Standard	* CST	B4618	Custom seat tilt (rake)	\$57
BLACK IDWS SPRING	B209F	Black IDWS springs (for users 401 lb and greater)	No Charge				
				BACKPOST STYL			
		16		STD S945 BH	B4701R	Standard straight backpost height, 94.5 deg 18"20"22"24"	Star
PRS 40	B301B	40 degree power recline system (E1003)	\$5,750.00	CUS S945 BH	B4701T	Custom straight backpost height, 94.5 deg (specify height:)	\$89
SBPRS 40	B303B	40 degree sliding back power recline system (E1004)	\$6,900.00	* CUS BH	B4709	Custom 90 deg back height w/ 7 deg bend (15"-24") (specify height:)	\$89
		(,		* ASBA	B4712	Adjustable seat-to-back angle (20 deg of adj) 9095100105110	\$58
PTS 30	B305B	30 degree power tilt system (E1002)	\$5,750.00	OFFSET BP	B4715	Offset Backposts	\$58
				CAPTAIN'S BACK		Unset Dackposts	ψυι
APTS 20	B306A	20 degree anterior (reverse) power tilt system	\$5,750.00	* STD CAPT BH	B4731	Standard captain's back height 16"18"20"	No C
PRS PTS	B321	Power recline & power tilt	\$9,999.00	* CUS CAPT BH	B4732	Custom captain's back height (specify height:)	\$4
OWER SEATING	OPTIONS, HI	EAVY DUTY UPGRADES & LOCKOUTS				····g··· <u></u> ,	
'S XHD	B362	Pwr seating xtra heavy duty upgrade (users over	\$2,530.00	HEADRESTS			
PSS BOOST	B379	450 lbs)(each system) (K0108) Power seating system booster	\$550.00	ACPHR MB&H	B4802D	Adjustable center post headrest mounting bracket and hardware (less pad)(E1028)	\$2
BASE COLOR				ACPHR PAD	B4802E	Curved foam pad for adjustable center post headrest (E0955)	\$22
SASE COLOR	B4001	Standard black powder coat	Standard	* CSHR	B4804	Custom size or style headrest for ACPHR	Call Fa
		Red powder coat	\$140.00				
LACK	B4002			FRONT RIGGING			
BLACK RED	B4002 B4003	Blue powder coat	\$140.00				-
BLACK RED BLUE			\$140.00 \$140.00	FR70 NC		70 deg swingaway footrests	
ilack Ied Ilue Jark green	B4003	Blue powder coat	\$140.00 \$140.00	FR70 NC * FR60	B5002	60 deg swingaway footrests	\$3
ILACK IED ILUE PARK GREEN IELLOW IGHT GRAY	B4003 B4004 B4005 B4006	Blue powder coat Dark green powder coat	\$140.00 \$140.00 \$140.00	FR70 NC * FR60 FR80	B5002 B5003E	60 deg swingaway footrests 80 deg swingaway footrests	\$3 \$4
BLACK RED BLUE DARK GREEN /ELLOW JIGHT GRAY VHITE	B4003 B4004 B4005 B4006 B4007	Blue powder coat Dark green powder coat Yellow powder coat Light gray powder coat White powder coat	\$140.00 \$140.00 \$140.00 \$140.00	FR70 NC * FR60 FR80 * FR90	B5002 B5003E B5004	60 deg swingaway footrests 80 deg swingaway footrests 90 deg swingaway footrests	Star \$32 \$44 \$44
BLACK RED BLUE DARK GREEN /ELLOW JIGHT GRAY VHITE (EAL	B4003 B4004 B4005 B4006 B4007 B4008	Blue powder coat Dark green powder coat Yellow powder coat Light gray powder coat White powder coat Teal powder coat	\$140.00 \$140.00 \$140.00 \$140.00 \$140.00	FR70 NC * FR60 FR80 * FR90 * LRL	B5002 B5003E B5004 B5005	60 deg swingaway footrests 80 deg swingaway footrests 90 deg swingaway footrests Low profile elevating legrests (E0990)	\$3: \$4; \$4; \$4;
BLACK RED BLUE DARK GREEN /ELLOW JIGHT GRAY VHITE 'EAL AVENDER	B4003 B4004 B4005 B4006 B4007 B4008 B4009	Blue powder coat Dark green powder coat Yellow powder coat Light gray powder coat White powder coat Teal powder coat Lavender powder coat	\$140.00 \$140.00 \$140.00 \$140.00 \$140.00 \$140.00	FR70 NC * FR60 FR80 * FR90	B5002 B5003E B5004	60 deg swingaway footrests 80 deg swingaway footrests 90 deg swingaway footrests Low profile elevating legrests (E0990) High profile (gooseneck) elevating legrests	\$3: \$4; \$4; \$4;
BLACK RED BLUE DARK GREEN YELLOW LIGHT GRAY WHITE TEAL LAVENDER PINK CUS PC	B4003 B4004 B4005 B4006 B4007 B4008	Blue powder coat Dark green powder coat Yellow powder coat Light gray powder coat White powder coat Teal powder coat	\$140.00 \$140.00 \$140.00 \$140.00 \$140.00	FR70 NC * FR60 FR80 * FR90 * LRL	B5002 B5003E B5004 B5005	60 deg swingaway footrests 80 deg swingaway footrests 90 deg swingaway footrests Low profile elevating legrests (E0990)	\$33 \$48

19th Edition RETAIL ORDER/QUOTE FORM & PRICE LIST -

- Page 3 -

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF *, SEE NOTE LISTED B NUMBER ON LAST PAGE	Y STOCK		0	IF *, SEE NOTE LISTED BY NUMBER ON LAST PAGES	\$		0
Part Number	SLUCK	Part Description	Suggested Retail Price	Part Number	STOCK	Part Description	Suggested Retail Price
		(actuators, sw box, legrests w/ RLR)	·				
∗ RFR NC	B5014N	Reinforced footrests N/C	No Charge	ARMREST PADS			
* RLR NC	B5016N	Reinforced elevating legrests N/C	No Charge	* STD ARMREST PADS	B5141	Std upholstered armrest pads	Standar
 OFFSET FR 	B5018	Offset front rigging (specify offset)	\$410.00	* WATERFALL ARP	B5142	Waterfall armrest pads	\$110.0
OFFSET FR NC	B5018N	Offset front rigging N/C	No Charge	* TROUGH ARP	B5143	Trough armrest pads	\$305.0
CP ON FR	B5020	Install calf pads on footrests	\$273.00	* FLAT ARP	B5144	3.5" wide flat armrest pads	\$189.0
* QRL	B5023	Quad release levers	\$97.00	* NARROW FLAT ARP	B5145	2" wide narrow flat armrest pads	\$140.0
CUS SFP FLIP UP	B5030	Custom flip-up steel footplates (specify size)(order heel loops separately)	\$354.00	CARP	B5146	Custom armrest pads	Call Factor
OFP	B5031	Oversized footplates (less heel loops)	\$245.00	WHEELCHAIR SEA	TS & SEAT	CUSHIONS	
OFP HL	B5031H	Oversized footplates w/ heel loops	\$265.00	SMP SEAT	B5205	Flat powder coated sheet metal pan seat	Standar
∗ CUS CM FB	B5035	Custom center mount, angle adjustable footboard	\$1,150.00	* SMP SEAT CUSHION	B5242	Upholstered foam seat cushion (up to 3";	\$310.0
CUS PEACM FB	B5036E	Custom power elevating, articulating center mount footboard	\$2,450.00	CAPT SEAT	B5251	specify thickness:) Captain's seat	\$700.0
* FPHL	B5041	Heel loops	\$56.00	* SPEC SEAT FOAM	B5262A	Special seat foam (Sunmate) (each 1/2" thickness)	\$135.0
* FPAS	B5042	Ankle straps	\$93.00	CSSC	B5263	Custom seat or seat cushion	Call Factor
* FPTL	B5043	Pair of toe loops	\$93.00	NO SEAT CUSHION	B5271	No seat cushion supplied	No Charg
SLS	B5044	Single leg (calf) strap, black w/ velcro	\$56.00				
HLS	B5045	H-type leg (calf) strap, black w/ velcro	\$76.00	WHEELCHAIR BAG	CKS & BACK	CUSHIONS	
STD CALF PADS	B5046	Std calf pads (Naugahyde only) (only w/ LRL,	No Charge	STD NB	B5302	No back supplied or attached to backposts	Standar
		LRH, CP ON FR or CUS PEACM FB)		SMPB CURVED ADJ	B5333	Curved sheet metal pan back w/ adj brackets	\$485.0
* CALF FLAT	B5047	Flat calf pads	\$164.00	* SMP BACK CUSHION		Upholstered foam back cushion (up to 2";	\$325.0
CALF TROUGH	B5048	Trough calf pads	\$244.00		00012	specify thickness:)	<i></i>
CALF CUSTOM	B5049	Custom calf pads	Call Factory	CAPT BACK	B5351	Captain's back	\$700.0
RCPM	B5050	Recessed calf pad mounts (specify 1" or 2")	\$278.00	* SPEC BACK FOAM	B5362A	Special back foam (Sunmate) (each 1/2" thickness)	\$140.0
CCPM	B5051	Custom calf pad mounts	Call Factory	CBBC	B5363	Custom back or back cushion	Call Facto
FPRB2	B5053	Roller wheel bumpers (2.5" dia wheels mounted under footplates)	\$105.00	SB MOD FLAP	B5369	Modesty flap, velcros between seat and back upholstery	\$150.0
RFPE	B5062	Reduced footplate extension and adjustment range	\$230.00				
AAFP	B5072	Angle adjustable front rigging extensions	\$270.00	POSITIONING HAR	DWARE		
CFR	B5081	Custom front rigging	Call Factory	* AEL LATERAL THIGH	/HIP B5392D	AEL Lateral thigh/hip support, quick release hdwr	\$330.0
NFR	B5092	No front rigging	No Charge			(specify L or R & pad size)	
ARMS				* AEL POS KNEE ADD	B5392E	AEL Posalinc 180 knee adductor (specify 4"x6" or	\$699.0
DL SS ARM	B5101D	Desk length self supporting (cantilever) arms	Standard			5"x7" pads) (specify L or R)	
FL SS ARM	B5101E	Full length self supporting (cantilever) arms	No Charge				
DL ART ARM	B5101R	Desk length articulating arms	No Charge	* UPHOLSTERY CO	LOR		
FL ART ARM	B5101T	Full length articulating arms	No Charge	STD BLACK NAUG	B5401	Standard black Naugahyde upholstery	Standar
DLADA	B5103	Desk length adjustable detachable dual post arms (E0973)	\$285.00	BLACK FAB	B5431	Black fabric upholstery	No Charg
FLADA	B5105	Full length adjustable detachable dual post arms	\$285.00	CONTROL BOXES	& REMOTE	DISPLAY	
		(E0973)		STD RHC	B6001	Right hand control	Standa
FLIP UP ARMS	B5107	Add flip up to DLADA or FLADA	\$380.00	LHC	B6002	Left hand control	No Charg
* DL SL ARM	B5110	Desk length sliding arms	\$570.00				
∗ FL SL ARM	B5111	Full length sliding arms	\$570.00	HAND & CHIN COM	ITROL MOUN	NTS & EXTENSIONS	
* DL SS ADJ ARM CS	B5112C	Desk length self-supporting adj arms for captain's	\$630.00	STD HC MOUNT	B6111	Standard hand control mount	Standar
		seat		STD HC EXT	B6112	Standard hand control extension slide	Standar
* DL SS ART ARM	B5112R	Desk length self-supporting adjustable articulating	\$690.00	* SA EXT	B6115	Swingaway hand control extension slide (E1028)	\$345.0
	DE1100	arms (cbl style)	¢000.00	* MIDLINE HC M&E	B6116	Midline hand control mount & extension slide	\$487.0
DL SS ART ARM CS	B5112S	Desk length self-supporting adj articulating arms for capt seat (cbl style)	\$690.00	AC MNT	B6143	Attendant control mount	\$205.0
FL SS ADJ ARM CS	B5113C	Full length self-supporting adj arms for captain's	\$630.00	CUS CTRL MOUNT	B6171	Custom control mount	Call Factor
		seat		* CUS EXT SLIDE	B6172	Custom extension slide	Call Factor
FL SS ART ARM	B5113R	Full length self-supporting adjustable articulating arms (cbl style)	\$690.00	LiNX Programmab	le Electronic	s	
FL SS ART ARM CS	B5113S	Full length self-supporting adj articulating arms, for	\$690.00	DLX PM120	B6461	<u>s</u> LiNX 100 120A non-expandable power module	Standa
		capt seat (cbl style)		DLX PM120AL	B6462	LiNX 200 120A expandable power module with	\$560.0
∗ RAT	B5131	Reinforced arm tips	\$140.00	DESCE MEEDINE	00102	actuator and light control (E2377)	φ000.0
CAH	B5132	Custom arm height	\$230.00	DLX EXP HARN	B6463	Wiring harness for LiNX expandable power module	\$440.0
∗ CAD	B5133	Custom arm depth	\$172.50	DLX BRS	B6464	Brake release switch for LiNX electronics	Standar
* CARMS	B5134	Custom arms	Call Factory	1			

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF *, SEE NOTE LISTED B	Y STOCK	e-man. 21st@w	neerenali S	IF *, SEE NOTE LISTED E	BY STOCK	om	
NUMBER ON LAST PAGE	s Stock		Suggested	NUMBER ON LAST PAGE	Stock		Suggested
Part Number	Qty Number	Part Description	Retail Price	Part Number	Qty Number	Part Description	Retail Price
DLX REM110	B6466	LiNX drive only joystick remote	Standard	DRIVE WHEEL OF	PTIONS		
DLX REM216	B6467	LiNX LED joystick remote with actuator control	\$560.00	* DW 13X4BFF KNOBE	BYB7055B	13"x4.00" black knobby foam filled drive tires on	Standard
DLX REM400	B6468	LiNX joystick remote with 3.5" color touch screen display	\$1,090.00	DW 13X4GFF KNOBE	3Y B7055G	metal wheels 13"x4.00" gray knobby foam filled drive tires on	No Charge
DLX SW400TGL	B6468T	LiNX paddle style toggle switch module for REM400	\$560.00	DW 13X4GFF SMOO	THB7055H	metal wheels 13"x4.00" gray smooth foam filled drive tires on	No Charge
DLX CR400	B6469	LiNX compact remote module	\$1,250.00			metal wheels	
DLX ACU200	B6470	LiNX attendant control module	\$890.00		INCO		
* DLX REM500	B6472	LiNX color touch screen display remote	\$1,250.00	* TOP SPEED SETT		5.0 math 40440.000.000 aread analysis	¢ 400.00
* DLX IN500	B6473	LiNX input module (drive control & switch input)	\$945.00	5.9 MPH	B7275	5.9 mph, 4M13 C60 C23, speed package	\$420.00 Standard
DLX IN200	B6473S	LiNX input module (switch input only)	\$720.00	4.5 MPH	B7278	4.5 mph, 4M13 C70 C21	otanuaru
DLX OUT500	B6474	LiNX output module	\$775.00	CASTER WHEEL		ONS	
DLX ACT400S	B6475	LiNX actuator module for control of one actuator	\$1,380.00				Standard
DLX ACT400M	B6476	LiNX actuator module for control of multiple actuators	\$2,760.00	XDCBF 9X3.50M		9"x3.50" Xtra duty caster barrels, suspension forks & metal casters	Stanuaru
DLX SW10T	B6479	LiNX 10-way switch module (5 actuator functions)	\$535.00	Caster Tire & Tub		Disaly form filled easter time	Standard
DLX GYR100	B6480	LiNX Gyro Module	\$995.00	CT BLACK FF	B7485B	Black foam filled caster tires	Standard
DLX LAK	B6481	LiNX Access Key	\$340.00	CT GRAY FF	B7485G	Gray foam filled caster tires	No Charge
R-net Programma					D74070	Orana a las fasta antigas	Standard
R-NET PM120 PM	B6501	Non-expandable R-net 120A power module	No Charge	FS COPPER	B7497C	Copper color fork springs	ətanuaru
R-NET PM120 EXP	B6502	Expandable R-net 120A power module (E2377)	\$560.00	VEHICLE TIEDOW		4 Deint urbeelebeir transport tiedeum	¢506.00
R-NET EXP HARN	B6503	Wiring harness for R-net expandable power module (E2313)	\$440.00	* 4P TD	B7604	4-Point wheelchair transport tiedown	\$506.00
R-NET BRS	B6504	Brake release switch for R-net electronics	No Charge	BATTERY BOXES			
R-NET JSM-LED-L	B6506	R-net LED Joystick Module	No Charge	BBOXD24	B7713B	Dual group 24 sliding battery box	Standard
R-NET CJSM-L	B6507	R-net LCD Joystick Module w/ color display	\$995.00				
R-NET CJSM2-BT	B6508	R-net LCD Joystick Module w/ 3.5" color display, paddle sw, bluetooth & IR	\$1,120.00	BATTERIES BA24 GEL-CELL	B7804	Pair, group 24 gel-cell batteries (E2363)	\$990.00
R-NET ATTENDANT	B6516	R-net attendant module	\$720.00				
* R-NET OMNI2	B6520	R-net Omni2 specialty controls interface	\$1,240.00	BATTERY CHARG	BERS		
R-NET ISM-L 1ACT	B6521	R-net intelligent seating module, control of one actuator	\$1,380.00	STD BC24-8 NBC	B7902 B7921	24V 8A automatic gel-cell battery charger Credit for no battery charger	Standard \$-86.25
R-NET ISM-L MULTI		R-net intellegent seating module, control of multiple actuators	\$2,760.00	ACCESSORIES			
R-NET ASM	B6524	R-net advanced stability module	\$385.00	* HF LP	B8006	LED safety illumination package for all H-Frames	\$380.00
R-NET PROGRAMME	RB6525	R-net wireless programming dongle, dealer	\$480.00	* HL2	B8007	2nd LED headlamp	\$105.00
<u>Switches</u> AUX TS	B6571	Auxiliary toggle switch (specify function)	\$240.00	* AMBER FLASHER	B8010	LED Amber Safety Flashers (1 flasher mounted in rear/1 mounted in front)	\$395.00
				* HORN	B8021	24V Safety audio alert	\$305.00
DRIVE MODULE M	IOUNTS			* LB2	B8032	Electric leg bag emptier 2	\$632.50
BH OBBM	B6701A	Drive module mounted over battery box	Standard	* 24 TO 12/5PC	 B8046	24V to 12V/5V power converter (5A maximum	\$575.00
* USM HF	B6702	Drive module mounted under wheelchair seat	No Charge			load)	
CUS DM MNT	B6711	Custom drive module mount	Call Factory	DW FENDERS	B8052	Drive wheel fenders	\$575.00
				* GUN MOUNT	B8063	Height & angle adjustable gun mount with rifle rest	\$1,250.00
RESPIRATOR & O	XYGEN BOT	TLE MOUNTS		RAM DRINK HLDR	B8073	RAM Drink holder	\$72.00
* RESP SHELF	B6801	Fixed position respirator shelf	\$556.00	* TOOL KIT	B8083	Tool kit	\$240.00
* RESP GIMBAL SHELF		Gimbal-mounted respirator shelf	\$1,660.00	MOUNT 7 TAB	B8085A	RAM 7" tablet mount	\$96.00
* RESP BBOX U1	B6811	Single U1 battery box mounted on shelf (specify location; for respirators)	\$556.00	MOUNT 10 TAB MOUNT 12 TAB	B8085B B8085C	RAM 10" tablet mount RAM 12" tablet mount	\$160.00 \$185.00
RESP BAU1 GEL-CEL		Respirator U1 gel-cell battery	\$264.00	MOUNT CELL	B8086	RAM cell phone mount	\$99.00
RESP BC12-6	B6813	Respirator 12.6V auto charger	\$348.00	* MIRROR	B8091	Rear view mirror	\$99.00
SE 02 BOT HLD	B6901	Single E size oxygen bottle holder	\$632.50	FLAG HOLDER	B8093	Flag holder	\$88.00
DE 02 BOT HLD	B6902	Dual E size oxygen bottle holder	\$949.00	DM COV NAUG	B8111	Naugahyde drive module cover	\$82.50
TE 02 BOT HLD	B6902T	Triple E size oxygen bottle holder	\$1,202.00	DHC COV	B8112	Driver hand control weather cover	\$99.00
				SADDLE BAG	B8113	Saddle bag (specify left or right)	\$94.00
MOTORS & BRAK				WC COV	B8114	Wheelchair weather cover	\$200.00
STD ST4M&B-M	B7007M	Standard super torque 4 motors and brakes, medium speed	Standard	* WC JACK	B8127	Wheelchair jack	\$400.00
		meulum speeu		* SW MOUNT BAR	B8132	Switch mount bar for accessory switches	\$82.00

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Call Factory

Call Factory

IF *, SEE NOTE LISTED BY NUMBER ON LAST PAGES			Quenested		
Part Number	Stock	Part Description	Suggested Retail Price		
* SEAT POSITIONIN	G STRAPS (D	o not use as seat belts in motor vehicles)			
HF PS PUSH BUTTON		Push button seat mount positioning strap (specify	Standard		
	<u>5</u> D0200	45" or 60")	otanuara		
PS FLIP LATCH S	B8201	Flip latch seat mount positioning strap (specify 45" or 60")	\$64.00		
PS PINCH BUCKLE S	B8203	Pinch buckle seat mount positioning strap (specify 45" or 60")	\$64.00		
* PS CUS S	B8211	Custom seat mount positioning strap (specify buckle type and length)	\$115.00		
CHEST POSITIONI	NG STRAPS	(Do not use as seat belts in motor vehicles)			
PS FLIP LATCH C	B8251	Flip latch chest mount positioning strap (specify 45" or 60")	\$126.00		
PS PUSH BUTTON C	B8252	Push button chest mount positioning strap (specify 45" or 60")	\$126.00		
PS PINCH BUCKLE C	B8253	Pinch buckle chest mount positioning strap (specify 45" or 60")	\$126.00		
PS CUS C	B8261	Custom chest mount positioning strap (specify buckle type and length)	\$172.50		
WAR	RANTIES	AND SPECIAL SERVICE OPTIONS			
STANDARD WARR					
* BB PWC WAR	B9032	BIG BOUNDER power wheelchair standard warranty	Standard		
EXTENDED WARR	ANTIES				
* EL2 EWAR	B9101	Extend electronics warranty to 2 years	\$414.00		
EL3 EWAR	B9102	Extend electronics warranty to 3 years	\$695.00		
B PC2 EWAR	B9201	Extend BOUNDER entire power chair warranty to 2 years	\$1,385.00		
B PC3 EWAR	B9202	Extend BOUNDER entire power chair warranty to 3 years	\$2,440.00		
SPECIAL SERVICE OPTIONS					

____B9301 Emergency Build Order

____B9302 Engineering and evaluation charge

* EBO * EEC

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note	Stk# Note
	BASE CONFIGURATION	FRONT POSTS WELDED TO BASE.
	UNDER 600	POWER SEATING OPTIONS. HEAVY DUTY UPGRADES & LOCKOUTS
BIG BU B014A	BB600. BIG BOUNDER 600 POWER WHEELCHAIR, NO POWER SEATING. USE ONLY IF POWER SEATING	BASE COLOR
	SYSTEMS ARE NOT ORDERED. IF POWER SEATING SYSTEMS ARE REQUIRED, ORDER EITHER B600S (B014B) OR B600M (B014C).	B4021 CUS PC. CUSTOM POWDER COAT COLOR. SEND SAMPLE OF COLOR. WE WILL DO OUR BEST TO MATCH IT!
		B4046 NON-BLACK SAF. PAINT SEAT, ARMS AND FRONT RIGGING SAME COLOR AS REST OF CHAIR. DOES NOT
B014B	BB600S. BIG BOUNDER 600 POWER WHEELCHAIR, SINGLE POWER SEATING OPTION. A \$2000 DISCOUNT IS GIVEN IF ONE SEATING SYSTEM IS ALSO ORDERED. ORDER B600M B014C IF MULTIPLE SEATING SYSTEMS ARE REQUIRED. ORDER POWER SEATING SYSTEMS SEPARATELY.	INCLUDE MOST BOLTED ON PARTS SUCH AS THE SEAT PAN, HAND CONTROL MOUNT, FORKS, FOOTREST EXTENSIONS, ETC. ONLY LOWER ARM ASSEMBLIES ARE PAINTED THE SAME COLOR AS THE BASE. UPPER ARM ASSEMBLIES ARE BLACK. FOOTREST BRACKETS ARE PAINTED SAME COLOR AS BASE IF FOOTRESTS ARE ORDERED. LEGREST BRACKETS AND HANGERS ARE PAINTED SAME COLOR AS BASE IF LEGRESTS ARE
B014C	B8600M. BIG BOUNDER 600 POWER WHEELCHAIR, MULTIPLE POWER SEATING OPTIONS. A \$3000 DISCOUNT IS GIVEN IF TWO OR MORE SEATING SYSTEM ARE ALSO ORDERED. ORDER POWER SEATING	ORDERED. FOOTREST AND LEGREST SAND HANGENS ARE PAINTED SANDE OULDN AS DASE IF LEGRESTS ARE ORDERED. FOOTREST AND LEGREST EXTENSIONS ARE BLACK.
	SYSTEMS SEPARATELY.	FRAME REINFORCEMENTS
	CONSTRUCTION OPTIONS	REAR WHEEL OFFSET (RWO) B4301 STD RWO. STANDARD REAR WHEEL OFFSET. HORIZONTAL DISTANCE FROM CENTER OF BACKPOST TO
BASE \		CENTER OF REAR WHEELS. BOUNDER 300, BOUNDER PLUS 300: 2.1" RWO, BOUNDER 450: 1.1" RWO, BIG BOUNDER 600: 1.1" RWO, BIG BOUNDER 1000:1.1".
B151	STD BASE WIDTH. STANDARD BASE WIDTH (OVERALL WIDTH: SEE NOTES). FOR USE ON CHAIRS WITH SEAT WIDTHS UP TO 25". 25.5" OVERALL WIDTH FOR MOST CHAIRS, 28.5" OVERALL WIDTH FOR CHAIRS	B4302 CRWO. CUSTOM REAR WHEEL OFFSET. SPECIFY THE OFFSET IN INCHES YOU REQUIRE. A CUSTOM REAR
	ORDERED WITH HVLP OR.	B4302 CRWO. CUSTOM REAR WHEEL OFFSET. SPECIFY THE OFFSET IN INCHES YOU REQUIRE. A CUSTOM REAR WHEEL OFFSET MAY BE NEEDED TO DISTRIBTUE USER WEIGHT CORRECTLY ON THE CHAIR.
B151W	WIDE BASE WIDTH. WIDE BASE WIDTH (28.5" OVERALL WIDTH). FOR USE ON CHAIRS WITH SEAT WIDTHS	SEAT DEPTH
	BETWEEN 26" AND 29".	B4421 STD SD. STD SEAT DEPTH. 16" DEEP IS STANDARD FOR MOST CHAIRS (WITHOUT SEATING SYSTEMS) WITH THE BACK UPHOLSTERY MOUNTED ON THE BACK OF THE BACKPOSTS. IF A POWER TILT AND/OR
B151X		RECLINE IS ORDERED, THE BACK UPHOLSTERY IS MOUNTED ON THE FRONT OF THE BACKPOSTS. TO
	WHEELCHAIRS WITH SEAT WIDTHS 30" AND GREATER. THE BASE WIDTH GROWS BY EVERY INCH OF THE SEAT WIDTH. THE OVERALL BASE WIDTH IS .5" LESS THAN THE SEAT WIDTH. FOR EXAMPLE A 32" WIDE	COMPENSATE, THE STANDARD TILT AND/OR RECLINE SEAT DEPTH IS LENGTHENED TO 17". THE EFFECTIVE DEPTH REMAINS THE SAME FROM THE FRONT EDGE OF THE SEAT PAN OR SEAT UPHOLSTERY TO THE
	SEAT WOULD USE A BASE WITH AN OVERALL WIDTH OF 31.5".	FRONT OF THE BACK UPHOLSTERY. 16" 17" & 18" SEAT DEPTHS AVAILABLE WITH SHORT BASE. 18" SEAT
DAGEI	ENGTH	DEPTH AVAILABLE WITH LONG BASE.
B202	SHORT BASE. SHORT H-FRAME POWER BASE. STANDARD FOR MOST CHAIRS FOR SEAT DEPTHS UP TO	SEAT WIDTH
	20". CHAIRS WITH SEAT DEPTHS OF 20" OR GREATER AND USERS WHO WEIGH OVER 600 LB USUALLY REQUIRE A LONG BASE INSTEAD.	SEAT HEIGHT
	REQUIRE A LUNG BASE INSTEAD.	NOTE THAT THE SEAT HEIGHT AT FRONT CAN BE LOWERED 1" BY CHANGING THE POSITION OF THE FRONT WHEELS IN THE SUSPENSION FORKS. THIS ALSO CHANGES THE TILT OF THE SEAT.
B203N	LONG BASE NC. LONG H-FRAME POWER BASE (NO CHARGE). STANDARD FOR ALL SEAT DEPTHS 20" OR	B4606 CAPT SH. STANDARD 22" OR 24" CAPTAIN'S SEAT HEIGHT. FOR CHAIRS WITH CAPTAIN'S SEATS. CERTAIN
	GREATER. SEAT DEPTHS FROM 19" TO 23" CAN NORMALLY BE INSTALLED. AN 18" DEEP SEAT PAN CAN ALSO BE INSTALLED. ALL CHAIRS THAT HAVE BOTH A POWER SEAT ELEVATOR AND A POWER TILT SYSTEM	CONFIGURATIONS OF SEATING SYSTEMS MAY INCREASE THE EFFECTIVE SEAT-TO-FLOOR HEIGHT FROM 22" TO 24". SPECIFICALLY, IF A SEAT ELEVATOR IS COMBINED WITH A CAPTAIN'S SEAT THE SEAT-TO-FLOOR
	ALSO REQUIRE A LONG WHEELBASE. THE LONG BASE FRAME IS 3" LONGER THAN THE SHORT BASE. IF	HEIGHT BECOMES 24". CONTACT FACTORY FOR ADDITIONAL INFORMATION.
	SEAT DEPTHS OF 17" OR 16" ARE NEEDED ON A LONG BASE, THE SEAT MUST BE POSITIONED FURTHER FORWARD OF THE REAR WHEELS BY 1" OR 2", RESPECTIVELY. THIS WILL REDUCE MANEUVERABILITY AND	B4618 CST. CUSTOM SEAT TILT (RAKE). SPECIFY SEAT RAIL HEIGHT ABOVE GROUND AT FRONT AND REAR.
	INCREASE POWER CONSUMPTION. CONTACT THE FACTORY FOR MORE INFORMATION.	
B203X	XLONG BASE. XTRA LONG H-FRAME POWER BASE. 6" LONGER THAN THE SHORT BASE. OFTEN USED WITH	BACKPOST STYLE & HEIGHT B4709 CUS BH. CUSTOM 90 DEG BACK HEIGHT W/ 7 DEG BEND (15"-24") (SPECIFY HEIGHT:. CUSTOM HEIGHT
5200/1	POWER CHAIR SEAT DEPTHS GREATER THEN 23".	BACKPOST FOR USE WITH BACK MOUNTED UPHOLSTERY OR SOLID BACKS WITH ADJUSTABLE HARDWARE.
B206	HF ROW. REDUCE OVERALL WIDTH BY INSTALLING CONTROL BOX ON INSIDE OF ARM. INCLUDES	PUSH HANDLES ARE BENT AT TOP OF BACKPOST. STANDARD BACK BEND HEIGHT IS 9.5" ABOVE THE SEAT
5200	INSTALLING HAND CONTROL AND SWITCHES ON INSIDE OF ARM AND REVERSE MOUNTING ARMREST PADS.	RAILS FOR ALL NON-RECLINING BACK HEIGHTS.
	THIS WILL PRODUCE A CHAIR WITH AN OVERALL WIDTH OF ONLY 2.5" WIDER THEN THE SEAT WIDTH.	B4712 ASBA. ADJUSTABLE SEAT-TO-BACK ANGLE (20 DEG OF ADJ). ALLOWS SEAT TO BACK ANGLE TO BE SET
B207	POWER 700. INCREASE MAXIMUM USER WEIGHT OF POWER CHAIR/GURNEY TO 700 LBS. FOR 500 - 700	AT 90, 95, 100, 105 OR 110 DEGREES. 600 LB MAXIMUM USER WEIGHT. SPECIFY BACKPOST HEIGHT AND ANGLE.
	LBS USERS. AVAILABLE ONLY ON BIG BOUNDER POWER CHAIRS AND GURNEYS. ADDS ST4M MEDIUM	
	SPEED MOTORS (ST4M&B-M), THICK 0.120" WALL TUBING (TWTFM), SOLID BACKPOSTS (SBP), CROSS STRUT BETWEEN BACKPOST HANDLE TIPS (CBPT), AND REINFORCED FRONT RIGGING (RFR) TO	CAPTAIN'S BACK HEIGHT B4731 STD CAPT BH. STANDARD CAPTAIN'S BACK HEIGHT. MEASURED FROM THE TOP REAR CENTER OF THE
	WHEELCHAIRS. UPGRADES H-FRAME TO WELDED ON SBP, CBPT, RFR, REINFORCED FRONT POSTS & SEAT	CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK.
	MOUNTS. ADDS THICKER TUBING TO ALL WHEELCHAIRS AND GURNEYS. INCREASES WARRANTY TO COVER UP TO 700 LB. USER.	B4732 CUS CAPT BH. CUSTOM CAPTAIN'S BACK HEIGHT (SPECIFY HEIGHT:. SPECIFY BACK HEIGHT FROM 12" TO
		28" MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE
SUSPE B209F	INSION BLACK IDWS SPRING. BLACK IDWS SPRINGS (FOR USERS 401 LB AND GREATER). FOR USE ON CHAIRS	CAPTAINS BACK, IN 1" INCREMENTS.
DEGOI	FOR USERS OVER 400 LB.	HEADRESTS
01-4 P		B4804 CSHR. CUSTOM SIZE OR STYLE HEADREST FOR ACPHR. ANY SIZE BUT STANDARD 5" HIGH X 10.5" WIDE
	DWER SEATING SYSTEMS PRS 40. 40 DEGREE POWER RECLINE SYSTEM (E1003). H-FRAME CHAIRS HAVE A BACK MOUNTED	WITH ADJUSTABLE CURVE FOR ACPHR.
	ACTUATOR. NON SLIDING-BACK; FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS,	FRONT RIGGING
	FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST.	B5002 FR60. 60 DEG SWINGAWAY FOOTRESTS. FOR H-FRAMES: REQUIRED ON MOST SHORT BASE CHAIRS WITH 15" AND 16" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. REQUIRED ON MOST LONG BASE CHAIRS WITH

B303B SBPRS 40. 40 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST.

- PTS 30. 30 DEGREE POWER TILT SYSTEM (E1002). FOR USE WITH POWER LEGRESTS, MANUALLY B305B OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. IF ELEVATE IS ADDED TO THE CHAIR, A 30 DEGREE POWER TILT IS REQUIRED.
- B306A APTS 20, 20 DEGREE ANTERIOR (REVERSE) POWER TILT SYSTEM, REAR OF SEAT TILTS UPWARD 20 DEGREES SO USER CAN MORE EASILY TRANSFER INTO AND OUT OF CHAIR. FRONT RIGGING ATTACHES TO

18" OR 19" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS.

B5004

B5005

CHAIR.

COMPLETELY WITH DIPLR.

FR90. 90 DEG SWINGAWAY FOOTRESTS. MOST OFTEN USED ON CHAIRS FOR CHILDREN OR USERS WITH

VERY SHORT LEGS. BOTTOM OF FOOTPLATE IS USUALLY ADJUSTED TO BE ABOVE THE CASTER WHEEL

TIRE, BUT CFR (CUSTOM FRONT RIGGING) CAN BE ORDERED IF CUSTOM FEATURES ARE NEEDED. FR90 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED. MAXIMUM

DISTANCE FROM TOP FRONT OF SEAT RAIL TO TOP OF FOOTPLATE IS TYPICALLY 13" ON A 21" SEAT HEIGHT

I RE LOW PROFILE FLEVATING LEGRESTS (F0990) LOW PIVOT AT SEAT LEVEL BELOW THE KNEE DESIGN

LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS, LRL WILL NOT ELEVATE

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600 e-mail: 21st@wheelchairs.com www.wheelchairs.com

 International procession of the second second		e-mail: 21st@wheelchairs.	com	www.wneeicnairs.com
 LED. 2004. LECEND ONE OF WORD DUE + INCLUES WHEN THE LOOPS LENG HANG DE LANG DUE LANG	Stk#			
 Market Bilder Aussehr B	B5007		B5143	TROUGH ARP. TROUGH ARMREST PADS. AVAILABLE IN NAUGAHYDE OR FABRIC.
 He AL LUCK THE LU	850079		B5144	FLAT ARP. 3.5" WIDE FLAT ARMREST PADS. WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC.
 Bernard M. ALLANDELLAND S. ALLANDEL AND ALLANDER MANDEL LEVELED AND ALLANDER WITH PORTS TO THE ALLANDER ALLANDER AND THE SAME STATE ALLANDER AL	00019	THIS ALLOWS THE USER TO GET HIS/HER FEET CLOSER TO THE CASTERS REDUCING THE OVERALL CHAIR LENGTH. NOTE: THE LEGRESTS MUST BE RAISED IN ORDER FOR THE CASTERS TO CLEAR THE LEGRESTS.	B5145	
 Herritz, Flagmann, Sterner Sterner, Sterner Sterner	B5009	DIPLR HD. HEAVY DUTY DUAL INDEP POWER ELEV LEGRESTS (ACTUATORS, SW BOX, LEGRESTS W/ RLR). REQUIRED FOR ALL DIPLR USERS WHO ARE OVER 450 LB OR FOR DIPLR USERS WHO PUT UNUSUAL FORCES ON THEIR LEGRESTS. DIPLR HD HEAVY DUTY DUAL INDEPENDENT POWER LEGRESTS INCLUDES		SMP SEAT CUSHION. UPHOLSTERED FOAM SEAT CUSHION (UP TO 3";. SPECIFY FOAM THICKNESS: 1" TO 3" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMP SEAT FLAT. VELCRO IS ATTACHED TO SMP
 WHEELENAR BACKS & BACK CUSHINGS WHEELENA	B5014N	RFR NC. REINFORCED FOOTRESTS N/C. INCLUDED AT NO CHARGE WITH POWER 700, POWER 1000 AND	B5262A	THICKNESS OF SPECIAL FOAM. IF STANDARD FOAM IS ORDERED IN COMBINATION WITH SPECIALTY FOAM,
 10 OF STATE TO CONTROL CURRENT ROUTING TO STATE ALL PROVINCE TO DEPARTMENT TO LET TO THE STATE AND AND TO ANY EAX OLD AND ALL CURRENT RESIDENCE TO CONTROL CURRENT ROUTING TO CONTROL OF STATE ALL PROVINCE TO THE STATE AND TO ANY EAX OLD ANY EAX OLD AND TO ANY EAX OLD ANY EXAMPLE ANY EAX OLD ANY EXAMPLE ANY EAX OLD ANY EAX OLD ANY EXAMPLE ANY EAX OLD ANY EAX OLD ANY EAX OLD ANY EXAMPLE ANY EAX OLD ANY EAX OLD ANY EAX OLD ANY EXAMPLE ANY EAX OLD ANY EXAMPLE ANY EAX OLD ANY EAX OLD ANY EXAMPLE ANY EAX OLD ANY EAX OLD ANY EXAMPLE ANY EAX OLD ANY EXAMPLE ANY E	B5016N	RLR NC. REINFORCED ELEVATING LEGRESTS N/C. INCLUDED AT NO CHARGE WITH POWER 700, POWER		SMP BACK CUSHION. UPHOLSTERED FOAM BACK CUSHION (UP TO 2";. SPECIFY FOAM THICKNESS: 1" - 2"
 BOIL OLD HELSE LEVERS. FIONT ROUTE ADDRESS TO UTSILE OF OWN. BOILS OLD HELSE LEVERS. FIONT ROUTE ADDRESS TO UTSILE OF OWN. BOILS OWN RECENT. CONTROL CONTROL CONTROLS OF OWN. BOILS OWN RECENT. INCLUES OF OWNERS TO ADDRESS TO POSSIBLE RECENTED ADDRESS TO POSSIBLE RECENTROL FOR ADDRESS TO RECENT. BOILS OWN RECENT. INCLUES ON THE STATE ADDRESS TO RECENT. BOILS OWN RECENT ADDRESS OWN RECENT ADDRESS TO RECENT. BOILS OWN RECENT. BOILS OWN	B5018	OFFSET. THE FOOTREST/LEGREST BRACKET OR EXTENSION MAY BE OFFSET EITHER INWARD OR OUTWARD.		TO THE SEAT PAN AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL
PLIP UTWARD THE CONTROL THE USER AND E TO THE CHAIR. SEEDY WOTH OF FOOTSARDED. CUMTOR THE USER AND E TO THE CONTROL CONTROL THE USER AND E TO THE CONTROL TO THE CONTROL TO THE CONTROL TO THE USER AND E TO THE CONTROL TO THE CONTROL TO THE CONTROL TO THE CONTROL TO THE USER AND E TO THE CONTROL TO	B5023		B5362A	THICKNESS OF SPECIAL FOAM. IF STANDARD FOAM IS ORDERED IN COMBINATION WITH SPECIALTY FOAM,
 PHI - IMPL - IMPL CLORE ARE INSTALLED IN THE NORMAL POSITION ON THE FOOTPLATE UNLESS PHI - IMPL - HELL DOUGE ARE INSTALLED IN THE NORMAL POSITION ON THE FOOTPLATE UNLESS PHI - IMPL - HELL DOUGE ARE INSTALLED IN THE NORMAL POSITION ON THE FOOTPLATE. PHI - PHI AND & CERL LOOPS. DUE TO THE WORE PANGE OF FOOT SIZES, ANKLE STRAPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIP'S CARTY. WHETE TO INSTALL THE STRAPS ON THE FOOTPLATES. PHI - PHI O THE WORE PANGE OF FOOT SIZES, ANKLE STRAPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIP'S CARTY. WHETE TO INSTALL THE STRAPS ON THE FOOTPLATES. PHI - PHI O THE WORE PANGE OF FOOT SIZES, ANKLE STRAPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIP'S CARTY. WHETE TO INSTALL THE TOE LOOPS ON THE FOOTPLATES. PHI - PHI O THE WORE PANGE STRAD AND POSITION ON THE FOOT SIZES. A READ TO INFORMATION OF CANADAM PANGE ON THE FOOT HALES. PHI - PHI O SIZE A READ FOOT SIZES, ANKLE STRADBAR, DE CARAPARE CONTROL MOUNT A SIZE STRADBAR, ON CARAPARE OFFICIENCE PHI - PHI O SIZE A READ FOOT SIZES, ANKLE STRADBAR, DE CARAPARE TO THE FOOT HALES. PHI - PHI O SIZE A READ FOOT SIZES, ANKLE STRADBAR, DE CARAPARE CONTROL MOUNT A SIZE STRADBAR, ON CARAPARE OFFICIENCE PHI - PHI O SIZE A READ FOOT SIZES, ANKLE STRADBAR, DE CARAPARE CONTROL MOUNT A SIZE STRADBAR, ON CARAPARE OFFICIENCE PHI - PHI O SIZE A READ FOOT SIZES, ANKLE STRADBAR, DE CHANGE TO THE MAD SIZE AND AND SIZE STRADBAR, DE CHANGE TO THE MAD SIZE AND AND SIZE STRADBAR, DE CHANGE TO THE FOOT HALE AND THE	B5035	FLIPS UP TOWARD THE CENTER OF THE CHAIR. SPECIFY WIDTH OF FOOTBOARD. CAUTION: THE USER MUST		AEL LATERAL THIGH/HIP SUP. AEL LATERAL THIGH/HIP SUPPORT, QUICK RELEASE HDWR (SPECIFY L OR R
 Pite Park ARKLE STRAPS. DUE TO THE WIDE RANGE OF POOT SIZES, ANKLE STRAPS ARE NORMALLY NOT INSTALLED WILESS YOU SPROF POOL WHEN TO INSTALL THE STRAPS ONE NORMALLY NOT INSTALLED WILESS YOU SPROF POOL WHEN TO INSTALL THE STRAPS ONE FOOT PLATES. PITL. PAR OF TOE LOOPS. DUE TO THE WIDE RANGE OF OUT SIZES, TOE LOOPS ARE NORMALLY NOT INSTALLED WILESS YOU SPROF POOL WHEN TO INSTALL THE TOE LOOPS ON THE FOOT PLATES. OF TOE LOOPS. DUE TO THE WIDE RANGE OF ON SIZES, TOE LOOPS ARE NORMALLY NOT INSTALLED WILESS YOU SPROF PACTLY WHEN TO INSTALL THE TOE LOOPS ON THE FOOT PLATES. OF ALE TAT. CALF PAGE. SPECIFY WIDTH AND HEIGHT TO INSTALL THE TOE LOOPS ON THE FOOT PLATES. OF ALE TAT. CALF PAGE. SPECIFY WIDTH AND HEIGHT TO INSTALL THE TOE LOOPS ON THE FOOT PLATES. OF ALE TAT. CALF PAGE. SPECIFY WIDTH AND HEIGHT TO INSTALL THE TOE LOOPS ON THE FOOT PLATES. OF ALE TAT. CALF PAGE. SPECIFY WIDTH AND HEIGHT TO INSTALL THE TOE LOOPS ON THE FOOT PLATES. OF ALE TAT. CALF PAGE. SPECIFY WIDTH AND HEIGHT TO INSTALL THE TOE LOOPS ON THE FOOT PLATES. OF ALM ON STREE STRUMMENT WITH AND HEIGHT TO INSTALL THE TOE LOOPS ON THE FOOT PLATES. OF ALE TAT. CALF PAGE. SPECIFY WIDTH AND HEIGHT TO INSTALL THE TOE LOOPS ON THE FOOT PLATES. OF ALE TAT. CALF PAGE. SPECIFY WIDTH AND HEIGHT TO INSTALL THE TOE LOOPS ON THE FOOT PLATES. OF ALE AND CALL LENGTH SUDIOR ARMS. SPECIFY REALLS ON HEIGHT SUDIOR ARMS. SPECIFY TOULS CALE PLATE PLATES. OF ALE TAT. CALF PAGE. STROMMENT WIDTH FOOD PLATES. OF ALE AND CALL LENGTH SUDIOR ARMS. SINGLAW TO DESK LENGTH SUDIOR ARMS. SPECIFY TOUL THE AND THE PLATE PLATE PLATES. OF ALE AND CALE AND THE SUDIOR ARMS. SINGLAW TO DESK LENGTH SUDIOR ARMS. SPECIFY PLATES. OF ALE AND CALE AND CONTROL AS ANT AND OF SALE TORY THE AND THE PLATE PLATE ARM THE STREAM TO THE PLATE AND CONTROL AS ANT AND OF SALE PLATES. OF ALE	B5041		B5392E	AEL POS KNEE ADD. AEL POSALINC 180 KNEE ADDUCTOR (SPECIFY 4"X6" OR 5"X7" PADS) (SPECIFY L OR
 PHI PAR OF TOE LOOPS DUE TO THE WORE RANGE OF POOT SIZES. TO ULCOPS AND THE YOU FOR LOOPS ON THE YOU PARE UNDERGUE YOU POOL AND SANDAR AND YOU AND AND AND AND AND AND AND AND AND AND	B5042		LIPHOI	TUBE CLAMP OR TRACK MOUNT WITH 90 DEGREE BRACKET.
 A LARM. DESK LENGTH SLIDING ARMS. DESK LENGTH SLIDING ARM SLIDES BACK AND DOWN UPONA ADJUSTED IN HEIGHT AND ARMS. DESK LENGTH SLIDING ARMS. DESK LENGTH SLIDING ARM SLIDES BACK AND DOWN UPONA ADJUSTED IN HEIGHT AND AND AS USED STATEMENTS STATUSES STATUNANES. MODESTY PANELS, HEIGHT ADJUSTMENT FAMILE S FATO ADJUSTED IN HEIGHT AND AVE SIDE FAMILS. MODESTY PANELS, HEIGHT ADJUSTMENT FAMILE DO IN APPROXIMATELY 11* MINIMAM TO 19* MAXIMUM ABOVE THE SEAT RALLS. USUALLY INSTALLED ON APPROXIMATELY 11* MINIMAM TO 19* MAXIMUM ABOVE THE SEAT RALLS. USUALLY INSTALLED ON APPROXIMATELY 11* MINIMAM TO 19* MAXIMUM ABOVE THE SEAT RALLS. USUALLY INSTALLED ON APPROXIMATELY 11* MINIMAM TO 19* MAXIMUM ABOVE THE SEAT RALLS. USUALLY INSTALLED ON APPROXIMATELY 11* MINIMAM TO 19* MAXIMUM ABOVE THE SEAT RALLS. USUALLY INSTALLED ON APPROXIMATELY 11* MINIMAM TO 19* MAXIMUM ABOVE THE SEAT RALLS. USUALLY INSTALLED ON APPROXIMATELY 11* MINIMAM TO 19* MAXIMUM ABOVE THE SEAT RALLS. USUALLY INSTALLED ON APPROXIMATELY 11* MINIMAM TO 19* MAXIMUM ABOVE THE SEAT RALLS. USUALLY INSTALLED ON APPROXIMATELY 11* MINIMAM TO 19* MAXIMUM ABOVE THE SEAT RALLS. USUALLY INSTALLED ON APPROXIMATELY INSTALLED ON APPROXIMATELY INSTALLED ON APPROXIMATELY INSTALLED ON BEINGTHE SE LENGTHER DUIL ENGTH. D. IS SAD ANM OS. DESK LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAINS SEAT. UPPER ARM TUBE IS LENGTHERE REARWARD 5*. D. IS SAD ANM OS. MULL LINGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAINS SEAT. UPPER ARM TUBE IS LENGTHERE REARWARD 5*. R. SA ATA ANN. DESK LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAINS SEAT. UPPER ARM TUBE IS LENGTHERE REARWARD 5*. R. SA ATA ANN. CHALLENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAINS SEAT. UPPER ARM TUBE IS LENGTHERE REARWARD 5*. R. SA ATA ANN. CHALLENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAINS SEAT. UPPER ARM TUBE IS LENGTHERE REARWARD 5*. R. SA ATA ANN CS. LULINGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAINS SEAT. UPPER ARM TUBE IS LENGTHERE REARWARD 5*. R.	35043	INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE TOE LOOPS ON THE FOOTPLATES.	IF FABR	IC UPHOLSTERY IS ORDERED BLACK NAUGAHYDE CALF PADS AND/OR ARMREST PADS WILL BE SUPPLIED S CALF FLAT, CALF TROUGH, CALF CUSTOM, TROUGH ARP, FLAT ARP, NARROW FLAT ARP, OR CARP ARE
 AUSTED IN HEIGHT AND HAVE SUP PARES, MODESTY PARES). HEIGHT ADJUSTMENT RANGE IS FROM APPROXIMATELY 11 YI MINIMUM TO 16' MAXIMUM ABOVE THE SEAT RAILS. USUALLY INSTALLED ON APPROXIMATELY 11 YI MINIMUM TO 16' MAXIMUM ABOVE THE SEAT RAILS. USUALLY INSTALLED ON RECLINERS ONLY. B6113 F. S. ARM. FULL LENGTH SLIDING ARMS. SIMLAR TO DESK LENGTH SLIDING ARMS ABOVE EXCEPT FULL LIKEYTH. LIK F. R. LARM. FULL LENGTH SLIDING ARMS. SIMLAR TO DESK LENGTH SLIDING ARMS ABOVE EXCEPT FULL LIKEYTH. LIK F. R. LARM. FULL LENGTH SLIDING ADJUSTABLE ARTICULATING ARMS (GEL STYLE). ADJUSTABLE LINKAGE WITH THE-ROD ENGS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT DAYS OF TADID. STACK BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT DAYS OF CAPTAINS SEAT. UPPER ARM TUBE IS LENGTHEND FEARWARD 5'. LIK SA ATA ARM. DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (GEL STYLE). ADJUSTABLE LINKAGE WITH THE-ROD ENGS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN. TO TO OF ARMREST PAD. LIS S ANT ARM. DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (GEL STYLE). ADJUSTABLE LINKAGE WITH THE HOD ENGS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN. TO TO OF ARMREST PAD. LIS S ANT ARM. PULL LINGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (GEL STYLE). ADJUSTABLE LINKAGE WITH THE HOD ENGS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN. TO TO PO FARMREST PAD. RAFT CHINGTH SEAT SAN THE ABACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN. TO TO PO FARMREST PAD. RAFT CHINGTH SEAT SAN THE MATTACH BACK OF ARM TO SEAT. ARIL SPECIFY ARM HEIGHT FROM SEAT PAN. TO TO PO FARMREST PAD. RAFT CHINGTH SEAT SAN THE SAN THE DO CONTROL MOUNTED AND HEIGHT FROM SEAT. DRIVE MOUNTED AND HEIGHT FROM SEAT DRIVE MOUNTED AND HEIGHT FROM SEAT PAN. TO TO PO FARMREST PAD. SAN THE MATERAL SPECIFY ARM HE	B5047 ARMS B5110	DL SL ARM. DESK LENGTH SLIDING ARMS. DESK LENGTH SLIDING ARM GLIDES BACK AND DOWN UPON A	HAND a	& CHIN CONTROL MOUNTS & EXTENSIONS SA EXT. SWINGAWAY HAND CONTROL EXTENSION SLIDE (E1028). VERY STURDY. SWINGS OUT TO SIDE
111 FL SL ARM. FULL LENGTH SLIDING ARMS. SIMILAR TO DESK LENGTH SLIDING ARMS. ABOVE EXCEPT FULL LENGTH. LENGTH. 1120 DL SS ADJ ARM CS. DESK LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAINS SEAT. UPPER ARM TUBE 11210 DL SS ADJ ARM CS. DESK LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAINS SEAT. UPPER ARM TUBE 11210 DL SS ART ARM. DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT 11216 FL SS ART ARM. DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT 1126 FL SS ADJ ARM CS. FULL LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT 1127 FL SS ART ARM. FULL LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT 1128 R.S. ART ARM. FULL LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAINS SEAT. UPPER ARM TUBE 1129 RAT. REINFORCE ORAM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING, NO CHARGE WITH BIG BOUNDER TOO. 1213 RAT. REINFORCE ORAM RAIL PEPARTING SHELF. VERY STURDY SHEET METAL SHELF IS WELLED IN PLACE ON RACKOST TUBING, UBULL VICUCATING ROMINELY 20° WIDE X10°		ADJUSTED IN HEIGHT AND HAVE SIDE PANELS (MODESTY PANELS). HEIGHT ADJUSTMENT RANGE IS FROM APPROXIMATELY 11" MINIMUM TO 16" MAXIMUM ABOVE THE SEAT RAILS. USUALLY INSTALLED ON		LEFT OR RIGHT MOUNT AND DISTANCE FROM FRONT OF BACK TO CENTER OF HAND CONTROL.
 112C DIS SADJARM GS. DESK LENGTH SELF-SUPPORTING ADJARMS FOR CAPTAINS SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5". 12B DI LS SART ARM. DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (GBL STYLE); ADJUSTABLE LINKAGE WITH HE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN TO TOP OF ARMREST PAD. 13C RL SS ADJ ARM CS. FULL LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (GBL STYLE); SLENGTHENED REARWARD 5". 13B RJ S ADJ ARM CS. FULL LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (GBL STYLE); SLENGTHENED REARWARD 5". 13B RJ S ARM ARM. FULL LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (GBL STYLE); ADJUSTABLE LINKGAE WITH HE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN TO TOP OF ARMREST PAD. 13B RJ RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING, NO CHARGE WITH BIGHT FROM SEAT PAN TO TOP OF ARMREST PAD. 13B RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING, NO CHARGE WITH BIGHT FROM SEAT PAN TO TOP OF ARMREST PAD. 13B CA. CUSTOM ARM DEPTH. CUSTOM ARM DEPTH IS CHARGED FOR ARM DEPTHS THAT ARE NOT ON INCH CENTERS OR DO NOT CORRESPOND TO THE CHAR FRAME DEPTH. 13C CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BES URE TO GET A QUOTE! 141 STD ARMSET FADS. STD UHHOLSTERED ARMREST PADS. STD ARMREST PADS SATO AFTACH BACK PLASTIC. F MIESTER PADS 142 WATERFALL ARP. WATERFALL ARMEDES TADS. NUGARINGS OR CUP-VP ARMS, THE VERY STURDY SHEET METAL SHELF. FOR DOTONING RESPIRATOR SHELF. VERY STURDY SHEET METAL SHELF IS WELDED IN PLACE ON BACKYDGT TUBING. USUALY JUST BELOW PUSH HANDLES. APPROXIMATELY 20' WIDE X 10' DEPC. CUSTOM SESS AVAILABLE. USH HANDLES. SUBTING SHELF. FOR CHARS WITH TILT AND RECINE THE REAGUIRE THAT RESPIRATOR SHELF. FOR DOTONING RESPIRATOR SHELF. FOR CHARS WITH TILT AND RECINE THE REAGUINE THAT RESPIRATOR BELF. FUNCH MANDLES. APPROXIMATELY 20' WIDE X 10'	35111		LINX PR	OGRAMMABLE ELECTRONICS
ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN TO TOP OF ARMREST PAD. IS LENGTHENED REARWARD 5°. IS LENGTHENE DO LENGTHENE REARWARD 5°. IS LENGTHENE ARD TO DO GRAMMEST PAD. IS LENGTHENES ALTERNATE LOCATIONS ARE NECESSARY, DEPENDING UPON THE EXACT CHAIR CONFIGURATION. RESPIRATOR & OXYGEN BOTLE MOUNTS BOOUT CORRESPOND TO THE CHAIR FRAME DEPTH. IS CAD. CUSTOM ARM DEPTH. CUSTOM ARM DEPTH IS CHARGED FOR ARM DEPTHS THAT ARE NOT ON INCH CENTERS OR DO NOT CORRESPOND TO THE CHAIR FRAME DEPTH. IS CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUICTE! MREST PADS IS CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUICTE! MREST PADS IS D ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD UPHOLSTERED ARMERST PADS. STD ARMREST PADS. STD ARMREST PADS. STD UPHOLSTERED ARM REST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMR	B5112C		86472	CONTROLS AND SECONDARY REMOTES SUCH AS A CHIN CONTROL. ORDER SPECIALTY CONTROL
 H13C FL SS ADJ ARM CS. FULL LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAIN'S SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5'. H13R FL SS ART ARM. FULL LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN TO TOP OF ARMREST PAD. RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING. NO CHARGE WITH BIG BOUNDER 1000. RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING. NO CHARGE WITH BIG BOUNDER 1000. CAD. CUSTOM ARM DEPTH. CUSTOM ARM DEPTH IS CHARGED FOR ARM DEPTHS THAT ARE NOT ON INCH CENTER'S OR DO NOT CORRESPOND TO THE CHAIR FRAME DEPTH. CARMS. CUSTOM ARM SLET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE! MREST PADS. STO UPHOLSTERED ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC BASE WITH NAUGAHYDE COVERED FOAM. NOT AVAILABLE IN FABRIC. MYTERFALL ARP. WATERFALL ARR.WATERFALL ARREST PADS. SUD ARMS FOR CLATING ARMS OF LIP-UP ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUD ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUD ARMS, THE WATERFALL ARMSEST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUD ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUP ARMS, THE WATERFALL ARMSEST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUP ARMS, THE WATERFALL ARMSEST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUP ARMS, THE WATERFALL ARMSEST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUP ARMS, THE WATERFALL ARMSEST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUP ARMS, THE WATERFALL ARMSEST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUP ARMS, THE WATERFALL ARMSEST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUP ARMS, THE WATERFALL ARMSEST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUP ARMS, THE WATERFALL ARMSEST PAD WILL	35112R	ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT		
 H138 FL SS ART ARM. FULL LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN TO TOP OF ARMREST PAD. RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING. NO CHARGE WITH BIG BOUNDER 1000. RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING. NO CHARGE WITH BIG CENTERS OR DO NOT CORRESPOND TO THE CHAIR FRAME DEPTH. CAD. CUSTOM ARM DEPTH. CUSTOM ARM DEPTH IS CHARGED FOR ARM DEPTHS THAT ARE NOT ON INCH CENTERS OR DO NOT CORRESPOND TO THE CHAIR FRAME DEPTH. CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE! MREST PADS. STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC BASE WITH NAUGAHYDE COVERED FORM. NOT AVAILABLE IN FABRIC. WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. WATERFALL ARP. WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. WATERFALL ARP. WATERFALL ARP. WATERFALL ARP. WATERFALL ARP. WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPUP ARMS, THE WATERFALL ARMREST PAD W	B5113C			
 RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING. NO CHARGE WITH BIG BOUNDER 1000. RESPIRATOR & OXYGEN BOTTLE MOUNTS CAD. CUSTOM ARM DEPTH. CUSTOM ARM DEPTH IS CHARGED FOR ARM DEPTHS THAT ARE NOT ON INCH CENTERS OR DO NOT CORRESPOND TO THE CHAIR FRAME DEPTH. CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE! MREST PADS STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC BASE WITH NAUGAHYDE COVERED FOAM. NOT AVAILABLE IN FABRIC. IF INSTALLED ON SELF-SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS. 	35113R	ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT	DRIVE	MODULE MOUNTS USM HF. DRIVE MODULE MOUNTED UNDER WHEELCHAIR SEAT. DRIVE MODULE MOUNTED HORIZONTALL UNDER SEAT PAN. SOMETIMES, ALTERNATE LOCATIONS ARE NECESSARY, DEPENDING UPON THE EXACT
 133 CAD. CUSTOM ARM DEPTH. CUSTOM ARM DEPTH IS CHARGED FOR ARM DEPTHS THAT ARE NOT ON INCH CENTERS OR DO NOT CORRESPOND TO THE CHAIR FRAME DEPTH. 134 CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE! 135 CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE! 141 STD ARMREST PADS. 141 STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC BASE WITH NAUGAHYDE COVERED FOAM. NOT AVAILABLE IN FABRIC. 142 WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF INSTALLED ON SELF-SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS. 143 CAD. CUSTOM ARM DEPTH. IS CHARGED FOR ARM DEPTHS THAT ARE NOT ON INCH CENTERS OR DO NOT CORRESPOND TO THE CHAIR STORE OF A QUOTE! 144 WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF INSTALLED ON SELF-SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS. 145 CARMS CUSTOM ARM DEPTH THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS. 	35131			RATOR & OXYGEN BOTTLE MOUNTS
134 CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE! B6803 RESP GIMBAL SHELF. GIMBAL-MOUNTED RESPIRATOR SHELF. FOR CHAIRS WITH TILT AND RECLINE THAN REQUIRE THAT RESPIRATOR BE KEPT APPROXIMATELY LEVEL WITH GROUND. 141 STD ARMREST PADS. B6803 RESP GIMBAL SHELF. GIMBAL-MOUNTED RESPIRATOR SHELF. FOR CHAIRS WITH TILT AND RECLINE THAN REQUIRE THAT RESPIRATOR BE KEPT APPROXIMATELY LEVEL WITH GROUND. 142 WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF B6801 RESP GIMBAL SHELF. GIMBAL-MOUNTED ON SHELF (SPECIPY LOCATION; FOR RESPIRATORS). SHELF USUALLY LOCATED UNDER SEAT MEAR FRONT OF CHAIR. REMOVABLE UI BATTERY BOX IS HELD ON SHELF. SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS. B6803 RESP GIMBAL SHELF. GIMBAL-MOUNTED RESPIRATOR SHELF. FOR CHAIRS WITH TILT AND RECLINE THAN REQUIRE THAT RESPIRATOR SHELF. SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS.	35133		20001	PLACE ON BACKPOST TUBING, USUALLY JUST BELOW PUSH HANDLES. APPROXIMATELY 20" WIDE X 10" DEEP. CUSTOM SIZES AVAILABLE. PUSH HANDLES SOMETIMES FLARED FOR CLEARANCE ON NARROW
IMPREST PADS REQUIRE THAT RESPIRATOR BE KEPT APPROXIMATELY LEVEL WITH GROUND. 141 STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC REQUIRE THAT RESPIRATOR BE KEPT APPROXIMATELY LEVEL WITH GROUND. 141 STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC B6811 RESP BBOX U1. SINGLE U1 BATTERY BOX MOUNTED ON SHELF (SPECIFY LOCATION; FOR RESPIRATORS). 142 WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF SHELF USUALLY LOCATED UNDER SEAT NEAR FRONT OF CHAIR. REMOVABLE U1 BATTERY BOX IS HELD ON 142 WATERFALL ON SELF-SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL REAUMAGE PADA WITH A STRAP. ALTERNATE LOCATIONS SUCH AS ON THE SHELF NEXT TO OR BELOW THE 143 RESP BROX U1. SINGLE U1 BATTERY BOX MOUNTED ON SHELF (SPECIFY LOCATION; FOR RESPIRATORS). 144 WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF INSTALLED ON SELF-SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS. MOTORS & BRAKES	35134	CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE!	Beaus	
142 WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF INSTALLED ON SELF-SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS. HOTORS & BRAKES		STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC		REQUIRE THAT RESPIRATOR BE KEPT APPROXIMATELY LEVEL WITH GROUND.
FOR TRANSFERS. MOTORS & BRAKES	35142	WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF INSTALLED ON SELF-SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL	00011	SHELF USUALLY LOCATED UNDER SEAT NEAR FRONT OF CHAIR. REMOVABLE U1 BATTERY BOX IS HELD OF TRAY WITH A STRAP. ALTERNATE LOCATIONS SUCH AS ON THE SHELF NEXT TO OR BELOW THE

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note	Stk#	Note
B7055B	DW 13X4BFF KNOBBY. 13"X4.00" BLACK KNOBBY FOAM FILLED DRIVE TIRES ON METAL WHEELS. FOR BIG BOUNDER H-FRAMES WITH POWER 1000 OPTION ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15"X4" AND 12.75"X4".	EVTEN	MOTOR SPROCKETS, INNER TUBES AND BEARINGS). THIS IS A LIMITED WARRANTY AND SOME RESTRICTIONS APPLY.
TOP SPE	EED SETTINGS IEDS CAN VARY BY AS MUCH AS 10% BASED ON CHAIR CONFIGURATION, TIRE CHOICE AND USER WEIGHT. R WHEEL & FORK OPTIONS		DED WARRANTIES EL2 EWAR. EXTEND ELECTRONICS WARRANTY TO 2 YEARS. FOR BOUNDER AND BIG BOUNDER CHAIRS ONLY. ALREADY INCLUDED ON BOUNDER PLUS CHAIRS.
CASTER VEHICL	TIRE & TUBE OPTIONS E TIEDOWNS 4P TD. 4-POINT WHEELCHAIR TRANSPORT TIEDOWN. HAS NOT YET RECEIVED WC-19 CRASH-TESTING		IL SERVICE OPTIONS EBO. EMERGENCY BUILD ORDER. BUILD AND SHIP CHAIR AS FAST AS POSSIBLE. CONTACT FACTORY FOR DELIVERY AND UP CHARGE.
	APPROVAL.	B9302	EEC. ENGINEERING AND EVALUATION CHARGE. CHARGE FOR ENGINEERING AND EVALUATING VERY INVOLVED CUSTOM CHAIRS. CONTACT FACTORY FOR PRICING.
BATTER	NES RY CHARGERS		
ACCES B8006	SORIES HF LP. LED SAFETY ILLUMINATION PACKAGE FOR ALL H-FRAMES. INCLUDES LED HEADLAMP AND SWITCH. LED TAILLIGHTS ARE BUILT INTO THE H-FRAME BASE.		
B8007	HL2. 2ND LED HEADLAMP. CURRENT DRAW FOR COMPLETE TWO HEADLAMP SYSTEM: 1.0A @ 24V.		
B8010	AMBER FLASHER. LED AMBER SAFETY FLASHERS (1 FLASHER MOUNTED IN REAR/1 MOUNTED IN FRONT). SAFETY AMBER FLASHER ALLOWS INCREASED VISIBILITY WHILE DRIVING AT NIGHT.		
B8021	HORN. 24V SAFETY AUDIO ALERT. THIS 24V HORN IS LOUD! THE CONTROL SWITCH (HORN BUTTON) CAN BE MOUNTED ON THE WHEELCHAIR TUBING AT ANY CONVENIENT LOCATION. COMPATIBLE WITH MOST 24V POWER WHEELCHAIRS. TOGGLE SWITCH TYPE HORN BUTTON WILL BE SUPPLIED UNLESS YOU SPECIFICALLY REQUEST A PUSH-BUTTON SWITCH.		
B8032	L82. ELECTRIC LEG BAG EMPTIER 2. ELECTRIC LEG BAG EMPTIER 2 ALLOWS THE USER TO DRAIN HIS/HER LEG BAG WITHOUT ASSISTANCE. THIS PACKAGE INCLUDES A 24V ELECTRIC PINCH VALVE WITH MANUAL RELEASE TAB THAT IS USUALLY STRAPPED AROUND THE USER'S ANKLE, THOUGH IT CAN BE MOUNTED ON A FOOTPLATE. A DRAIN TUBE EXTENSION THAT IS ATTACHED TO THE LEG BAG DRAIN TUBE IS PINCHED BY THE VALVE. THE LB2 VALVE DOES NOT REQUIRE INTERNAL CLEANING. THE SYSTEM INCLUDES A MOMENTRARY TOGGLE SWITCH THAT CAN BE MOUNTED ANYWHERE ON THE WHEELCHAIR TUBING, AND A FUSED BATTERY CABLE. THE SWITCH THAT CAN BE MOUNTED QUICK DISCONNECT ANDERSON CONNECTORS SO THAT THE WHEELCHAIR FRONT RIGGING AND ARMS CAN BE REMOVED FOR TRANSFER AFTER THE SYSTEM IS INSTALLED. THE LEG BAG DRAIN TUBE EASILY THREADS THROUGH THE PINCH VALVE. LEG BAG AND FRONT RIGGING ARE NOT INCLUDED. KITS FOR CONTROLLING ELECTRIC LEG BAG EMPTIERS BY AN ECU SYSTEM ARE AVAILABLE AT ADDITIONAL COST. PRICE INCLUDES 6 MONTH WARRANTY. CONTACT THE FACTORY FOR MORE INFORMATION.		
B8046	24 TO 12/5PC. 24V TO 12V/5V POWER CONVERTER (5A MAXIMUM LOAD). CONVERTS 24 VOLTS DC TO 12 VOLTS DC AND 5 VOLTS DC, PROVIDING UP TO 5 AMPS OF POWER. THIS ALLOWS SOME 12 AND 5 VOLT ACCESSORIES TO BE INSTALLED ON THE WHEELCHAIR OR CART. INCLUDES ONE ROUND 12V CONNECTOR AND TWO 5V USB CHARGING PORTS.		
B8063	GUN MOUNT. HEIGHT & ANGLE ADJUSTABLE GUN MOUNT WITH RIFLE REST. INCLUDES CENTER MOUNT SOUARE RECEIVER WELDED UNDER SEAT SO GUN MOUNT CAN EASILY BE ATTTACHED AND REMOVED WHEN NOT BEING USED. HEIGHT ADJUSTABLE, ANGLE ADJUSTABLE AND UNIVERSAL FOR LEFT AND RIGHT HANDED SHOOTERS.		
B8083	TOOL KIT. TOOL KIT. INCLUDES COMMON TOOLS USED TO MAKE ADJUSTMENTS AND MINOR REPAIRS ON CHAIR.		
B8091	MIRROR. REAR VIEW MIRROR. THIS DETACHABLE REAR VIEW MIRROR HAS A WIDE ANGLE CONVEX HEAD THAT ALLOWS USERS TO SEE TO THE REAR WITHOUT TURNING THEIR HEAD. IT INCREASES SAFETY IN TRAFFIC AND IS ALSO HANDY WHEN BACKING INTO OR OUT OF ELEVATORS. THE MIRROR COMES WITH A QUICK DETACH BRACKET.		
B8127	WC JACK. WHEELCHAIR JACK. USED TO LIFT REAR OF THE WHEELCHAIR IN THE AIR TO CHANGE TIRES OR WHEELS.		
B8132	SW MOUNT BAR. SWITCH MOUNT BAR FOR ACCESSORY SWITCHES. FOR USE ON CHAIRS WITH SELF-SUPPORTING ARMS AND HAS EITHER POWER SEATING SYSTEM SWITCH CONTROLS OR ACCESSORY CONTROLS. SPECIFY LEFT OR RIGHT SIDE MOUNT.		
CAUTIOI USED OI	OSITIONING STRAPS (Do not use as seat belts in motor vehicles) NI DO NOT USE AS SEAT BELTS OR RESTRAINTS IN LICENSED VEHICLES. POSITIONING STRAPS ARE TO BE NLY FOR HOLDING USER IN POSITION WHILE DRIVING THE WHEELCHAIR. PS CUS S. CUSTOM SEAT MOUNT POSITIONING STRAP (SPECIFY BUCKLE TYPE AND LENGTH). REQUIRED FOR ANY POSITIONING STRAP THAT IS NOT 45° OR 60° LONG. SPECIFY BUCKLE TYPE AND LENGTH.		
CHEST	POSITIONING STRAPS (Do not use as seat belts in motor vehicles) WARRANTIES AND SPECIAL SERVICE OPTIONS		
	ARD WARRANTIES BB PWC WAR. BIG BOUNDER POWER WHEELCHAIR STANDARD WARRANTY. ONE YEAR WARRANTY ON ENTIRE BIG BOUNDER POWER WHEELCHAIR. FIVE YEAR H-FRAME BASE WARRANTY. TWO YEAR H-FRAME SEAT WARRANTY. FIVE YEAR SUPER TORQUE MOTORS AND BRAKE DRIVE TRAIN WARRANTY (INCLUDES MOTORS, BRAKES, DRIVE WHEELS AND DRIVE WHEEL SPROCKETS, BUT EXCLUDES DRIVE CHAINS, TIRES,		