

**4931 N Manufacturing Way, Coeur d'Alene, ID 83815**

**21st@wheelchairs.com  
www.wheelchairs.com**

**FAX, PHONE IN OR MAIL COMPLETED FORM TO 21<sup>st</sup> Century SCIENTIFIC Inc.**

**This is an order! Our PO No:** \_\_\_\_\_  **This is a Quotation Request Only**

<b>Ship To:</b>	<b>Bill To:</b>
Company: _____	Company: _____
Address: _____	Address: _____
City: _____ State: _____ Zip: _____	City: _____ State: _____ Zip: _____
Attention: _____	Attention: _____
Phone: _____ FAX: _____	Phone: _____ FAX: _____

# BIG BOUNDER 1000 H-FRAME POWER WHEELCHAIR

**User Data:**

Name: \_\_\_\_\_ Ht: \_\_\_' \_\_\_" Wt: \_\_\_ lb. D.O.B.: \_\_\_\_\_ Disability: \_\_\_\_\_

Hip Width.....: \_\_\_\_\_" Chest Width: \_\_\_\_\_" Back to Knee: \_\_\_\_\_" Top of Shoulder: \_\_\_\_\_"

Seat Pan to Elbow: \_\_\_\_\_" Knee to Heel: \_\_\_\_\_" Elbow to Hand: \_\_\_\_\_" Gluteal Shelf: Y / N

Driving Skills: good fair poor Judgment: good fair poor Height: \_\_\_\_\_" Depth: \_\_\_\_\_"

Previous Chair Make & Model: \_\_\_\_\_

Other Information: \_\_\_\_\_

**New Chair Data:**

Seat Width.....: \_\_\_\_\_" Seat Depth: \_\_\_\_\_" Seat Height: \_\_\_\_\_" Backpost Height: \_\_\_\_\_"

Back Width.....: \_\_\_\_\_" Back Height: \_\_\_\_\_" Max Overall Width: \_\_\_\_\_" Max Overall Length: \_\_\_\_\_"

Desired Top Speed Of New Chair: \_\_\_\_\_ Power Seating Needed: Recline Tilt Other

Other Notes: \_\_\_\_\_

**INSTRUCTIONS FOR FILLING OUT THIS FORM:**  
Thank you for choosing 21<sup>st</sup> Century SCIENTIFIC, Inc. Since our products tend to be custom, this order/quote form is very detailed. As you complete this form, you will be specifying each parameter of the equipment to be ordered. Accordingly, be patient and review each section carefully. No charge and standard items are usually located near the top of each section, but not always. Check the standard items as well as the custom options in each section to make sure you have not missed anything. You may email this form to us at 21st@wheelchairs.com for review. A detailed written quote will be emailed back to you. If you need assistance filling out this form (or simply prefer us to do it for you), contact our sales department at (800) 448-3680. There is no charge for our assistance and written quotations.

HCPCS codes are not intended to be, nor should they be considered, legal or billing advice. Use of the codes does not ensure coverage or payment for the item. Always verify coverage information with the pay source, attorney or other consultant as needed.

**This Form Was Completed By:** \_\_\_\_\_ **Date:** \_\_\_\_\_ **Phone:** \_\_\_\_\_ **FAX:** \_\_\_\_\_

# BIG BOUNDER 1000 POWER WHEELCHAIR

## STANDARD FEATURES

- Independent drive wheel suspension
  - For users up to 1000 lb
- 26" to 36" seat widths in 1" increments
- Durable H-style TIG welded frame using 2.5"x1.5"x0.125" wall steel
  - 4.2 MPH top speed
  - LiNX electronics
- Super Torque 4 Motors & Brakes (ST4M&B)
  - Sliding dual group 24 battery box
  - 4 button LED hand control
- Smart brake release switch (for easy attendant pushing)
- Xtra Duty adjustable suspension forks
- Xtra Duty caster barrels and suspension forks (1" fork stems & bearings ID's)
  - 9"x3.50" aluminum caster wheels
  - 13"x4.00" steel/aluminum drive wheels
- Foam filled caster tires and drive wheel tires
  - Gray or black tires
- 0.120" wall seat rails and back posts
  - Black powder coated frame
- Sheet Metal Seat Pan •70 deg swingaway footrests
- Quick adjust clutches (combination tensioner and chain release mechanism)
  - Flip-up self-supporting arms w/ standard armrest pads
    - Anti-tipping wheelie wheels
    - Fully automatic 8A charger
    - Push button seat positioning strap
- Detailed Owner's Manual •Easy to service and maintain

## POPULAR OPTIONS

- Front Rigging (footrests or legrests, each with many options)
  - Center Mount Footboard •Arm options •Headrests
- Power seating systems: recline, tilt, anterior tilt & seat elevator
  - 2 or more power seating systems combined on same chair
  - Dual independent power elevating legrests (DIPLR)
- Power elevating, articulating center mount footboard (PEACM FB)
  - R-net electronics
  - Joystick control of power seating
  - Programmer for electronics •Colored (non-black) frame
  - Specialty controls (switch controls, head arrays, etc.)
- Frame reinforcements •Custom seat depth, seat height, back height, etc.
  - Seating & positioning options
- Hand / chin control customizations & mounting options (many to choose from)
  - Built in taillights
- LED Lighting package (it's 24V and bright!) •Electric horn (it's LOUD)
  - Positioning straps
  - Extended 2 or 3 year warranty

## WARRANTY\*

- 1 year warranty on entire chair
- 5 year warranty on Super Torque 3 & 4 Motor & Brake drive trains\*\*
- 5 year H-Frame base warranty •2 year H-Frame seat warranty

\* Limited warranties – some restrictions apply. See complete warranty for more information  
\*\* Includes motors, brakes, drive wheels, drive wheel sprockets (chains, tires, inner tubes, flat-free inserts, motor sprockets & bearings not included)

## DRIVE TRAIN CONFIGURATION NOTE:

Top speeds above are estimated. Depending on configuration, your chair may be faster or slower. Chair configuration, patient weight, tire choices and battery condition can affect the chair's top speed.

# BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
<b>BASE CONFIGURATION</b>			
<b>BIG BOUNDER 1000</b>			
* BB1000	___ B015A	BIG BOUNDER 1000 Power Wheelchair, no power seating	\$17,995.00
* BB1000S	___ B015B	BIG BOUNDER 1000 Power Wheelchair, single power seating option	\$15,995.00
* BB1000M	___ B015C	BIG BOUNDER 1000 Power Wheelchair, multiple power seating options	\$14,995.00
<b>CONSTRUCTION OPTIONS</b>			
<b>BASE WIDTH</b>			
* WIDE BASE WIDTH	___ B151W	Wide base width (28.5" overall width)	No Charge
* XWIDE BASE WIDTH	___ B151X	Xtra wide base width (overall width: see notes)	\$540.00
<b>BASE LENGTH</b>			
* SHORT BASE	___ B202	Short H-Frame power base	Standard
* LONG BASE NC	___ B203N	Long H-Frame power base (no charge)	No Charge
* XLONG BASE	___ B203X	Xtra Long H-Frame power base	\$650.00
* HF ROW	___ B206	Reduce overall width by installing control box on inside of arm	No Charge
<b>SUSPENSION</b>			
IDWS NC	___ B209B	Independent drive wheel suspension, no charge	Standard
* BLACK IDWS SPRING	___ B209F	Black IDWS springs (for users 401 lb and greater)	No Charge
<b>* 21st POWER SEATING SYSTEMS</b>			
* PRS 40	___ B301B	40 degree power recline system (E1003)	\$5,750.00
* SBPRS 40	___ B303B	40 degree sliding back power recline system (E1004)	\$6,900.00
* PTS 30	___ B305B	30 degree power tilt system (E1002)	\$5,750.00
PRS PTS	___ B321	Power recline & power tilt	\$9,999.00
<b>POWER SEATING OPTIONS, HEAVY DUTY UPGRADES &amp; LOCKOUTS</b>			
PS XHD	___ B362	Pwr seating xtra heavy duty upgrade (users over 450 lbs)(each system) (K0108)	\$2,530.00
PSS BOOST	___ B379	Power seating system booster	\$550.00
<b>BASE COLOR</b>			
BLACK	___ B4001	Standard black powder coat	Standard
RED	___ B4002	Red powder coat	\$140.00
BLUE	___ B4003	Blue powder coat	\$140.00
DARK GREEN	___ B4004	Dark green powder coat	\$140.00
YELLOW	___ B4005	Yellow powder coat	\$140.00
LIGHT GRAY	___ B4006	Light gray powder coat	\$140.00
WHITE	___ B4007	White powder coat	\$140.00
TEAL	___ B4008	Teal powder coat	\$140.00
LAVENDER	___ B4009	Lavender powder coat	\$140.00
PINK	___ B4010	Pink powder coat	\$140.00
* CUS PC	___ B4021	Custom powder coat color	\$480.00
* NON-BLACK SAF	___ B4046	Paint seat, arms and front rigging same color as rest of chair	\$380.00
<b>FRAME REINFORCEMENTS</b>			
SBP NC	___ B4109N	Solid backposts N/C	No Charge
CBPT NC	___ B4113N	Cross strut between backpost handle tips N/C	No Charge

## REAR WHEEL OFFSET (RWO)

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* STD RWO	___ B4301	Standard rear wheel offset	Standard
* CRWO	___ B4302	Custom rear wheel offset	\$632.00
<b>SEAT DEPTH</b>			
* STD SD	___ B4421	Std seat depth ___ 16" ___ 17" ___ 18" ___ 19" ___ 20"	Standard
XLONG SD	___ B4425	X-long seat depth ___ 21" ___ 22" ___ 23"	\$1,250.00
<b>SEAT WIDTH</b>			
BB1000 STD SW	___ B4521E	Standard BB1000 seat width (26"-30") ___ 26" ___ 27" ___ 28" ___ 29" ___ 30"	Standard
* BB1000 XWIDE SW	___ B4522D	Big Bounder 1000 extra wide seat width (31" & wider; specify width: _____)	\$1,250.00
<b>SEAT HEIGHT</b>			
STD SH	___ B4601M	Bounder standard seat height ___ 19" ___ 20" ___ 21"	Standard
* CAPT SH	___ B4606	Standard 22" or 24" captain's seat height	No Charge
* CST	___ B4618	Custom seat tilt (rake)	\$575.00
<b>BACKPOST STYLE &amp; HEIGHT</b>			
STD S945 BH	___ B4701R	Standard straight backpost height, 94.5 deg ___ 18" ___ 20" ___ 22" ___ 24"	Standard
CUS S945 BH	___ B4701T	Custom straight backpost height, 94.5 deg (specify height: _____)	\$890.00
* CUS BH	___ B4709	Custom 90 deg back height w/ 7 deg bend (15"-24") (specify height: _____)	\$890.00
* CBHWSBA	___ B4713	Custom back height w/welded seat-to-back angle (specify height: _____)(specify angle: _____)	\$1,207.50
OFFSET BP	___ B4715	Offset Backposts	\$580.00
<b>CAPTAIN'S BACK HEIGHT</b>			
* STD CAPT BH	___ B4731	Standard captain's back height ___ 16" ___ 18" ___ 20"	No Charge
* CUS CAPT BH	___ B4732	Custom captain's back height (specify height: _____)	\$410.00
<b>HEADRESTS</b>			
ACPHR MB&H	___ B4802D	Adjustable center post headrest mounting bracket and hardware (less pad)(E1028)	\$258.00
ACPHR PAD	___ B4802E	Curved foam pad for adjustable center post headrest (E0955)	\$225.00
* CSHR	___ B4804	Custom size or style headrest for ACPHR	Call Factory
<b>FRONT RIGGING</b>			
FR70 NC	___ B5001N	70 deg swingaway footrests	Standard
* FR60	___ B5002	60 deg swingaway footrests	\$320.00
FR80	___ B5003E	80 deg swingaway footrests	\$488.00
* FR90	___ B5004	90 deg swingaway footrests	\$488.00
* LRL	___ B5005	Low profile elevating legrests (E0990)	\$488.00
* LRH	___ B5007	High profile (gooseneck) elevating legrests (E0990)	\$488.00
* LRH90	___ B50079	90 degree high profile elevating legrests	\$625.00
* DIPLR HD	___ B5009	Heavy duty dual indep power elev legrests (actuators, sw box, legrests w/ RLR)	\$3,220.00
* RFR NC	___ B5014N	Reinforced footrests N/C	No Charge
* RLR NC	___ B5016N	Reinforced elevating legrests N/C	No Charge
* OFFSET FR	___ B5018	Offset front rigging (specify offset)	\$410.00
OFFSET FR NC	___ B5018N	Offset front rigging N/C	No Charge
CP ON FR	___ B5020	Install calf pads on footrests	\$273.00

# BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* QRL	___ B5023	Quad release levers	\$97.00
CUS SFP FLIP UP	___ B5030	Custom flip-up steel footplates (specify size)(order heel loops separately)	\$354.00
OFF	___ B5031	Oversized footplates (less heel loops)	\$245.00
OFF HL	___ B5031H	Oversized footplates w/ heel loops	\$265.00
* CUS CM FB	___ B5035	Custom center mount, angle adjustable footboard	\$1,150.00
CUS PEACM FB	___ B5036E	Custom power elevating, articulating center mount footboard	\$2,450.00
* FPHL	___ B5041	Heel loops	\$56.00
* FPAS	___ B5042	Ankle straps	\$93.00
* FPTL	___ B5043	Pair of toe loops	\$93.00
SLS	___ B5044	Single leg (calf) strap, black w/ velcro	\$56.00
HLS	___ B5045	H-type leg (calf) strap, black w/ velcro	\$76.00
STD CALF PADS	___ B5046	Std calf pads (Naugahyde only) (only w/ LRL, LRH, CP ON FR or CUS PEACM FB)	No Charge
* CALF FLAT	___ B5047	Flat calf pads	\$164.00
CALF TROUGH	___ B5048	Trough calf pads	\$244.00
CALF CUSTOM	___ B5049	Custom calf pads	Call Factory
RCPM	___ B5050	Recessed calf pad mounts (specify 1" or 2")	\$278.00
CCPM	___ B5051	Custom calf pad mounts	Call Factory
FPRB2	___ B5053	Roller wheel bumpers (2.5" dia wheels mounted under footplates)	\$105.00
RFPE	___ B5062	Reduced footplate extension and adjustment range	\$230.00
AAFP	___ B5072	Angle adjustable front rigging extensions	\$270.00
CFR	___ B5081	Custom front rigging	Call Factory
NFR	___ B5092	No front rigging	No Charge
<b>ARMS</b>			
DL SS ARM	___ B5101D	Desk length self supporting (cantilever) arms	Standard
FL SS ARM	___ B5101E	Full length self supporting (cantilever) arms	No Charge
DL ART ARM	___ B5101R	Desk length articulating arms	No Charge
FL ART ARM	___ B5101T	Full length articulating arms	No Charge
DLADA	___ B5103	Desk length adjustable detachable dual post arms (E0973)	\$285.00
FLADA	___ B5105	Full length adjustable detachable dual post arms (E0973)	\$285.00
FLIP UP ARMS	___ B5107	Add flip up to DLADA or FLADA	\$380.00
* DL SL ARM	___ B5110	Desk length sliding arms	\$570.00
* FL SL ARM	___ B5111	Full length sliding arms	\$570.00
* DL SS ADJ ARM CS	___ B5112C	Desk length self-supporting adj arms for captain's seat	\$630.00
* DL SS ART ARM	___ B5112R	Desk length self-supporting adjustable articulating arms (cbl style)	\$690.00
DL SS ART ARM CS	___ B5112S	Desk length self-supporting adj articulating arms for capt seat (cbl style)	\$690.00
* FL SS ADJ ARM CS	___ B5113C	Full length self-supporting adj arms for captain's seat	\$630.00
* FL SS ART ARM	___ B5113R	Full length self-supporting adjustable articulating arms (cbl style)	\$690.00
FL SS ART ARM CS	___ B5113S	Full length self-supporting adj articulating arms, for capt seat (cbl style)	\$690.00
* RAT	___ B5131	Reinforced arm tips	\$140.00
CAH	___ B5132	Custom arm height	\$230.00
* CAD	___ B5133	Custom arm depth	\$172.50
* CARMS	___ B5134	Custom arms	Call Factory
<b>ARMREST PADS</b>			
* STD ARMREST PADS	___ B5141	Std upholstered armrest pads	Standard
* WATERFALL ARP	___ B5142	Waterfall armrest pads	\$110.00
* TROUGH ARP	___ B5143	Trough armrest pads	\$305.00
* FLAT ARP	___ B5144	3.5" wide flat armrest pads	\$189.00

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
* NARROW FLAT ARP	___ B5145	2" wide narrow flat armrest pads	\$140.00
CARP	___ B5146	Custom armrest pads	Call Factory
<b>WHEELCHAIR SEATS &amp; SEAT CUSHIONS</b>			
SMP SEAT	___ B5205	Flat powder coated sheet metal pan seat	Standard
* SMP SEAT CUSHION	___ B5242	Upholstered foam seat cushion (up to 3"; specify thickness: _____)	\$310.00
CAPT SEAT	___ B5251	Captain's seat	\$700.00
* SPEC SEAT FOAM	___ B5262A	Special seat foam (Sunmate)(each 1/2" thickness)	\$135.00
CSSC	___ B5263	Custom seat or seat cushion	Call Factory
NO SEAT CUSHION	___ B5271	No seat cushion supplied	No Charge
<b>WHEELCHAIR BACKS &amp; BACK CUSHIONS</b>			
STD NB	___ B5302	No back supplied or attached to backposts	Standard
SMPB CURVED ADJ	___ B5333	Curved sheet metal pan back w/ adj brackets	\$485.00
* SMP BACK CUSHION	___ B5342	Upholstered foam back cushion (up to 2"; specify thickness: _____)	\$325.00
CAPT BACK	___ B5351	Captain's back	\$700.00
* SPEC BACK FOAM	___ B5362A	Special back foam (Sunmate)(each 1/2" thickness)	\$140.00
CBBC	___ B5363	Custom back or back cushion	Call Factory
SB MOD FLAP	___ B5369	Modesty flap, velcros between seat and back upholstery	\$150.00
<b>* UPHOLSTERY COLOR</b>			
STD BLACK NAUG	___ B5401	Standard black Naugahyde upholstery	Standard
BLACK FAB	___ B5431	Black fabric upholstery	No Charge
<b>CONTROL BOXES &amp; REMOTE DISPLAY</b>			
STD RHC	___ B6001	Right hand control	Standard
LHC	___ B6002	Left hand control	No Charge
<b>HAND &amp; CHIN CONTROL MOUNTS &amp; EXTENSIONS</b>			
STD HC MOUNT	___ B6111	Standard hand control mount	Standard
STD HC EXT	___ B6112	Standard hand control extension slide	Standard
* SA EXT	___ B6115	Swingaway hand control extension slide (E1028)	\$345.00
* MIDLINE HC M&E	___ B6116	Midline hand control mount & extension slide	\$487.00
AC MNT	___ B6143	Attendant control mount	\$205.00
CUS CTRL MOUNT	___ B6171	Custom control mount	Call Factory
* CUS EXT SLIDE	___ B6172	Custom extension slide	Call Factory
<b>LiNX Programmable Electronics</b>			
DLX PM120	___ B6461	LiNX 100 120A non-expandable power module	Standard
DLX PM120AL	___ B6462	LiNX 200 120A expandable power module with actuator and light control (E2377)	\$560.00
DLX EXP HARN	___ B6463	Wiring harness for LiNX expandable power module	\$440.00
DLX BRS	___ B6464	Brake release switch for LiNX electronics	Standard
DLX REM110	___ B6466	LiNX drive only joystick remote	Standard
DLX REM216	___ B6467	LiNX LED joystick remote with actuator control	\$560.00
DLX REM400	___ B6468	LiNX joystick remote with 3.5" color touch screen display	\$1,090.00
DLX SW400TGL	___ B6468T	LiNX paddle style toggle switch module for REM400	\$560.00
DLX CR400	___ B6469	LiNX compact remote module	\$1,250.00
DLX ACU200	___ B6470	LiNX attendant control module	\$890.00
* DLX REM500	___ B6472	LiNX color touch screen display remote	\$1,250.00
* DLX IN500	___ B6473	LiNX input module (drive control & switch input)	\$945.00
DLX IN200	___ B6473S	LiNX input module (switch input only)	\$720.00
DLX OUT500	___ B6474	LiNX output module	\$775.00

# BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
DLX ACT400S	___B6475	LiNX actuator module for control of one actuator	\$1,380.00
DLX ACT400M	___B6476	LiNX actuator module for control of multiple actuators	\$2,760.00
DLX SW10T	___B6479	LiNX 10-way switch module (5 actuator functions)	\$535.00
DLX GYR100	___B6480	LiNX Gyro Module	\$995.00
DLX LAK	___B6481	LiNX Access Key	\$340.00

## R-net Programmable Electronics

R-NET PM120 PM	___B6501	Non-expandable R-net 120A power module	No Charge
R-NET PM120 EXP	___B6502	Expandable R-net 120A power module (E2377)	\$560.00
R-NET EXP HARN	___B6503	Wiring harness for R-net expandable power module (E2313)	\$440.00
R-NET BRS	___B6504	Brake release switch for R-net electronics	No Charge
R-NET JSM-LED-L	___B6506	R-net LED Joystick Module	No Charge
R-NET CJSM-L	___B6507	R-net LCD Joystick Module w/ color display	\$995.00
R-NET CJSM2-BT	___B6508	R-net LCD Joystick Module w/ 3.5" color display, paddle sw, bluetooth & IR	\$1,120.00
R-NET ATTENDANT	___B6516	R-net attendant module	\$720.00
* R-NET OMNI2	___B6520	R-net Omni2 specialty controls interface	\$1,240.00
R-NET ISM-L 1ACT	___B6521	R-net intelligent seating module, control of one actuator	\$1,380.00
R-NET ISM-L MULTI	___B6522	R-net intelligent seating module, control of multiple actuators	\$2,760.00
R-NET ASM	___B6524	R-net advanced stability module	\$385.00
R-NET PROGRAMMER	___B6525	R-net wireless programming dongle, dealer	\$480.00

## Switches

AUX TS	___B6571	Auxiliary toggle switch (specify function)	\$240.00
--------	----------	--	----------

## DRIVE MODULE MOUNTS

BH OBBM	___B6701A	Drive module mounted over battery box	<b>Standard</b>
* USM HF	___B6702	Drive module mounted under wheelchair seat	No Charge
CUS DM MNT	___B6711	Custom drive module mount	Call Factory

## RESPIRATOR & OXYGEN BOTTLE MOUNTS

* RESP SHELF	___B6801	Fixed position respirator shelf	\$556.00
* RESP GIMBAL SHELF	___B6803	Gimbal-mounted respirator shelf	\$1,660.00
* RESP BBOX U1	___B6811	Single U1 battery box mounted on shelf (specify location; for respirators)	\$556.00
RESP BAU1 GEL-CELL	___B6812	Respirator U1 gel-cell battery	\$264.00
RESP BC12-6	___B6813	Respirator 12.6V auto charger	\$348.00
SE O2 BOT HLD	___B6901	Single E size oxygen bottle holder	\$632.50
DE O2 BOT HLD	___B6902	Dual E size oxygen bottle holder	\$949.00
TE O2 BOT HLD	___B6902T	Triple E size oxygen bottle holder	\$1,202.00

## MOTORS & BRAKES

ST4M&B-S	___B7008	Super Torque 4 motors & brakes, slow speed	<b>Standard</b>
----------	----------	--	-----------------

## DRIVE WHEEL OPTIONS

* DW 13X4BFF KNOBBY	___B7055B	13"x4.00" black knobby foam filled drive tires on metal wheels	<b>Standard</b>
DW 13X4GFF KNOBBY	___B7055G	13"x4.00" gray knobby foam filled drive tires on metal wheels	No Charge
DW 13X4GFF SMOOTH	___B7055H	13"x4.00" gray smooth foam filled drive tires on metal wheels	No Charge

## \* TOP SPEED SETTINGS

4.2 MPH	___B7279	4.2 mph, 4S13 C70 C25	<b>Standard</b>
---------	----------	-----------------------	-----------------

## CASTER WHEEL & FORK OPTIONS

XDCBF 9X3.50M	___B7441X	9"x3.50" Xtra duty caster barrels, suspension forks	<b>Standard</b>
---------------	-----------	---	-----------------

IF \* SEE NOTE LISTED BY STOCK NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
		& metal casters	

## Caster Tire & Tube Options

CT BLACK FF	___B7485B	Black foam filled caster tires	<b>Standard</b>
CT GRAY FF	___B7485G	Gray foam filled caster tires	No Charge

FS HD COPPER	___B7497H	Heavy duty copper color fork springs	<b>Standard</b>
--------------	-----------	--------------------------------------	-----------------

## VEHICLE TIEDOWNS

* 4P TD	___B7604	4-Point wheelchair transport tiedown	\$506.00
---------	----------	--------------------------------------	----------

## BATTERY BOXES

BBOXD24	___B7713B	Dual group 24 sliding battery box	<b>Standard</b>
---------	-----------	-----------------------------------	-----------------

## BATTERIES

BA24 GEL-CELL	___B7804	Pair, group 24 gel-cell batteries (E2363)	\$990.00
---------------	----------	---	----------

## BATTERY CHARGERS

STD BC24-8	___B7902	24V 8A automatic gel-cell battery charger	<b>Standard</b>
NBC	___B7921	Credit for no battery charger	\$-86.25

## ACCESSORIES

* HF LP	___B8006	LED safety illumination package for all H-Frames	\$380.00
* HL2	___B8007	2nd LED headlamp	\$105.00
* AMBER FLASHER	___B8010	LED Amber Safety Flashers (1 flasher mounted in rear/1 mounted in front)	\$395.00
* HORN	___B8021	24V Safety audio alert	\$305.00
* LB2	___B8032	Electric leg bag emptier 2	\$632.50
* 24 TO 12/5PC	___B8046	24V to 12V/5V power converter (5A maximum load)	\$575.00
DW FENDERS	___B8052	Drive wheel fenders	\$575.00
* GUN MOUNT	___B8063	Height & angle adjustable gun mount with rifle rest	\$1,250.00
RAM DRINK HLDR	___B8073	RAM Drink holder	\$72.00
* TOOL KIT	___B8083	Tool kit	\$240.00
MOUNT 7 TAB	___B8085A	RAM 7" tablet mount	\$96.00
MOUNT 10 TAB	___B8085B	RAM 10" tablet mount	\$160.00
MOUNT 12 TAB	___B8085C	RAM 12" tablet mount	\$185.00
MOUNT CELL	___B8086	RAM cell phone mount	\$99.00
* MIRROR	___B8091	Rear view mirror	\$99.00
FLAG HOLDER	___B8093	Flag holder	\$88.00
DM COV NAUG	___B8111	Naugahyde drive module cover	\$82.50
DHC COV	___B8112	Driver hand control weather cover	\$99.00
SADDLE BAG	___B8113	Saddle bag (specify left or right)	\$94.00
WC COV	___B8114	Wheelchair weather cover	\$200.00
* WC JACK	___B8127	Wheelchair jack	\$400.00
* SW MOUNT BAR	___B8132	Switch mount bar for accessory switches	\$82.00
CURB CLIMB DEV	___B8141	Curb climbing device	\$355.00

## \* SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

HF PS PUSH BUTTON	___B8200	Push button seat mount positioning strap (specify 45" or 60")	<b>Standard</b>
PS FLIP LATCH S	___B8201	Flip latch seat mount positioning strap (specify 45" or 60")	\$64.00
PS PINCH BUCKLE S	___B8203	Pinch buckle seat mount positioning strap (specify 45" or 60")	\$64.00
* PS CUS S	___B8211	Custom seat mount positioning strap (specify buckle type and length)	\$115.00

## CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

PS FLIP LATCH C	___B8251	Flip latch chest mount positioning strap (specify 45" or 60")	\$126.00
-----------------	----------	---	----------

# BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF \* SEE NOTE LISTED BY STOCK  
NUMBER ON LAST PAGES

Part Number	Stock Qty Number	Part Description	Suggested Retail Price
PS PUSH BUTTON C	___ B8252	Push button chest mount positioning strap (specify 45" or 60")	\$126.00
PS PINCH BUCKLE C	___ B8253	Pinch buckle chest mount positioning strap (specify 45" or 60")	\$126.00
PS CUS C	___ B8261	Custom chest mount positioning strap (specify buckle type and length)	\$172.50

## WARRANTIES AND SPECIAL SERVICE OPTIONS

### STANDARD WARRANTIES

* BB PWC WAR	___ B9032	BIG BOUNDER power wheelchair standard warranty	<b>Standard</b>
--------------	-----------	--	-----------------

### EXTENDED WARRANTIES

* EL2 EWAR	___ B9101	Extend electronics warranty to 2 years	\$414.00
EL3 EWAR	___ B9102	Extend electronics warranty to 3 years	\$695.00
B PC2 EWAR	___ B9201	Extend BOUNDER entire power chair warranty to 2 years	\$1,385.00
B PC3 EWAR	___ B9202	Extend BOUNDER entire power chair warranty to 3 years	\$2,440.00

### SPECIAL SERVICE OPTIONS

* EBO	___ B9301	Emergency Build Order	Call Factory
* EEC	___ B9302	Engineering and evaluation charge	Call Factory

# BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk# Note

## BASE CONFIGURATION

### BIG BOUNDER 1000

B015A BB1000. BIG BOUNDER 1000 POWER WHEELCHAIR, NO POWER SEATING. USE ONLY IF POWER SEATING SYSTEMS ARE NOT ORDERED. IF POWER SEATING SYSTEMS ARE REQUIRED, ORDER EITHER B1000S (B015B) OR B1000M (B015C).

B015B BB1000S. BIG BOUNDER 1000 POWER WHEELCHAIR, SINGLE POWER SEATING OPTION. A \$2000 DISCOUNT IS GIVEN IF ONE SEATING SYSTEM IS ALSO ORDERED. ORDER B1000M (B015C) IF MULTIPLE SEATING SYSTEMS ARE REQUIRED. ORDER POWER SEATING SYSTEMS SEPARATELY.

B015C BB1000M. BIG BOUNDER 1000 POWER WHEELCHAIR, MULTIPLE POWER SEATING OPTIONS. A \$3000 DISCOUNT IS GIVEN IF TWO OR MORE SEATING SYSTEMS ARE ALSO ORDERED. ORDER POWER SEATING SYSTEMS SEPARATELY.

## CONSTRUCTION OPTIONS

### BASE WIDTH

B151W WIDE BASE WIDTH. WIDE BASE WIDTH (28.5" OVERALL WIDTH). FOR USE ON CHAIRS WITH SEAT WIDTHS BETWEEN 26" AND 29".

B151X XWIDE BASE WIDTH. XTRA WIDE BASE WIDTH (OVERALL WIDTH: SEE NOTES). FOR USE ON BIG BOUNDER WHEELCHAIRS WITH SEAT WIDTHS 30" AND GREATER. THE BASE WIDTH GROWS BY EVERY INCH OF THE SEAT WIDTH. THE OVERALL BASE WIDTH IS .5" LESS THAN THE SEAT WIDTH. FOR EXAMPLE A 32" WIDE SEAT WOULD USE A BASE WITH AN OVERALL WIDTH OF 31.5".

### BASE LENGTH

B202 SHORT BASE. SHORT H-FRAME POWER BASE. STANDARD FOR MOST CHAIRS FOR SEAT DEPTHS UP TO 20". CHAIRS WITH SEAT DEPTHS OF 20" OR GREATER AND USERS WHO WEIGH OVER 600 LB USUALLY REQUIRE A LONG BASE INSTEAD.

B203N LONG BASE NC. LONG H-FRAME POWER BASE (NO CHARGE). STANDARD FOR ALL SEAT DEPTHS 20" OR GREATER. SEAT DEPTHS FROM 19" TO 23" CAN NORMALLY BE INSTALLED. AN 18" DEEP SEAT PAN CAN ALSO BE INSTALLED. ALL CHAIRS THAT HAVE BOTH A POWER SEAT ELEVATOR AND A POWER TILT SYSTEM ALSO REQUIRE A LONG WHEELBASE. THE LONG BASE FRAME IS 3" LONGER THAN THE SHORT BASE. IF SEAT DEPTHS OF 17" OR 16" ARE NEEDED ON A LONG BASE, THE SEAT MUST BE POSITIONED FURTHER FORWARD OF THE REAR WHEELS BY 1" OR 2", RESPECTIVELY. THIS WILL REDUCE MANEUVERABILITY AND INCREASE POWER CONSUMPTION. CONTACT THE FACTORY FOR MORE INFORMATION.

B203X XLONG BASE. XTRA LONG H-FRAME POWER BASE. 6" LONGER THAN THE SHORT BASE. OFTEN USED WITH POWER CHAIR SEAT DEPTHS GREATER THEN 23".

B206 HF ROW. REDUCE OVERALL WIDTH BY INSTALLING CONTROL BOX ON INSIDE OF ARM. INCLUDES INSTALLING HAND CONTROL AND SWITCHES ON INSIDE OF ARM AND REVERSE MOUNTING ARMREST PADS. THIS WILL PRODUCE A CHAIR WITH AN OVERALL WIDTH OF ONLY 2.5" WIDER THEN THE SEAT WIDTH.

### SUSPENSION

B209F BLACK IDWS SPRING. BLACK IDWS SPRINGS (FOR USERS 401 LB AND GREATER). FOR USE ON CHAIRS FOR USERS OVER 400 LB.

### 21st POWER SEATING SYSTEMS

B301B PRS 40. 40 DEGREE POWER RECLINE SYSTEM (E1003). H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON SLIDING-BACK; FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST.

B303B SBPRS 40. 40 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST.

B305B PTS 30. 30 DEGREE POWER TILT SYSTEM (E1002). FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. IF ELEVATE IS ADDED TO THE CHAIR, A 30 DEGREE POWER TILT IS REQUIRED.

### POWER SEATING OPTIONS, HEAVY DUTY UPGRADES & LOCKOUTS

#### BASE COLOR

B4021 CUS PC. CUSTOM POWDER COAT COLOR. SEND SAMPLE OF COLOR. WE WILL DO OUR BEST TO MATCH IT!

B4046 NON-BLACK SAF. PAINT SEAT, ARMS AND FRONT RIGGING SAME COLOR AS REST OF CHAIR. DOES NOT INCLUDE MOST BOLTED ON PARTS SUCH AS THE SEAT PAN, HAND CONTROL MOUNT, FORKS, FOOTREST EXTENSIONS, ETC. ONLY LOWER ARM ASSEMBLIES ARE PAINTED THE SAME COLOR AS THE BASE. UPPER ARM ASSEMBLIES ARE BLACK. FOOTREST BRACKETS ARE PAINTED SAME COLOR AS BASE IF FOOTRESTS ARE ORDERED. LEGREST BRACKETS AND HANGERS ARE PAINTED SAME COLOR AS BASE IF LEGRESTS ARE ORDERED. FOOTREST AND LEGREST EXTENSIONS ARE BLACK.

### FRAME REINFORCEMENTS

#### REAR WHEEL OFFSET (RWO)

Stk# Note

B4301 STD RWO. STANDARD REAR WHEEL OFFSET. HORIZONTAL DISTANCE FROM CENTER OF BACKPOST TO CENTER OF REAR WHEELS. BOUNDER 300, BOUNDER PLUS 300: 2.1" RWO. BOUNDER 450: 1.1" RWO, BIG BOUNDER 600: 1.1" RWO, BIG BOUNDER 1000:1.1".

B4302 CRWO. CUSTOM REAR WHEEL OFFSET. SPECIFY THE OFFSET IN INCHES YOU REQUIRE. A CUSTOM REAR WHEEL OFFSET MAY BE NEEDED TO DISTRIBTUE USER WEIGHT CORRECTLY ON THE CHAIR.

### SEAT DEPTH

B4421 STD SD. STD SEAT DEPTH. 16" DEEP IS STANDARD FOR MOST CHAIRS (WITHOUT SEATING SYSTEMS) WITH THE BACK UPHOLSTERY MOUNTED ON THE BACK OF THE BACKPOSTS. IF A POWER TILT AND/OR RECLINE IS ORDERED, THE BACK UPHOLSTERY IS MOUNTED ON THE FRONT OF THE BACKPOSTS. TO COMPENSATE, THE STANDARD TILT AND/OR RECLINE SEAT DEPTH IS LENGTHENED TO 17". THE EFFECTIVE DEPTH REMAINS THE SAME FROM THE FRONT EDGE OF THE SEAT PAN OR SEAT UPHOLSTERY TO THE FRONT OF THE BACK UPHOLSTERY. 16" 17" & 18" SEAT DEPTHS AVAILABLE WITH SHORT BASE. 18" SEAT DEPTH AVAILABLE WITH LONG BASE.

### SEAT WIDTH

B4522D BB1000 XWIDE SW. BIG BOUNDER 1000 EXTRA WIDE SEAT WIDTH. REQUIRED ON ALL H-FRAME BIG BOUNDER CHAIRS WITH 30" & WIDER SEATS. SPECIFY SEAT WIDTH (30"-48", 1" INCREMENTS); OVERALL BASE WIDTH FROM OUTSIDE OF DRIVE WHEEL TO OUTSIDE OF DRIVE WHEEL WILL BE .5" LESS THAN THE SEAT WIDTH (E.G., 29.5" OVERALL BASE WIDTH FOR A 30" WIDE SEAT).

### SEAT HEIGHT

NOTE THAT THE SEAT HEIGHT AT FRONT CAN BE LOWERED 1" BY CHANGING THE POSITION OF THE FRONT WHEELS IN THE SUSPENSION FORKS. THIS ALSO CHANGES THE TILT OF THE SEAT.

B4606 CAPT SH. STANDARD 22" OR 24" CAPTAIN'S SEAT HEIGHT. FOR CHAIRS WITH CAPTAIN'S SEATS. CERTAIN CONFIGURATIONS OF SEATING SYSTEMS MAY INCREASE THE EFFECTIVE SEAT-TO-FLOOR HEIGHT FROM 22" TO 24". SPECIFICALLY, IF A SEAT ELEVATOR IS COMBINED WITH A CAPTAIN'S SEAT THE SEAT-TO-FLOOR HEIGHT BECOMES 24". CONTACT FACTORY FOR ADDITIONAL INFORMATION.

B4618 CST. CUSTOM SEAT TILT (RAKE). SPECIFY SEAT RAIL HEIGHT ABOVE GROUND AT FRONT AND REAR.

### BACKPOST STYLE & HEIGHT

B4709 CUS BH. CUSTOM 90 DEG BACK HEIGHT W/ 7 DEG BEND (15"-24") (SPECIFY HEIGHT:). CUSTM HEIGHT BACKPOST FOR USE WITH BACK MOUNTED UPHOLSTERY OR SOLID BACKS WITH ADJUSTABLE HARDWARE. PUSH HANDLES ARE BENT AT TOP OF BACKPOST. STANDARD BACK BEND HEIGHT IS 9.5" ABOVE THE SEAT RAILS FOR ALL NON-RECLINING BACK HEIGHTS.

B4713 CBHWSBA. CUSTOM BACK HEIGHT W/WELDED SEAT-TO-BACK ANGLE (SPECIFY HEIGHT:). FOR CHAIRS WITHOUT TILT OR RECLINE SYSTEMS. SPECIFY BACK HEIGHT AND SEAT TO BACK ANGLE BETWEEN SEAT RAIL AND BACKPOST FROM 90 DEGREES (VERTICAL) TO 180 DEGREES (HORIZONTAL).

### CAPTAIN'S BACK HEIGHT

B4731 STD CAPT BH. STANDARD CAPTAIN'S BACK HEIGHT. MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK.

B4732 CUS CAPT BH. CUSTOM CAPTAIN'S BACK HEIGHT (SPECIFY HEIGHT:). SPECIFY BACK HEIGHT FROM 12" TO 28" MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK, IN 1" INCREMENTS.

### HEADRESTS

B4804 CSHR. CUSTOM SIZE OR STYLE HEADREST FOR ACPHR. ANY SIZE BUT STANDARD 5" HIGH X 10.5" WIDE WITH ADJUSTABLE CURVE FOR ACPHR.

### FRONT RIGGING

B5002 FR60. 60 DEG SWINGAWAY FOOTRESTS. FOR H-FRAMES: REQUIRED ON MOST SHORT BASE CHAIRS WITH 15" AND 16" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. REQUIRED ON MOST LONG BASE CHAIRS WITH 18" OR 19" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS.

B5004 FR90. 90 DEG SWINGAWAY FOOTRESTS. MOST OFTEN USED ON CHAIRS FOR CHILDREN OR USERS WITH VERY SHORT LEGS. BOTTOM OF FOOTPLATE IS USUALLY ADJUSTED TO BE ABOVE THE CASTER WHEEL TIRE, BUT CFR (CUSTOM FRONT RIGGING) CAN BE ORDERED IF CUSTOM FEATURES ARE NEEDED. FR90 FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED. MAXIMUM DISTANCE FROM TOP FRONT OF SEAT RAIL TO TOP OF FOOTPLATE IS TYPICALLY 13" ON A 21" SEAT HEIGHT CHAIR.

B5005 LRL. LOW PROFILE ELEVATING LEGRESTS (E0990). LOW PIVOT AT SEAT LEVEL BELOW THE KNEE DESIGN. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS. LRL WILL NOT ELEVATE COMPLETELY WITH DIPLR.

B5007 LRH. HIGH PROFILE (GOOSENECK) ELEVATING LEGRESTS (E0990). HIGH PIVOT (GOOSENECK) AT KNEE LEVEL DESIGN. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS.

B50079 LRH90. 90 DEGREE HIGH PROFILE ELEVATING LEGRESTS. UTILIZES A LRH BRACKET AND A LRL HANGER. THIS ALLOWS THE USER TO GET HIS/HER FEET CLOSER TO THE CASTERS REDUCING THE OVERALL CHAIR LENGTH. NOTE: THE LEGRESTS MUST BE RAISED IN ORDER FOR THE CASTERS TO CLEAR THE LEGRESTS. THESE LEGRESTS FUNCTION BEST WHEN USED WITH DIPLR OR DIPLR HD.

B5009 DIPLR HD. HEAVY DUTY DUAL INDEP POWER ELEV LEGRESTS (ACTUATORS, SW BOX, LEGRESTS W/ RLR). REQUIRED FOR ALL DIPLR USERS WHO ARE OVER 450 LB OR FOR DIPLR USERS WHO PUT UNUSUAL FORCES ON THEIR LEGRESTS. DIPLR HD HEAVY DUTY DUAL INDEPENDENT POWER LEGRESTS INCLUDES

# BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
	LRL OR LRH ELEVATING LEGRESTS PLUS RLR REINFORCED ELEVATING LEGRESTS.
B5014N	RFR NC. REINFORCED FOOTRESTS N/C. INCLUDED AT NO CHARGE WITH POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS.
B5016N	RLR NC. REINFORCED ELEVATING LEGRESTS N/C. INCLUDED AT NO CHARGE WITH POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS AS WELL AS DIPLR HD OPTION.
B5018	OFFSET FR. OFFSET FRONT RIGGING (SPECIFY OFFSET). SPECIFY PORTION OF FOOTREST/LEGREST TO BE OFFSET. THE FOOTREST/LEGREST BRACKET OR EXTENSION MAY BE OFFSET EITHER INWARD OR OUTWARD. SPECIFY THE OFFSET TO THE NEAREST 1/2 INCH. PRICE DOES NOT INCLUDE FRONT RIGGING.
B5023	QRL. QUAD RELEASE LEVERS. FRONT RIGGING RELEASE LEVERS EXTENDED TO OUTSIDE OF CHAIR.
B5035	CUS CM FB. CUSTOM CENTER MOUNT, ANGLE ADJUSTABLE FOOTBOARD. MOUNTS IN CENTER OF CHAIR. FLIPS UP TOWARD THE CENTER OF THE CHAIR. SPECIFY WIDTH OF FOOTBOARD. CAUTION: THE USER MUST ALWAYS WEAR SHOES OR FOOT PROTECTION. CONTACT FACTORY FOR ADDITIONAL INFORMATION.
B5041	FPHL. HEEL LOOPS. HEEL LOOPS ARE INSTALLED IN THE NORMAL POSITION ON THE FOOTPLATE UNLESS YOU ADVISE US OTHERWISE.
B5042	FPAS. ANKLE STRAPS. DUE TO THE WIDE RANGE OF FOOT SIZES, ANKLE STRAPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE STRAPS ON THE FOOTPLATES.
B5043	FPTL. PAIR OF TOE LOOPS. DUE TO THE WIDE RANGE OF FOOT SIZES, TOE LOOPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE TOE LOOPS ON THE FOOTPLATES.
B5047	CALF FLAT. FLAT CALF PADS. SPECIFY WIDTH AND HEIGHT TO NEAREST INCH.

## ARMS

B5110	DL SL ARM. DESK LENGTH SLIDING ARMS. DESK LENGTH SLIDING ARM GLIDES BACK AND DOWN UPON A FIXED LOWER ARM AS THE SEAT RECLINES. STATIONARY LOWER ARMS ARE DETACHABLE, CAN BE ADJUSTED IN HEIGHT AND HAVE SIDE PANELS (MODESTY PANELS). HEIGHT ADJUSTMENT RANGE IS FROM APPROXIMATELY 11" MINIMUM TO 16" MAXIMUM ABOVE THE SEAT RAILS. USUALLY INSTALLED ON RECLINERS ONLY.
B5111	FL SL ARM. FULL LENGTH SLIDING ARMS. SIMILAR TO DESK LENGTH SLIDING ARMS ABOVE EXCEPT FULL LENGTH.
B5112C	DL SS ADJ ARM CS. DESK LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAIN'S SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5" .
B5112R	DL SS ART ARM. DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN TO TOP OF ARMREST PAD.
B5113C	FL SS ADJ ARM CS. FULL LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAIN'S SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5" .
B5113R	FL SS ART ARM. FULL LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN TO TOP OF ARMREST PAD.
B5131	RAT. REINFORCED ARM TIPS. ARM TIPS ARE SOLID STEEL INSTEAD OF TUBING. NO CHARGE WITH BIG BOUNDER 1000.
B5133	CAD. CUSTOM ARM DEPTH. CUSTOM ARM DEPTH IS CHARGED FOR ARM DEPTHS THAT ARE NOT ON INCH CENTERS OR DO NOT CORRESPOND TO THE CHAIR FRAME DEPTH.
B5134	CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE!

## ARMREST PADS

B5141	STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC BASE WITH NAUGAHYDE COVERED FOAM. NOT AVAILABLE IN FABRIC.
B5142	WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF INSTALLED ON SELF-SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS.
B5143	TROUGH ARP. TROUGH ARMREST PADS. AVAILABLE IN NAUGAHYDE OR FABRIC.
B5144	FLAT ARP. 3.5" WIDE FLAT ARMREST PADS. WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC.
B5145	NARROW FLAT ARP. 2" WIDE NARROW FLAT ARMREST PADS. 2" WIDE FLAT PAD WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC.

## WHEELCHAIR SEATS & SEAT CUSHIONS

B5242	SMP SEAT CUSHION. UPHOLSTERED FOAM SEAT CUSHION (UP TO 3"). SPECIFY FOAM THICKNESS: 1" TO 3" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMP SEAT FLAT. VELCRO IS ATTACHED TO SMP SEAT FLAT AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN.
-------	---

Stk#	Note
B5262A	SPEC SEAT FOAM. SPECIAL SEAT FOAM (SUNMATE)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. IF STANDARD FOAM IS ORDERED IN COMBINATION WITH SPECIALTY FOAM, THE STANDARD FOAM IS ONLY AVAILABLE IN EVEN INCH INCREMENTS.

## WHEELCHAIR BACKS & BACK CUSHIONS

B5342	SMP BACK CUSHION. UPHOLSTERED FOAM BACK CUSHION (UP TO 2"). SPECIFY FOAM THICKNESS: 1" - 2" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMPB FLAT OR SMB CURVED. VELCRO IS ATTACHED TO THE SEAT PAN AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN.
B5362A	SPEC BACK FOAM. SPECIAL BACK FOAM (SUNMATE)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. IF STANDARD FOAM IS ORDERED IN COMBINATION WITH SPECIALTY FOAM, THE STANDARD FOAM IS ONLY AVAILABLE IN EVEN INCH INCREMENTS.

## UPHOLSTERY COLOR

IF FABRIC UPHOLSTERY IS ORDERED BLACK NAUGAHYDE CALF PADS AND/OR ARMREST PADS WILL BE SUPPLIED UNLESS CALF FLAT, CALF TROUGH, CALF CUSTOM, TROUGH ARP, FLAT ARP, NARROW FLAT ARP, OR CARP ARE ORDERED.

## CONTROL BOXES & REMOTE DISPLAY

### HAND & CHIN CONTROL MOUNTS & EXTENSIONS

B6115	SA EXT. SWINGAWAY HAND CONTROL EXTENSION SLIDE (E1028). VERY STURDY. SWINGS OUT TO SIDE AND BACK.
B6116	MIDLINE HC M&E. MIDLINE HAND CONTROL MOUNT & EXTENSION SLIDE. SWINGS UP TO SIDE. SPECIFY LEFT OR RIGHT MOUNT AND DISTANCE FROM FRONT OF BACK TO CENTER OF HAND CONTROL.
B6172	CUS EXT SLIDE. CUSTOM EXTENSION SLIDE. STRAIGHT, CUSTOM HEIGHT, ETC. TELL US WHAT YOU NEED.

## LINX PROGRAMMABLE ELECTRONICS

B6472	DLX REM500. LINX COLOR TOUCH SCREEN DISPLAY REMOTE. FOR USE WITH MOST SPECIALTY SWITCH CONTROLS AND SECONDARY REMOTES SUCH AS A CHIN CONTROL. ORDER SPECIALTY CONTROL SEPARATE.
B6473	DLX IN500. LINX INPUT MODULE (DRIVE CONTROL & SWITCH INPUT). FOR USE WITH DLX-REM500.

## R-NET PROGRAMMABLE ELECTRONICS

B6520	R-NET OMNI2. R-NET OMNI2 SPECIALTY CONTROLS INTERFACE. FOR USE WITH MOST SPECIALTY SWITCH CONTROLS. ORDER SPECIALTY CONTROLS SEPARATE.
-------	--

## SWITCHES

### DRIVE MODULE MOUNTS

B6702	USM HF. DRIVE MODULE MOUNTED UNDER WHEELCHAIR SEAT. DRIVE MODULE MOUNTED HORIZONTALLY UNDER SEAT PAN. SOMETIMES, ALTERNATE LOCATIONS ARE NECESSARY, DEPENDING UPON THE EXACT CHAIR CONFIGURATION.
-------	---

## RESPIRATOR & OXYGEN BOTTLE MOUNTS

B6801	RESP SHELF. FIXED POSITION RESPIRATOR SHELF. VERY STURDY SHEET METAL SHELF IS WELDED IN PLACE ON BACKPOST TUBING, USUALLY JUST BELOW PUSH HANDLES. APPROXIMATELY 20" WIDE X 10" DEEP. CUSTOM SIZES AVAILABLE. PUSH HANDLES SOMETIMES FLARED FOR CLEARANCE ON NARROW CHAIRS. CONTACT FACTORY FOR MORE INFORMATION.
B6803	RESP GIMBAL SHELF. GIMBAL-MOUNTED RESPIRATOR SHELF. FOR CHAIRS WITH TILT AND RECLINE THAT REQUIRE THAT RESPIRATOR BE KEPT APPROXIMATELY LEVEL WITH GROUND.
B6811	RESP BBOX U1. SINGLE U1 BATTERY BOX MOUNTED ON SHELF (SPECIFY LOCATION; FOR RESPIRATORS). SHELF USUALLY LOCATED UNDER SEAT NEAR FRONT OF CHAIR. REMOVABLE U1 BATTERY BOX IS HELD ON TRAY WITH A STRAP. ALTERNATE LOCATIONS SUCH AS ON THE SHELF NEXT TO OR BELOW THE RESPIRATOR ARE ALSO AVAILABLE. CONTACT FACTORY FOR MORE INFORMATION.

## MOTORS & BRAKES

### DRIVE WHEEL OPTIONS

B7055B	DW 13X4BFF KNOBBY. 13"x4.00" BLACK KNOBBY FOAM FILLED DRIVE TIRES ON METAL WHEELS. FOR BIG BOUNDER H-FRAMES WITH POWER 1000 OPTION ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15"x4" AND 12.75"x4".
--------	---

## TOP SPEED SETTINGS

TOP SPEEDS CAN VARY BY AS MUCH AS 10% BASED ON CHAIR CONFIGURATION, TIRE CHOICE AND USER WEIGHT.

## CASTER WHEEL & FORK OPTIONS

### CASTER TIRE & TUBE OPTIONS

### VEHICLE TIEDOWNS

B7604	4P TD. 4-POINT WHEELCHAIR TRANSPORT TIEDOWN. HAS NOT YET RECEIVED WC-19 CRASH-TESTING APPROVAL.
-------	---

## BATTERY BOXES

### BATTERIES

### BATTERY CHARGERS

### ACCESSORIES

B8006	HF LP. LED SAFETY ILLUMINATION PACKAGE FOR ALL H-FRAMES. INCLUDES LED HEADLAMP AND SWITCH. LED TAILLIGHTS ARE BUILT INTO THE H-FRAME BASE.
B8007	HL2. 2ND LED HEADLAMP. CURRENT DRAW FOR COMPLETE TWO HEADLAMP SYSTEM: 1.0A @ 24V.



# BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk#	Note
B8010	AMBER FLASHER. LED AMBER SAFETY FLASHERS (1 FLASHER MOUNTED IN REAR/1 MOUNTED IN FRONT). SAFETY AMBER FLASHER ALLOWS INCREASED VISIBILITY WHILE DRIVING AT NIGHT.
B8021	HORN. 24V SAFETY AUDIO ALERT. THIS 24V HORN IS LOUD! THE CONTROL SWITCH (HORN BUTTON) CAN BE MOUNTED ON THE WHEELCHAIR TUBING AT ANY CONVENIENT LOCATION. COMPATIBLE WITH MOST 24V POWER WHEELCHAIRS. TOGGLE SWITCH TYPE HORN BUTTON WILL BE SUPPLIED UNLESS YOU SPECIFICALLY REQUEST A PUSH-BUTTON SWITCH.
B8032	LB2. ELECTRIC LEG BAG EMPTIER 2. ELECTRIC LEG BAG EMPTIER 2 ALLOWS THE USER TO DRAIN HIS/HER LEG BAG WITHOUT ASSISTANCE. THIS PACKAGE INCLUDES A 24V ELECTRIC PINCH VALVE WITH MANUAL RELEASE TAB THAT IS USUALLY STRAPPED AROUND THE USER'S ANKLE, THOUGH IT CAN BE MOUNTED ON A FOOTPLATE. A DRAIN TUBE EXTENSION THAT IS ATTACHED TO THE LEG BAG DRAIN TUBE IS PINCHED BY THE VALVE. THE LB2 VALVE DOES NOT REQUIRE INTERNAL CLEANING. THE SYSTEM INCLUDES A MOMENTARY TOGGLE SWITCH THAT CAN BE MOUNTED ANYWHERE ON THE WHEELCHAIR TUBING, AND A FUSED BATTERY CABLE. THE SWITCH AND VALVE INCLUDE QUICK DISCONNECT ANDERSON CONNECTORS SO THAT THE WHEELCHAIR FRONT RIGGING AND ARMS CAN BE REMOVED FOR TRANSFER AFTER THE SYSTEM IS INSTALLED. THE LEG BAG DRAIN TUBE EASILY THREADS THROUGH THE PINCH VALVE. LEG BAG AND FRONT RIGGING ARE NOT INCLUDED. KITS FOR CONTROLLING ELECTRIC LEG BAG EMPTIERS BY AN ECU SYSTEM ARE AVAILABLE AT ADDITIONAL COST. PRICE INCLUDES 6 MONTH WARRANTY. CONTACT THE FACTORY FOR MORE INFORMATION.
B8046	24 TO 12/5PC. 24V TO 12V/5V POWER CONVERTER (5A MAXIMUM LOAD). CONVERTS 24 VOLTS DC TO 12 VOLTS DC AND 5 VOLTS DC, PROVIDING UP TO 5 AMPS OF POWER. THIS ALLOWS SOME 12 AND 5 VOLT ACCESSORIES TO BE INSTALLED ON THE WHEELCHAIR OR CART. INCLUDES ONE ROUND 12V CONNECTOR AND TWO 5V USB CHARGING PORTS.
B8063	GUN MOUNT. HEIGHT & ANGLE ADJUSTABLE GUN MOUNT WITH RIFLE REST. INCLUDES CENTER MOUNT SQUARE RECEIVER WELDED UNDER SEAT SO GUN MOUNT CAN EASILY BE ATTACHED AND REMOVED WHEN NOT BEING USED. HEIGHT ADJUSTABLE, ANGLE ADJUSTABLE AND UNIVERSAL FOR LEFT AND RIGHT HANDED SHOOTERS.
B8083	TOOL KIT. TOOL KIT. INCLUDES COMMON TOOLS USED TO MAKE ADJUSTMENTS AND MINOR REPAIRS ON CHAIR.
B8091	MIRROR. REAR VIEW MIRROR. THIS DETACHABLE REAR VIEW MIRROR HAS A WIDE ANGLE CONVEX HEAD THAT ALLOWS USERS TO SEE TO THE REAR WITHOUT TURNING THEIR HEAD. IT INCREASES SAFETY IN TRAFFIC AND IS ALSO HANDY WHEN BACKING INTO OR OUT OF ELEVATORS. THE MIRROR COMES WITH A QUICK DETACH BRACKET.
B8127	WC JACK. WHEELCHAIR JACK. USED TO LIFT REAR OF THE WHEELCHAIR IN THE AIR TO CHANGE TIRES OR WHEELS.
B8132	SW MOUNT BAR. SWITCH MOUNT BAR FOR ACCESSORY SWITCHES. FOR USE ON CHAIRS WITH SELF-SUPPORTING ARMS AND HAS EITHER POWER SEATING SYSTEM SWITCH CONTROLS OR ACCESSORY CONTROLS. SPECIFY LEFT OR RIGHT SIDE MOUNT.

## SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

CAUTION! DO NOT USE AS SEAT BELTS OR RESTRAINTS IN LICENSED VEHICLES. POSITIONING STRAPS ARE TO BE USED ONLY FOR HOLDING USER IN POSITION WHILE DRIVING THE WHEELCHAIR.

B8211 PS CUS S. CUSTOM SEAT MOUNT POSITIONING STRAP (SPECIFY BUCKLE TYPE AND LENGTH). REQUIRED FOR ANY POSITIONING STRAP THAT IS NOT 45" OR 60" LONG. SPECIFY BUCKLE TYPE AND LENGTH.

## CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

### WARRANTIES AND SPECIAL SERVICE OPTIONS

#### STANDARD WARRANTIES

B9032 BB PWC WAR. BIG BOUNDER POWER WHEELCHAIR STANDARD WARRANTY. ONE YEAR WARRANTY ON ENTIRE BIG BOUNDER POWER WHEELCHAIR. FIVE YEAR H-FRAME BASE WARRANTY. TWO YEAR H-FRAME SEAT WARRANTY. FIVE YEAR SUPER TORQUE MOTORS AND BRAKE DRIVE TRAIN WARRANTY (INCLUDES MOTORS, BRAKES, DRIVE WHEELS AND DRIVE WHEEL SPROCKETS, BUT EXCLUDES DRIVE CHAINS, TIRES, MOTOR SPROCKETS, INNER TUBES AND BEARINGS). THIS IS A LIMITED WARRANTY AND SOME RESTRICTIONS APPLY.

#### EXTENDED WARRANTIES

B9101 EL2 EWAR. EXTEND ELECTRONICS WARRANTY TO 2 YEARS. FOR BOUNDER AND BIG BOUNDER CHAIRS ONLY. ALREADY INCLUDED ON BOUNDER PLUS CHAIRS.

#### SPECIAL SERVICE OPTIONS

B9301 EBO. EMERGENCY BUILD ORDER. BUILD AND SHIP CHAIR AS FAST AS POSSIBLE. CONTACT FACTORY FOR DELIVERY AND UP CHARGE.

B9302 EEC. ENGINEERING AND EVALUATION CHARGE. CHARGE FOR ENGINEERING AND EVALUATING VERY INVOLVED CUSTOM CHAIRS. CONTACT FACTORY FOR PRICING.