

BIG BOUNDER 1000 POWER WHEELCHAIR

Sales & Service:
(800) 448-3680
(208) 667-8800
21st@wheelchairs.com
www.wheelchairs.com



____ Quote ____ Order PO#: _____

____ ID/ Company _____

____ Address _____

____ City, St Zip _____

____ Attention _____

____ Email _____

____ Phone _____

| | | | | |
|--|---|---|--|-----------------------------------|
| U S E R D A T A | Name: _____ Ht: ____' ____" Wt: ____lbs. DOB: _____ Disability: _____ | | | |
| | ____" Hip Width | Driving Skills: good fair poor | | Judgment: good fair poor |
| | ____" Chest Width | Previous Chair (make & model): _____ | | |
| | ____" Back to Knee | Other Information: _____ | | |
| | ____" Top of Shoulder | _____ | | |
| | ____" Seat to Elbow | _____ | | |
| | ____" Knee to Heel | _____ | | |
| | ____" Elbow to Hand | _____ | | |
| ____" Seat Cushion Thickness | Gluteal Shelf: (Y / N) Height: ____" Depth: ____" | | | |

| | | | | | |
|--|--------------------------|--|--|--|--|
| N E W C H A I R D A T A | ____" Seat Width | Desired Top Speed: _____ | | | |
| | ____" Back Width | Power Seating Needed: Recline Tilt Elevate Other _____ | | | |
| | ____" Seat Depth | Other Notes: _____ | | | |
| | ____" Seat Height | _____ | | | |
| | ____" Back Height | _____ | | | |
| | ____" Backpost Height | _____ | | | |
| | ____" Max Overall Width | _____ | | | |
| | ____" Max Overall Length | _____ | | | |

Completed By: _____ Date: _____ Phone: _____ Email: _____

BIG BOUNDER 1000 ORDER/QUOTE FORM

BIG BOUNDER 1000 POWER WHEELCHAIR

STANDARD FEATURES

- Independent drive wheel suspension
- For users up to 1000 lb *(or for those who are tough on equipment)*
- 26" to 36" seat widths in 1" increments
- Durable H-style TIG welded frame using 2.5"x1.5"x0.125" wall steel
- 4.2 MPH top speed
- LINX electronics
- Super Torque 4 motors *(ST4M)*
- Ultra Quiet brakes with mechanical releases
- Sliding dual group 24 battery box
- LiNX 110 remote hand control
- • Xtra Duty adjustable suspension forks
- Xtra Duty caster barrels and suspension forks *(1" fork stems & bearings ID's)*
- 9"x3.50" aluminum caster wheels
- 13"x4.00" steel/aluminum drive wheels
- Foam filled caster tires and drive wheel tires
- Gray or black tires
- 0.120" wall seat rails and back posts
- Black powder coated frame
- Sheet metal seat pan
- 70° swingaway footrests
- Automatic chain tensioners
- Flip-up self-supporting arms w/ standard armrest pads
- Anti-tipping wheelie wheels
- Fully automatic 8A charger
- Push button seat positioning strap
- Detailed Owner's Manual
- Easy to service and maintain

POPULAR OPTIONS

- Front Rigging *(footrests or legrests, each with many options)*
- Center Mount Footboard
- Arm options
- Headrests
- R-net electronics
- Power seating systems: recline, tilt, anterior tilt & seat elevator
- (2) or more power seating systems combined on same chair
- Dual Independent Power Elevating Legrests *(DIPLR)*
- Power Elevating, Articulating Center Mount Footboard *(PEACM FB)*
- Joystick control of power seating
- Programmer for electronics
- Colored frame *(non-black)*
- Specialty controls *(switch controls, head arrays, etc.)*
- Frame reinforcements
- Custom seat depth, seat height, back height, etc.
- Seating & positioning options
- Hand/chin control customizations & mounting options
- LED Lighting package with built-in taillights *(it's 24V and bright!)*
- Electric horn *(it's LOUD)*
- Positioning straps
- Extended 2 or 3 year warranty

WARRANTY*

- (1) year warranty on entire chair
- (5) year warranty on Super Torque 3 & 4 Motor & Brake drive trains**
- (5) year H-Frame base warranty
- (2) year H-Frame seat warranty

** Limited warranties – some restrictions apply. See complete warranty for more information*

DRIVE TRAIN CONFIGURATION NOTE:

Top speeds above are estimated. Depending on configuration, your chair may be faster or slower. Chair configuration, patient weight, tire choices and battery condition can affect the chair's top speed.

INSTRUCTIONS FOR FILLING OUT THIS FORM:

Thank you for choosing 21st Century SCIENTIFIC, Inc. Since our products tend to be custom, this order/quote form is very detailed. As you complete this form, you will be specifying each parameter of the equipment to be ordered. Accordingly, be patient and review each section carefully. No charge and standard items are usually located near the top of each section, but not always. Check the standard items as well as the custom options in each section to make sure you have not missed anything. You may email this form to us at 21st@wheelchairs.com for review. A detailed written quote will be emailed back to you. If you need assistance filling out this form (or simply prefer us to do it for you), contact our sales department at (800) 448-3680. There is no charge for our assistance and written quotations.

HCPCS codes are not intended to be, nor should they be considered, legal or billing advice. Use of the codes does not ensure coverage or payment for the item. Always verify coverage information with the pay source, attorney or other consultant as needed.

BIG BOUNDER 1000 ORDER/QUOTE FORM

BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF *, SEE NOTE LISTED BY STOCK
NUMBER ON LAST PAGES

| Part Number | Stock Qty Number | Part Description | Suggested Retail Price |
|-------------|---------------------|------------------|---------------------------|
|-------------|---------------------|------------------|---------------------------|

BASE CONFIGURATION

BIG BOUNDER 1000

| | | | |
|-----------|-----------|---|-------------|
| * BB1000 | ___ B015A | BIG BOUNDER 1000 Power Wheelchair, no power seating | \$18,495.00 |
| * BB1000S | ___ B015B | BIG BOUNDER 1000 Power Wheelchair, single power seating option | \$16,495.00 |
| * BB1000M | ___ B015C | BIG BOUNDER 1000 Power Wheelchair, multiple power seating options | \$15,495.00 |

CONSTRUCTION OPTIONS

BASE WIDTH

| | | | |
|--------------------|-----------|---|-----------|
| * WIDE BASE WIDTH | ___ B151W | Wide base width (28.5" overall width) | No Charge |
| * XWIDE BASE WIDTH | ___ B151X | Xtra wide base width (overall width: see notes) | \$540.00 |

BASE LENGTH

| | | | |
|----------------|-----------|---|-----------|
| * SHORT BASE | ___ B202 | Short H-Frame power base | Standard |
| * LONG BASE NC | ___ B203N | Long H-Frame power base (no charge) | No Charge |
| * XLONG BASE | ___ B203X | Xtra Long H-Frame power base | \$650.00 |
| * HF ROW | ___ B206 | Reduce overall width by installing control box on inside of arm | No Charge |

SUSPENSION

| | | | |
|---------------------|-----------|---|-----------|
| IDWS NC | ___ B209B | Independent drive wheel suspension, no charge | Standard |
| * BLACK IDWS SPRING | ___ B209F | Black IDWS springs (for users 401 lb and greater) | No Charge |

* 21st POWER SEATING SYSTEMS

Single Power Seating Systems

| | | | |
|------------|-----------|---|-------------|
| * PRS 40 | ___ B301B | 40 degree power recline system (E1003) | \$5,995.00 |
| * SBPRS 40 | ___ B303B | 40 degree sliding back power recline system (E1004) | \$7,295.00 |
| * PTS 30 | ___ B305B | 30 degree power tilt system (E1002) | \$5,750.00 |
| PRS PTS | ___ B321 | Power recline & power tilt | \$10,495.00 |

POWER SEATING OPTIONS, HEAVY DUTY UPGRADES & LOCKOUTS

| | | | |
|-----------|----------|---|------------|
| PS XHD | ___ B362 | Pwr seating xtra heavy duty upgrade (users over 450 lbs)(each system) (K0108) | \$2,530.00 |
| PSS BOOST | ___ B379 | Power seating system booster | \$550.00 |

BASE COLOR

| | | | |
|-------------------|-----------|-------------------------------|----------|
| BLACK | ___ B4001 | Standard black powder coat | Standard |
| RED | ___ B4002 | Red powder coat | \$178.00 |
| BLUE | ___ B4003 | Blue powder coat | \$178.00 |
| DARK GREEN | ___ B4004 | Dark green powder coat | \$178.00 |
| YELLOW | ___ B4005 | Yellow powder coat | \$240.00 |
| LIGHT GRAY | ___ B4006 | Light gray powder coat | \$178.00 |
| WHITE | ___ B4007 | White powder coat | \$178.00 |
| TEAL | ___ B4008 | Teal powder coat | \$178.00 |
| LAVENDER | ___ B4009 | Lavender powder coat | \$178.00 |
| PINK | ___ B4010 | Pink powder coat | \$178.00 |
| HEMI ORANGE | ___ B4011 | Hemi orange powder coat | \$178.00 |
| SILVER HAMMERTONE | ___ B4012 | Silver Hammertone powder coat | \$178.00 |

IF *, SEE NOTE LISTED BY STOCK
NUMBER ON LAST PAGES

| Part Number | Stock Qty Number | Part Description | Suggested Retail Price |
|-------------|---------------------|------------------|---------------------------|
|-------------|---------------------|------------------|---------------------------|

Premium Colors

| | | | |
|------------------|-----------|--|----------|
| RED OVER CHROME | ___ B4015 | Translucent red over chrome powder coat | \$380.00 |
| BLUE OVER CHROME | ___ B4016 | Translucent blue over chrome powder coat | \$380.00 |
| * CUS PC | ___ B4021 | Custom powder coat color | \$520.00 |
| * NON-BLACK SAF | ___ B4046 | Paint seat, arms and front rigging same color as rest of chair | \$380.00 |

FRAME REINFORCEMENTS

| | | | |
|---------|------------|--|-----------|
| SBP NC | ___ B4109N | Solid backposts N/C | No Charge |
| CBPT NC | ___ B4113N | Cross strut between backpost handle tips N/C | No Charge |

REAR WHEEL OFFSET (RWO)

| | | | |
|-----------|-----------|----------------------------|----------|
| * STD RWO | ___ B4301 | Standard rear wheel offset | Standard |
| * CRWO | ___ B4302 | Custom rear wheel offset | \$632.00 |

SEAT DEPTH

| | | | |
|----------|-----------|---|------------|
| * STD SD | ___ B4421 | Std seat depth ___ 16" ___ 17" ___ 18" ___ 19" ___ 20" | Standard |
| XLONG SD | ___ B4425 | X-long seat depth ___ 21" ___ 22" ___ 23" | \$1,250.00 |

SEAT WIDTH

| | | | |
|-------------------|------------|---|------------|
| BB1000 STD SW | ___ B4521E | Standard BB1000 seat width (26"-30") ___ 26" ___ 27" ___ 28" ___ 29" ___ 30" | Standard |
| * BB1000 XWIDE SW | ___ B4522D | Big Bounder 1000 extra wide seat width (31" & wider; specify width: _____) | \$1,250.00 |

* SEAT HEIGHT

| | | | |
|-----------|------------|---|-----------|
| STD SH | ___ B4601M | Bounder standard seat height ___ 19" ___ 20" ___ 21" | Standard |
| * CAPT SH | ___ B4606 | Standard 22" or 24" captain's seat height | No Charge |
| * CST | ___ B4618 | Custom seat tilt (rake) | \$575.00 |

BACKPOST STYLE & HEIGHT

| | | | |
|------------------|------------|--|------------|
| STD S945 BH | ___ B4701R | Standard straight backpost height, 94.5 deg ___ 18" ___ 20" ___ 22" ___ 24" | Standard |
| CUS S945 BH | ___ B4701T | Custom straight backpost height, 94.5 deg (specify height: _____) | \$890.00 |
| * CUS BH | ___ B4709 | Custom 90 deg back height w/ 7 deg bend (15"-24") (specify height: _____) | \$890.00 |
| * ASBA | ___ B4712 | Adjustable seat-to-back angle (20 deg of adj) ___ 90 ___ 95 ___ 100 ___ 105 ___ 110 | \$585.00 |
| * CBHWSBA | ___ B4713 | Custom back height w/welded seat-to-back angle (specify height: _____)(specify angle: _____) | \$1,207.50 |
| * ENDOMORPHIC BP | ___ B4715 | Endomorphic (Offset) Backposts (specify back width _____) | \$635.00 |

CAPTAIN'S BACK HEIGHT

| | | | |
|---------------|-----------|---|-----------|
| * STD CAPT BH | ___ B4731 | Standard captain's back height ___ 16" ___ 18" ___ 20" | No Charge |
| * CUS CAPT BH | ___ B4732 | Custom captain's back height (specify height: _____) | \$410.00 |

HEADRESTS

| | | | |
|------------|------------|---|----------|
| ACPHR MB&H | ___ B4802D | Adjustable center post headrest mounting bracket and hardware (less pad)(E1028) | \$296.00 |
| ACPHR PAD | ___ B4802E | Curved foam pad for adjustable center post | \$225.00 |

BIG BOUNDER 1000 ORDER/QUOTE FORM

D.081.01

21st Century SCIENTIFIC, Inc.

Page 3

20th Edition
FEBRUARY 1, 2025

BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF * SEE NOTE LISTED BY STOCK
NUMBER ON LAST PAGES

| Part Number | Stock Qty | Part Description | Suggested Retail Price |
|----------------------|------------|--|------------------------|
| | | headrest (E0955) | |
| * CSHR | ___ B4804 | Custom size or style headrest for ACPHR | Call Factory |
| FRONT RIGGING | | | |
| FR70 NC | ___ B5001N | 70 deg swingaway footrests | Standard |
| * FR60 | ___ B5002 | 60 deg swingaway footrests | \$320.00 |
| FR80 | ___ B5003E | 80 deg swingaway footrests | \$488.00 |
| * FR90 | ___ B5004 | 90 deg swingaway footrests | \$488.00 |
| * LRL | ___ B5005 | Low profile elevating legrests (E0990) | \$488.00 |
| * LRH | ___ B5007 | High profile (gooseneck) elevating legrests (E0990) | \$488.00 |
| * DIPLR HD | ___ B5009 | Heavy duty dual indep power elev legrests (actuators, sw box, legrests w/ RLR) | \$3,220.00 |
| * RFR NC | ___ B5014N | Reinforced footrests N/C | No Charge |
| * RLR NC | ___ B5016N | Reinforced elevating legrests N/C | No Charge |
| * OFFSET FR | ___ B5018 | Offset front rigging (specify offset) | \$410.00 |
| CP ON FR | ___ B5020 | Install calf pads on footrests | \$273.00 |
| * QRL | ___ B5023 | Quad release levers | \$97.00 |
| CUS SFP FLIP UP | ___ B5030 | Custom flip-up steel footplates (specify size)(order heel loops separately) | \$354.00 |
| * CUS CM FB | ___ B5035 | Custom center mount, angle adjustable footboard | \$1,150.00 |
| CUS PEACM FB | ___ B5036E | Custom power elevating, articulating center mount footboard | \$2,450.00 |
| * FPHL | ___ B5041 | Heel loops | \$56.00 |
| * FPAS | ___ B5042 | Pair of Ankle straps, uninstalled | \$93.00 |
| * FPTL | ___ B5043 | Pair of toe loops, uninstalled | \$93.00 |
| SLS | ___ B5044 | Single leg (calf) strap, black w/ velcro | \$56.00 |
| HLS | ___ B5045 | H-type leg (calf) strap, black w/ velcro | \$76.00 |
| STD CALF PADS | ___ B5046 | Std calf pads (only w/ LRL, LRH, CP ON FR or CUS PEACM FB) | No Charge |
| * CALF FLAT | ___ B5047 | Flat calf pads | \$164.00 |
| CALF TROUGH | ___ B5048 | Trough calf pads | \$244.00 |
| CALF CUSTOM | ___ B5049 | Custom calf pads | Call Factory |
| RCPM | ___ B5050 | Recessed calf pad mounts (specify 1" or 2") | \$278.00 |
| CCPM | ___ B5051 | Custom calf pad mounts | Call Factory |
| FPRB2 | ___ B5053 | Roller wheel bumpers (2.5" dia wheels mounted under footplates) | \$105.00 |
| RFPE | ___ B5062 | Reduced footplate extension and adjustment range | \$230.00 |
| AAFP | ___ B5072 | Angle adjustable front rigging extensions | \$270.00 |
| CFR | ___ B5081 | Custom front rigging | Call Factory |
| NFR | ___ B5092 | No front rigging | No Charge |
| ARMS | | | |
| DL SS ARM | ___ B5101D | Desk length self supporting (cantilever) arms | Standard |
| FL SS ARM | ___ B5101E | Full length self supporting (cantilever) arms | No Charge |
| DL ART ARM | ___ B5101R | Desk length articulating arms | No Charge |
| FL ART ARM | ___ B5101T | Full length articulating arms | No Charge |
| DLADA | ___ B5103 | Desk length adjustable detachable dual post arms (E0973) | \$285.00 |
| FLADA | ___ B5105 | Full length adjustable detachable dual post arms (E0973) | \$285.00 |
| FLIP UP ARMS | ___ B5107 | Add flip up to DLADA or FLADA | \$380.00 |
| * DL SL ARM | ___ B5110 | Desk length sliding arms | \$570.00 |
| * FL SL ARM | ___ B5111 | Full length sliding arms | \$570.00 |
| * DL SS ADJ ARM CS | ___ B5112C | Desk length self-supporting adj arms for captain's seat | \$630.00 |

IF * SEE NOTE LISTED BY STOCK
NUMBER ON LAST PAGES

| Part Number | Stock Qty | Part Description | Suggested Retail Price |
|--|------------|--|------------------------|
| * DL SS ART ARM | ___ B5112R | Desk length self-supporting adjustable articulating arms (cbl style) | \$690.00 |
| DL SS ART ARM CS | ___ B5112S | Desk length self-supporting adj articulating arms for capt seat (cbl style) | \$690.00 |
| * FL SS ADJ ARM CS | ___ B5113C | Full length self-supporting adj arms for captain's seat | \$630.00 |
| * FL SS ART ARM | ___ B5113R | Full length self-supporting adjustable articulating arms (cbl style) | \$690.00 |
| FL SS ART ARM CS | ___ B5113S | Full length self-supporting adj articulating arms, for capt seat (cbl style) | \$690.00 |
| RAT NC | ___ B5131N | Reinforced arm tips N/C | No Charge |
| CAH | ___ B5132 | Custom arm height | \$230.00 |
| * CAD | ___ B5133 | Custom arm depth | \$172.50 |
| * CARMS | ___ B5134 | Custom arms | Call Factory |
| ARMREST PADS | | | |
| * STD ARMREST PADS | ___ B5141 | Std upholstered armrest pads | Standard |
| * WATERFALL ARP | ___ B5142 | Waterfall armrest pads | \$135.00 |
| * TROUGH ARP | ___ B5143 | Trough armrest pads | \$305.00 |
| * FLAT ARP | ___ B5144 | 3.5" wide flat armrest pads | \$189.00 |
| * NARROW FLAT ARP | ___ B5145 | 2" wide narrow flat armrest pads | \$140.00 |
| CARP | ___ B5146 | Custom armrest pads | Call Factory |
| GELOVATION ARP | ___ B4149 | Gelovation armrest pads (specify size & style) | Call Factory |
| WHEELCHAIR SEATS & SEAT CUSHIONS | | | |
| SMP SEAT | ___ B5205 | Flat powder coated sheet metal pan seat | Standard |
| * SMP SEAT CUSHION | ___ B5242 | Upholstered foam seat cushion (up to 3"; specify thickness: ____) | \$345.00 |
| CAPT SEAT | ___ B5251 | Captain's seat | \$749.00 |
| * SPEC SEAT FOAM | ___ B5262A | Special seat foam (Sunmate)(each 1/2" thickness) | \$145.00 |
| CSSC | ___ B5263 | Custom seat or seat cushion | Call Factory |
| NO SEAT CUSHION | ___ B5271 | No seat cushion supplied | No Charge |
| WHEELCHAIR BACKS & BACK CUSHIONS | | | |
| STD NB | ___ B5302 | No back supplied or attached to backposts | Standard |
| SMPB CURVED ADJ | ___ B5333 | Curved sheet metal pan back w/ adj brackets | \$485.00 |
| * SMP BACK CUSHION | ___ B5342 | Upholstered foam back cushion (up to 2"; specify thickness: ____) | \$365.00 |
| CAPT BACK | ___ B5351 | Captain's back | \$749.00 |
| * SPEC BACK FOAM | ___ B5362A | Special back foam (Sunmate)(each 1/2" thickness) | \$145.00 |
| CBBC | ___ B5363 | Custom back or back cushion | Call Factory |
| SB MOD FLAP | ___ B5369 | Modesty flap, velcros between seat and back upholstery | \$150.00 |
| * UPHOLSTERY COLOR | | | |
| STD BLACK NAUG | ___ B5401 | Standard black Naugahyde upholstery | Standard |
| CONTROL BOXES & REMOTE DISPLAY | | | |
| STD RHC | ___ B6001 | Right hand control | Standard |
| LHC | ___ B6002 | Left hand control | No Charge |
| HAND & CHIN CONTROL MOUNTS & EXTENSIONS | | | |
| STD HC MOUNT | ___ B6111 | Standard hand control mount | Standard |
| STD HC EXT | ___ B6112 | Standard hand control extension slide | Standard |
| * SA EXT | ___ B6115 | Swingaway hand control extension slide (E1028) | \$345.00 |

BIG BOUNDER 1000 ORDER/QUOTE FORM

D.081.01

21st Century SCIENTIFIC, Inc.

Page 4

20th Edition
FEBRUARY 1, 2025

BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF *, SEE NOTE LISTED BY STOCK
NUMBER ON LAST PAGES

| Part Number | Stock Qty Number | Part Description | Suggested Retail Price |
|------------------|---------------------|--|---------------------------|
| * MIDLINE HC M&E | ___ B6116 | Midline hand control mount & extension slide | \$514.00 |
| AC MNT | ___ B6143 | Attendant control mount | \$235.00 |
| CUS CTRL MOUNT | ___ B6171 | Custom control mount | Call Factory |
| * CUS EXT SLIDE | ___ B6172 | Custom extension slide | Call Factory |

ELECTRONICS

LiNX Programmable Electronics

| | | | |
|--------------|------------|---|------------|
| DLX PM120 | ___ B6461 | LiNX 100 120A non-expandable power module | Standard |
| DLX PM120AL | ___ B6462 | LiNX 200 120A expandable power module with actuator and light control (E2377) | \$560.00 |
| DLX EXP HARN | ___ B6463 | Wiring harness for LiNX expandable power module | \$440.00 |
| DLX REM110 | ___ B6466 | LiNX drive only joystick remote | Standard |
| DLX REM216 | ___ B6467 | LiNX LED joystick remote with actuator control | \$560.00 |
| DLX REM400 | ___ B6468 | LiNX joystick remote with 3.5" color touch screen display | \$1,090.00 |
| DLX SW400TGL | ___ B6468T | LiNX paddle style toggle switch module for REM400 | \$560.00 |
| DLX CR400 | ___ B6469 | LiNX compact remote module | \$1,250.00 |
| DLX ACU200 | ___ B6470 | LiNX attendant control module | \$890.00 |
| * DLX REM500 | ___ B6472 | LiNX color touch screen display remote | \$1,250.00 |
| * DLX IN500 | ___ B6473 | LiNX input module (drive control & switch input) | \$945.00 |
| DLX IN200 | ___ B6473S | LiNX input module (switch input only) | \$720.00 |
| DLX OUT500 | ___ B6474 | LiNX output module | \$775.00 |
| DLX ACT400S | ___ B6475 | LiNX actuator module for control of one actuator | \$1,380.00 |
| DLX ACT400M | ___ B6476 | LiNX actuator module for control of multiple actuators | \$2,760.00 |
| DLX MEM SEAT | ___ B6478 | LiNX memory seating for power seating functions | \$695.00 |
| DLX 10WAY SW | ___ B6479 | LiNX 10-way switch module (5 actuator functions) (specify L or R) | \$535.00 |
| DLX GYR100 | ___ B6480 | LiNX Gyro Module | \$995.00 |
| DLX LAK | ___ B6481 | LiNX Access Key | \$340.00 |

R-net Programmable Electronics

| | | | |
|-------------------|-----------|--|------------|
| R-NET PM120 | ___ B6501 | Non-expandable R-net 120A power module | No Charge |
| R-NET PM120 EXP | ___ B6502 | Expandable R-net 120A power module (E2377) | \$560.00 |
| R-NET EXP HARN | ___ B6503 | Wiring harness for R-net expandable power module (E2313) | \$440.00 |
| R-NET JSM-LED-L | ___ B6506 | R-net LED Joystick Module | No Charge |
| R-NET CJSM-L | ___ B6507 | R-net LCD Joystick Module w/ color display | \$995.00 |
| R-NET CJSM2-BT | ___ B6508 | R-net LCD Joystick Module w/ 3.5" color display, paddle sw, bluetooth & IR | \$1,265.00 |
| R-NET ATTENDANT | ___ B6516 | R-net attendant module | \$761.00 |
| * R-NET OMNI2 | ___ B6520 | R-net Omni2 specialty controls interface | \$1,591.00 |
| R-NET ISM-L 1ACT | ___ B6521 | R-net intelligent seating module, control of one actuator | \$1,380.00 |
| R-NET ISM-L MULTI | ___ B6522 | R-net intellegent seating module, control of multiple actuators | \$2,760.00 |
| R-NET ASM | ___ B6524 | R-net advanced stability module | \$385.00 |
| R-NET PROGRAMMER | ___ B6525 | R-net wireless programming dongle, dealer | \$480.00 |

Switches

| | | | |
|--------|-----------|--|----------|
| AUX TS | ___ B6571 | Auxiliary toggle switch (specify function) | \$240.00 |
|--------|-----------|--|----------|

DRIVE MODULE MOUNTS

| | | | |
|------------|------------|--|--------------|
| BH OBBM | ___ B6701A | Drive module mounted over battery box | Standard |
| * USM HF | ___ B6702 | Drive module mounted under wheelchair seat | No Charge |
| CUS DM MNT | ___ B6711 | Custom drive module mount | Call Factory |

IF *, SEE NOTE LISTED BY STOCK
NUMBER ON LAST PAGES

| Part Number | Stock Qty Number | Part Description | Suggested Retail Price |
|-------------|---------------------|------------------|---------------------------|
|-------------|---------------------|------------------|---------------------------|

RESPIRATOR & OXYGEN BOTTLE MOUNTS

| | | | |
|---------------------|-----------|------------------------------------|------------|
| * RESP SHELF | ___ B6801 | Fixed position respirator shelf | \$556.00 |
| * RESP GIMBAL SHELF | ___ B6803 | Gimbal-mounted respirator shelf | \$1,660.00 |
| SE O2 BOT HLD | ___ B6901 | Single E size oxygen bottle holder | \$632.50 |
| DE O2 BOT HLD | ___ B6902 | Dual E size oxygen bottle holder | \$949.00 |

MOTORS & BRAKES

| | | | |
|----------|-----------|--|----------|
| ST4M&B-S | ___ B7008 | Super Torque 4 motors & brakes, slow speed | Standard |
|----------|-----------|--|----------|

DRIVE WHEEL OPTIONS

| | | | |
|---------------------|------------|--|-----------|
| * DW 13X4BFF KNOBBY | ___ B7055B | 13"x4.00" black knobby foam filled drive tires on metal wheels | Standard |
| DW 13X4GFF KNOBBY | ___ B7055G | 13"x4.00" gray knobby foam filled drive tires on metal wheels | No Charge |

* TOP SPEED SETTINGS

| | | | |
|---------|-----------|-----------------------|----------|
| 4.2 MPH | ___ B7279 | 4.2 mph, 4S13 C70 C25 | Standard |
|---------|-----------|-----------------------|----------|

CASTER WHEEL & FORK OPTIONS

| | | | |
|---------------|------------|---|----------|
| XDCBF 9X3.50M | ___ B7441X | 9"x3.50" Xtra duty caster barrels, suspension forks & metal casters | Standard |
|---------------|------------|---|----------|

Caster Tire & Tube Options

| | | | |
|-------------|------------|--------------------------------|-----------|
| CT BLACK FF | ___ B7485B | Black foam filled caster tires | Standard |
| CT GRAY FF | ___ B7485G | Gray foam filled caster tires | No Charge |

| | | | |
|--------------|------------|--------------------------------------|----------|
| FS HD COPPER | ___ B7497H | Heavy duty copper color fork springs | Standard |
|--------------|------------|--------------------------------------|----------|

VEHICLE TIEDOWNS

| | | | |
|---------|-----------|--------------------------------------|----------|
| * 4P TD | ___ B7604 | 4-Point wheelchair transport tiedown | \$506.00 |
|---------|-----------|--------------------------------------|----------|

BATTERY BOXES

| | | | |
|---------|------------|-----------------------------------|----------|
| BBOXD24 | ___ B7713B | Dual group 24 sliding battery box | Standard |
|---------|------------|-----------------------------------|----------|

BATTERIES

| | | | |
|---------------|-----------|---|------------|
| BA24 GEL-CELL | ___ B7804 | Pair, group 24 gel-cell batteries (E2363) | \$1,095.00 |
|---------------|-----------|---|------------|

BATTERY CHARGERS

| | | | |
|------------|-----------|---|----------|
| STD BC24-8 | ___ B7902 | 24V 8A automatic gel-cell battery charger | Standard |
| NBC | ___ B7921 | Credit for no battery charger | \$-86.25 |

ACCESSORIES

| | | | |
|-----------------|-----------|--|------------|
| * HF LP | ___ B8006 | LED safety illumination package for all H-Frames | \$380.00 |
| * HL2 | ___ B8007 | 2nd LED headlamp | \$105.00 |
| * AMBER FLASHER | ___ B8010 | LED Amber Safety Flashers (1 flasher mounted in rear/1 mounted in front) | \$395.00 |
| * HORN | ___ B8021 | 24V Safety audio alert | \$356.00 |
| * LB2 | ___ B8032 | Electric leg bag emptier 2 | \$795.00 |
| * 24 TO 12/5PC | ___ B8046 | 24V to 12V/5V power converter (5A maximum load) | \$575.00 |
| DW FENDERS | ___ B8052 | Drive wheel fenders | \$575.00 |
| * GUN MOUNT | ___ B8063 | Height & angle adjustable gun mount with rifle rest | \$1,250.00 |
| RAM DRINK HLDR | ___ B8073 | RAM Drink holder | \$99.00 |
| * TOOL KIT | ___ B8083 | Tool kit | \$240.00 |
| MOUNT CELL | ___ B8086 | RAM cell phone mount | \$109.00 |

BIG BOUNDER 1000 ORDER/QUOTE FORM

D.081.01

21st Century SCIENTIFIC, Inc.

BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

IF *, SEE NOTE LISTED BY STOCK
NUMBER ON LAST PAGES

| Part Number | Qty | Stock Number | Part Description | Suggested Retail Price |
|----------------|-----|-----------------|---|---------------------------|
| * MIRROR | ___ | B8091 | Rear view mirror | \$99.00 |
| FLAG HOLDER | ___ | B8093 | Flag holder | \$88.00 |
| DHC COV | ___ | B8112 | Driver hand control weather cover | \$99.00 |
| SADDLE BAG | ___ | B8113 | Saddle bag (specify left or right) | \$94.00 |
| WC COV | ___ | B8114 | Wheelchair weather cover | \$200.00 |
| * WC JACK | ___ | B8127 | Wheelchair jack | \$400.00 |
| * SW MOUNT BAR | ___ | B8132 | Switch mount bar for accessory switches | \$82.00 |
| CURB CLIMB DEV | ___ | B8141 | Curb climbing device | \$355.00 |

* SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

| | | | | |
|---------------------|-----|-------|---|----------|
| HF PS PUSH BUTTON S | ___ | B8200 | Push button seat mount positioning strap 45" ___ 60" ___ 80" | Standard |
| PS FLIP LATCH S | ___ | B8201 | Flip latch seat mount positioning strap 45" ___ 60" | \$64.00 |
| PS PINCH BUCKLE S | ___ | B8203 | Pinch buckle seat mount positioning strap ___ 45" ___ 60" | \$64.00 |
| * PS CUS S | ___ | B8211 | Custom seat mount positioning strap (specify buckle type and length) | \$115.00 |

CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

| | | | | |
|-------------------|-----|-------|--|----------|
| PS FLIP LATCH C | ___ | B8251 | Flip latch chest mount positioning strap ___ 45" ___ 60" | \$126.00 |
| PS PUSH BUTTON C | ___ | B8252 | Push button chest mount positioning strap ___ 45" ___ 60" | \$126.00 |
| PS PINCH BUCKLE C | ___ | B8253 | Pinch buckle chest mount positioning strap ___ 45" ___ 60" | \$126.00 |
| PS CUS C | ___ | B8261 | Custom chest mount positioning strap (specify buckle type and length) | \$172.50 |

WARRANTIES AND SPECIAL SERVICE OPTIONS

STANDARD WARRANTIES

| | | | | |
|--------------|-----|-------|---|----------|
| * BB PWC WAR | ___ | B9032 | BIG BOUNDER power wheelchair standard warranty | Standard |
|--------------|-----|-------|---|----------|

EXTENDED WARRANTIES

| | | | | |
|------------|-----|-------|--|------------|
| * EL2 EWAR | ___ | B9101 | Extend electronics warranty to 2 years | \$414.00 |
| EL3 EWAR | ___ | B9102 | Extend electronics warranty to 3 years | \$695.00 |
| B PC2 EWAR | ___ | B9201 | Extend BOUNDER entire power chair warranty to 2 years | \$1,385.00 |
| B PC3 EWAR | ___ | B9202 | Extend BOUNDER entire power chair warranty to 3 years | \$2,440.00 |

SPECIAL SERVICE OPTIONS

| | | | | |
|-------|-----|-------|-----------------------------------|--------------|
| * EBO | ___ | B9301 | Emergency Build Order | Call Factory |
| * EEC | ___ | B9302 | Engineering and evaluation charge | Call Factory |

BIG BOUNDER 1000 ORDER/QUOTE FORM

D.081.01

21st Century SCIENTIFIC, Inc.

Page 6

20th Edition
FEBRUARY 1, 2025

BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

| Stk# | Note |
|------|------|
|------|------|

BASE CONFIGURATION

BIG BOUNDER 1000

B015A BB1000. BIG BOUNDER 1000 POWER WHEELCHAIR, NO POWER SEATING. USE ONLY IF POWER SEATING SYSTEMS ARE NOT ORDERED. IF POWER SEATING SYSTEMS ARE REQUIRED, ORDER EITHER B1000S (B015B) OR B1000M (B015C).

B015B BB1000S. BIG BOUNDER 1000 POWER WHEELCHAIR, SINGLE POWER SEATING OPTION. A \$2000 DISCOUNT IS GIVEN IF ONE SEATING SYSTEM IS ALSO ORDERED. ORDER B1000M (B015C) IF MULTIPLE SEATING SYSTEMS ARE REQUIRED. ORDER POWER SEATING SYSTEMS SEPARATELY.

B015C BB1000M. BIG BOUNDER 1000 POWER WHEELCHAIR, MULTIPLE POWER SEATING OPTIONS. A \$3000 DISCOUNT IS GIVEN IF TWO OR MORE SEATING SYSTEM ARE ALSO ORDERED. ORDER POWER SEATING SYSTEMS SEPARATELY.

CONSTRUCTION OPTIONS

BASE WIDTH

B151W WIDE BASE WIDTH. WIDE BASE WIDTH (28.5" OVERALL WIDTH). FOR USE ON CHAIRS WITH SEAT WIDTHS BETWEEN 26" AND 29".

B151X XWIDE BASE WIDTH. XTRA WIDE BASE WIDTH (OVERALL WIDTH: SEE NOTES). FOR USE ON BIG BOUNDER WHEELCHAIRS WITH SEAT WIDTHS 30" AND GREATER. THE BASE WIDTH GROWS BY EVERY INCH OF THE SEAT WIDTH. THE OVERALL BASE WIDTH IS .5" LESS THAN THE SEAT WIDTH. FOR EXAMPLE A 32" WIDE SEAT WOULD USE A BASE WITH AN OVERALL WIDTH OF 31.5".

BASE LENGTH

B202 SHORT BASE. SHORT H-FRAME POWER BASE. STANDARD FOR MOST CHAIRS FOR SEAT DEPTHS UP TO 20". CHAIRS WITH SEAT DEPTHS OF 20" OR GREATER AND USERS WHO WEIGH OVER 600 LB USUALLY REQUIRE A LONG BASE INSTEAD.

B203N LONG BASE NC. LONG H-FRAME POWER BASE (NO CHARGE). STANDARD FOR ALL SEAT DEPTHS 20" OR GREATER. SEAT DEPTHS FROM 19" TO 23" CAN NORMALLY BE INSTALLED. AN 18" DEEP SEAT PAN CAN ALSO BE INSTALLED. ALL CHAIRS THAT HAVE BOTH A POWER SEAT ELEVATOR AND A POWER TILT SYSTEM ALSO REQUIRE A LONG WHEELBASE. THE LONG BASE FRAME IS 3" LONGER THAN THE SHORT BASE. IF SEAT DEPTHS OF 17" OR 16" ARE NEEDED ON A LONG BASE, THE SEAT MUST BE POSITIONED FURTHER FORWARD OF THE REAR WHEELS BY 1" OR 2", RESPECTIVELY. THIS WILL REDUCE MANEUVERABILITY AND INCREASE POWER CONSUMPTION. CONTACT THE FACTORY FOR MORE INFORMATION.

B203X XLONG BASE. XTRA LONG H-FRAME POWER BASE. 6" LONGER THAN THE SHORT BASE. OFTEN USED WITH POWER CHAIR SEAT DEPTHS GREATER THEN 23".

B206 HF ROW. REDUCE OVERALL WIDTH BY INSTALLING CONTROL BOX ON INSIDE OF ARM. INCLUDES INSTALLING HAND CONTROL AND SWITCHES ON INSIDE OF ARM AND REVERSE MOUNTING ARMREST PADS. THIS WILL PRODUCE A CHAIR WITH AN OVERALL WIDTH OF ONLY 2.5" WIDER THEN THE SEAT WIDTH.

SUSPENSION

B209F BLACK IDWS SPRING. BLACK IDWS SPRINGS (FOR USERS 401 LB AND GREATER). FOR USE ON CHAIRS FOR USERS OVER 400 LB.

21st POWER SEATING SYSTEMS

SINGLE POWER SEATING SYSTEMS

B301B PRS 40. 40 DEGREE POWER RECLINE SYSTEM (E1003). H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. NON SLIDING-BACK; FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST.

B303B SBPRS 40. 40 DEGREE SLIDING BACK POWER RECLINE SYSTEM (E1004). H-FRAME CHAIRS HAVE A BACK MOUNTED ACTUATOR. THE BACK SLIDES DOWN WHEN RECLINED TO REDUCE SHEAR. FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST.

B305B PTS 30. 30 DEGREE POWER TILT SYSTEM (E1002). FOR USE WITH POWER LEGRESTS, MANUALLY OPERATED LEGRESTS, FOOTRESTS, AND CHAIRS WITHOUT FRONT RIGGING. USE FOR PATIENTS OVER 400 LB, COMBINATION SEATING SYSTEMS AND WHEN REQUIRED BY 21ST. IF ELEVATE IS ADDED TO THE CHAIR, A 30 DEGREE POWER TILT IS REQUIRED.

POWER SEATING OPTIONS, HEAVY DUTY UPGRADES & LOCKOUTS

BASE COLOR

PREMIUM COLORS

B402I CUS PC. CUSTOM POWDER COAT COLOR. SEND SAMPLE OF COLOR. WE WILL DO OUR BEST TO MATCH IT!

B4046 NON-BLACK SAF. PAINT SEAT, ARMS AND FRONT RIGGING SAME COLOR AS REST OF CHAIR. DOES NOT INCLUDE MOST BOLTED ON PARTS SUCH AS THE SEAT PAN, HAND CONTROL MOUNT, FORKS, FOOTREST EXTENSIONS, ETC. ONLY LOWER ARM ASSEMBLIES ARE PAINTED THE SAME COLOR AS THE BASE. UPPER

| Stk# | Note |
|------|------|
|------|------|

ARM ASSEMBLIES ARE BLACK. FOOTREST BRACKETS ARE PAINTED SAME COLOR AS BASE IF FOOTRESTS ARE ORDERED. LEGREST BRACKETS AND HANGERS ARE PAINTED SAME COLOR AS BASE IF LEGRESTS ARE ORDERED. FOOTREST AND LEGREST EXTENSIONS ARE BLACK.

FRAME REINFORCEMENTS

REAR WHEEL OFFSET (RWO)

B4301 STD RWO. STANDARD REAR WHEEL OFFSET. HORIZONTAL DISTANCE FROM CENTER OF BACKPOST TO CENTER OF REAR WHEELS. THE STANDARD REAR WHEEL OFFSET IS 2.1". IF THE SEAT NEEDS TO BE MOVED REARWARD ON THE BASE TO IMPROVE WEIGHT DISTRIBUTION, ORDER B4302.

B4302 CRWO. CUSTOM REAR WHEEL OFFSET. SPECIFY THE OFFSET IN INCHES YOU REQUIRE. A CUSTOM REAR WHEEL OFFSET MAY BE NEEDED TO DISTRIBTUE USER WEIGHT CORRECTLY ON THE CHAIR.

SEAT DEPTH

B4421 STD SD. STD SEAT DEPTH. 16" DEEP IS STANDARD FOR MOST CHAIRS (WITHOUT SEATING SYSTEMS) WITH THE BACK UPHOLSTERY MOUNTED ON THE BACK OF THE BACKPOSTS. IF A POWER TILT AND/OR RECLINE IS ORDERED, THE BACK UPHOLSTERY IS MOUNTED ON THE FRONT OF THE BACKPOSTS. TO COMPENSATE, THE STANDARD TILT AND/OR RECLINE SEAT DEPTH IS LENGTHENED TO 17". THE EFFECTIVE DEPTH REMAINS THE SAME FROM THE FRONT EDGE OF THE SEAT PAN OR SEAT UPHOLSTERY TO THE FRONT OF THE BACK UPHOLSTERY. 16" 17" & 18" SEAT DEPTHS AVAILABLE WITH SHORT BASE. 18" SEAT DEPTH AVAILABLE WITH LONG BASE.

SEAT WIDTH

B4522D BB1000 XWIDE SW. BIG BOUNDER 1000 EXTRA WIDE SEAT WIDTH. REQUIRED ON ALL H-FRAME BIG BOUNDER CHAIRS WITH 30" & WIDER SEATS. SPECIFY SEAT WIDTH (30"-48", 1" INCREMENTS); OVERALL BASE WIDTH FROM OUTSIDE OF DRIVE WHEEL TO OUTSIDE OF DRIVE WHEEL WILL BE .5" LESS THAN THE SEAT WIDTH (E.G., 29.5" OVERALL BASE WIDTH FOR A 30" WIDE SEAT).

SEAT HEIGHT

NOTE THAT THE SEAT HEIGHT AT FRONT CAN BE LOWERED 1" BY CHANGING THE POSITION OF THE FRONT WHEELS IN THE SUSPENSION FORKS. THIS ALSO CHANGES THE TILT OF THE SEAT.

B4606 CAPT SH. STANDARD 22" OR 24" CAPTAIN'S SEAT HEIGHT. FOR CHAIRS WITH CAPTAIN'S SEATS. CERTAIN CONFIGURATIONS OF SEATING SYSTEMS MAY INCREASE THE EFFECTIVE SEAT-TO-FLOOR HEIGHT FROM 22" TO 24". SPECIFICALLY, IF A SEAT ELEVATOR IS COMBINED WITH A CAPTAIN'S SEAT THE SEAT-TO-FLOOR HEIGHT BECOMES 24". CONTACT FACTORY FOR ADDITIONAL INFORMATION.

B4618 CST. CUSTOM SEAT TILT (RAKE). SPECIFY SEAT RAIL HEIGHT ABOVE GROUND AT FRONT AND REAR.

BACKPOST STYLE & HEIGHT

B4709 CUS BH. CUSTOM 90 DEG BACK HEIGHT W/ 7 DEG BEND (15"-24") (SPECIFY HEIGHT:). CUSTOM HEIGHT BACKPOST FOR USE WITH BACK MOUNTED UPHOLSTERY OR SOLID BACKS WITH ADJUSTABLE HARDWARE. PUSH HANDLES ARE BENT AT TOP OF BACKPOST. STANDARD BACK BEND HEIGHT IS 9.5" ABOVE THE SEAT RAILS FOR ALL NON-RECLINING BACK HEIGHTS.

B4712 ASBA. ADJUSTABLE SEAT-TO-BACK ANGLE (20 DEG OF ADJ). ALLOWS SEAT TO BACK ANGLE TO BE SET AT 90, 95, 100, 105 OR 110 DEGREES. 600 LB MAXIMUM USER WEIGHT. SPECIFY BACKPOST HEIGHT AND ANGLE.

B4713 CBHWSBA. CUSTOM BACK HEIGHT W/WELDED SEAT-TO-BACK ANGLE (SPECIFY HEIGHT:). FOR CHAIRS WITHOUT TILT OR RECLINE SYSTEMS. SPECIFY BACK HEIGHT AND SEAT TO BACK ANGLE BETWEEN SEAT RAIL AND BACKPOST FROM 90 DEGREES (VERTICAL) TO 180 DEGREES (HORIZONTAL).

B4715 ENDOMORPHIC BP. ENDOMORPHIC (OFFSET) BACKPOSTS. BACKPOSTS ARE OFFSET INWARD FROM THE SEAT RAIL MAKING THE BACK NARROWER THAN THE SEAT. THIS OPTION IS OFTEN USED ON LARGER CHAIRS TO REDUCE THE OVERALL CHAIR WIDTH. SPECIFY OFFSET TO NEAREST INCH.

CAPTAIN'S BACK HEIGHT

B4731 STD CAPT BH. STANDARD CAPTAIN'S BACK HEIGHT. MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAIN'S BACK. 28" MAXIMUM BACK WIDTH.

B4732 CUS CAPT BH. CUSTOM CAPTAIN'S BACK HEIGHT. SPECIFY BACK HEIGHT FROM 12" TO 28" MEASURED FROM THE TOP REAR CENTER OF THE CAPTAIN'S SEAT TO THE TOP CENTER OF THE CAPTAINS BACK, IN 1" INCREMENTS. 28" MAXIMUM BACK WIDTH.

HEADRESTS

B4804 CSHR. CUSTOM SIZE OR STYLE HEADREST FOR ACPHR. ANY SIZE BUT STANDARD 5" HIGH X 10.5" WIDE WITH ADJUSTABLE CURVE FOR ACPHR.

FRONT RIGGING

B5002 FR60. 60 DEG SWINGAWAY FOOTRESTS. FOR H-FRAMES: REQUIRED ON MOST SHORT BASE CHAIRS WITH 15" AND 16" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS. REQUIRED ON MOST LONG BASE CHAIRS WITH 18" OR 19" SEAT DEPTHS ON 19" SEAT HEIGHT CHAIRS.

B5004 FR90. 90 DEG SWINGAWAY FOOTRESTS. MOST OFTEN USED ON CHAIRS FOR CHILDREN OR USERS WITH VERY SHORT LEGS. BOTTOM OF FOOTPLATE IS USUALLY ADJUSTED TO BE ABOVE THE CASTER WHEEL TIRE, BUT CFR (CUSTOM FRONT RIGGING) CAN BE ORDERED IF CUSTOM FEATURES ARE NEEDED. FR90

BIG BOUNDER 1000 ORDER/QUOTE FORM

D.081.01

21st Century SCIENTIFIC, Inc.

Page 7

20th Edition
FEBRUARY 1, 2025

BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

| Stk# | Note |
|-------------|---|
| | FOOTRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITH HEEL LOOPS INSTALLED. MAXIMUM DISTANCE FROM TOP FRONT OF SEAT RAIL TO TOP OF FOOTPLATE IS TYPICALLY 13" ON A 21" SEAT HEIGHT CHAIR. |
| B5005 | LRL. LOW PROFILE ELEVATING LEGRESTS (E0990). LOW PIVOT AT SEAT LEVEL BELOW THE KNEE DESIGN. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS. LRL WILL NOT ELEVATE COMPLETELY WITH DIPLR. |
| B5007 | LRH. HIGH PROFILE (GOOSENECK) ELEVATING LEGRESTS (E0990). HIGH PIVOT (GOOSENECK) AT KNEE LEVEL DESIGN. LEGRESTS COME WITH STANDARD SIZE #1 FOOTPLATES WITHOUT HEEL LOOPS. |
| B5009 | DIPLR HD. HEAVY DUTY DUAL INDEP POWER ELEV LEGRESTS (ACTUATORS, SW BOX, LEGRESTS W/ RLR). REQUIRED FOR ALL DIPLR USERS WHO ARE OVER 450 LB OR FOR DIPLR USERS WHO PUT UNUSUAL FORCES ON THEIR LEGRESTS. DIPLR HD HEAVY DUTY DUAL INDEPENDENT POWER LEGRESTS INCLUDES LRL OR LRH ELEVATING LEGRESTS PLUS RLR REINFORCED ELEVATING LEGRESTS. |
| B5014N | RFR NC. REINFORCED FOOTRESTS N/C. INCLUDED AT NO CHARGE WITH POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS. |
| B5016N | RLR NC. REINFORCED ELEVATING LEGRESTS N/C. INCLUDED AT NO CHARGE WITH POWER 700, POWER 1000 AND MANUAL 1000 FRAME OPTIONS AS WELL AS DIPLR HD OPTION. |
| B5018 | OFFSET FR. OFFSET FRONT RIGGING (SPECIFY OFFSET). SPECIFY PORTION OF FOOTREST/LEGREST TO BE OFFSET. THE FOOTREST/LEGREST BRACKET OR EXTENSION MAY BE OFFSET EITHER INWARD OR OUTWARD. SPECIFY THE OFFSET TO THE NEAREST 1/2 INCH. PRICE DOES NOT INCLUDE FRONT RIGGING. |
| B5023 | QRL. QUAD RELEASE LEVERS. FRONT RIGGING RELEASE LEVERS EXTENDED TO OUTSIDE OF CHAIR. |
| B5035 | CUS CM FB. CUSTOM CENTER MOUNT, ANGLE ADJUSTABLE FOOTBOARD. MOUNTS IN CENTER OF CHAIR. FLIPS UP TOWARD THE CENTER OF THE CHAIR. SPECIFY WIDTH OF FOOTBOARD. CAUTION: THE USER MUST ALWAYS WEAR SHOES OR FOOT PROTECTION. CONTACT FACTORY FOR ADDITIONAL INFORMATION. |
| B5041 | FPHL. HEEL LOOPS. HEEL LOOPS ARE INSTALLED IN THE NORMAL POSITION ON THE FOOTPLATE UNLESS YOU ADVISE US OTHERWISE. |
| B5042 | FPAS. PAIR OF ANKLE STRAPS, UNINSTALLED. DUE TO THE WIDE RANGE OF FOOT SIZES, ANKLE STRAPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE STRAPS ON THE FOOTPLATES. |
| B5043 | FPTL. PAIR OF TOE LOOPS, UNINSTALLED. DUE TO THE WIDE RANGE OF FOOT SIZES, TOE LOOPS ARE NORMALLY NOT INSTALLED UNLESS YOU SPECIFY EXACTLY WHERE TO INSTALL THE TOE LOOPS ON THE FOOTPLATES. |
| B5047 | CALF FLAT. FLAT CALF PADS. SPECIFY WIDTH AND HEIGHT TO NEAREST INCH. |
| ARMS | |
| B5110 | DL SL ARM. DESK LENGTH SLIDING ARMS. DESK LENGTH SLIDING ARM GLIDES BACK AND DOWN UPON A FIXED LOWER ARM AS THE SEAT RECLINES. STATIONARY LOWER ARMS ARE DETACHABLE, CAN BE ADJUSTED IN HEIGHT AND HAVE SIDE PANELS (MODESTY PANELS). HEIGHT ADJUSTMENT RANGE IS FROM APPROXIMATELY 11" MINIMUM TO 16" MAXIMUM ABOVE THE SEAT RAILS. USUALLY INSTALLED ON RECLINERS ONLY. |
| B5111 | FL SL ARM. FULL LENGTH SLIDING ARMS. SIMILAR TO DESK LENGTH SLIDING ARMS ABOVE EXCEPT FULL LENGTH. |
| B5112C | DL SS ADJ ARM CS. DESK LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAIN'S SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5" . |
| B5112R | DL SS ART ARM. DESK LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN TO TOP OF ARMREST PAD. |
| B5113C | FL SS ADJ ARM CS. FULL LENGTH SELF-SUPPORTING ADJ ARMS FOR CAPTAIN'S SEAT. UPPER ARM TUBE IS LENGTHENED REARWARD 5" . |
| B5113R | FL SS ART ARM. FULL LENGTH SELF-SUPPORTING ADJUSTABLE ARTICULATING ARMS (CBL STYLE). ADJUSTABLE LINKAGE WITH TIE-ROD ENDS ATTACH BACK OF ARM TO SEAT RAIL. SPECIFY ARM HEIGHT FROM SEAT PAN TO TOP OF ARMREST PAD. |
| B5133 | CAD. CUSTOM ARM DEPTH. CUSTOM ARM DEPTH IS CHARGED FOR ARM DEPTHS THAT ARE NOT ON INCH CENTERS OR DO NOT CORRESPOND TO THE CHAIR FRAME DEPTH. |
| B5134 | CARMS. CUSTOM ARMS. LET US KNOW WHAT YOU NEED. BE SURE TO GET A QUOTE! |

ARMREST PADS

B5141 STD ARMREST PADS. STD UPHOLSTERED ARMREST PADS. STD ARMREST PADS HAVE A BLACK PLASTIC BASE WITH NAUGAHYDE COVERED FOAM. NOT AVAILABLE IN FABRIC.

| Stk# | Note |
|-------|---|
| B5142 | WATERFALL ARP. WATERFALL ARMREST PADS. NAUGAHYDE ONLY. NOT AVAILABLE IN FABRIC. IF INSTALLED ON SELF-SUPPORTING, ARTICULATING, SLIDING ARMS OR FLIP-UP ARMS, THE WATERFALL ARMREST PAD WILL PREVENT THE UPPER ARM ASSEMBLY FROM FLIPPING UP TOTALLY OUT OF THE WAY FOR TRANSFERS. |
| B5143 | TROUGH ARP. TROUGH ARMREST PADS. AVAILABLE IN NAUGAHYDE OR FABRIC. |
| B5144 | FLAT ARP. 3.5" WIDE FLAT ARMREST PADS. WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC. |
| B5145 | NARROW FLAT ARP. 2" WIDE NARROW FLAT ARMREST PADS. 2" WIDE FLAT PAD WITH FOAM. COVERED WITH NAUGAHYDE OR FABRIC. |

WHEELCHAIR SEATS & SEAT CUSHIONS

| | |
|--------|--|
| B5242 | SMP SEAT CUSHION. UPHOLSTERED FOAM SEAT CUSHION (UP TO 3". SPECIFY FOAM THICKNESS: 1" TO 3" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMP SEAT FLAT. VELCRO IS ATTACHED TO SMP SEAT FLAT AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN. |
| B5262A | SPEC SEAT FOAM. SPECIAL SEAT FOAM (SUNMATE)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. IF STANDARD FOAM IS ORDERED IN COMBINATION WITH SPECIALTY FOAM, THE STANDARD FOAM IS ONLY AVAILABLE IN EVEN INCH INCREMENTS. |

WHEELCHAIR BACKS & BACK CUSHIONS

| | |
|--------|--|
| B5342 | SMP BACK CUSHION. UPHOLSTERED FOAM BACK CUSHION (UP TO 2". SPECIFY FOAM THICKNESS: 1" - 2" THICK. UPHOLSTERED FOAM CUSHION FOR USE WITH SMPB FLAT OR SMB CURVED. VELCRO IS ATTACHED TO THE SEAT PAN AND TO SMP SEAT CUSHION. CUSHION IS MADE THE SAME SIZE AS THE SHEET METAL PAN. |
| B5362A | SPEC BACK FOAM. SPECIAL BACK FOAM (SUNMATE)(EACH 1/2" THICKNESS). UP CHARGE FOR EACH 1/2" THICKNESS OF SPECIAL FOAM. IF STANDARD FOAM IS ORDERED IN COMBINATION WITH SPECIALTY FOAM, THE STANDARD FOAM IS ONLY AVAILABLE IN EVEN INCH INCREMENTS. |

UPHOLSTERY COLOR

IF FABRIC UPHOLSTERY IS ORDERED BLACK NAUGAHYDE CALF PADS AND/OR ARMREST PADS WILL BE SUPPLIED UNLESS CALF FLAT, CALF TROUGH, CALF CUSTOM, TROUGH ARP, FLAT ARP, NARROW FLAT ARP, OR CARP ARE ORDERED.

CONTROL BOXES & REMOTE DISPLAY

HAND & CHIN CONTROL MOUNTS & EXTENSIONS

| | |
|-------|---|
| B6115 | SA EXT. SWINGAWAY HAND CONTROL EXTENSION SLIDE (E1028). VERY STURDY. SWINGS OUT TO SIDE AND BACK. |
| B6116 | MIDLINE HC M&E. MIDLINE HAND CONTROL MOUNT & EXTENSION SLIDE. SWINGS UP TO SIDE. SPECIFY LEFT OR RIGHT MOUNT AND DISTANCE FROM FRONT OF BACK TO CENTER OF HAND CONTROL. |
| B6172 | CUS EXT SLIDE. CUSTOM EXTENSION SLIDE. STRAIGHT, CUSTOM HEIGHT, ETC. TELL US WHAT YOU NEED. |

ELECTRONICS

LINX PROGRAMMABLE ELECTRONICS

| | |
|-------|---|
| B6472 | DLX REM500. LINX COLOR TOUCH SCREEN DISPLAY REMOTE. FOR USE WITH MOST SPECIALTY SWITCH CONTROLS AND SECONDARY REMOTES SUCH AS A CHIN CONTROL. ORDER SPECIALTY CONTROL SEPARATE. |
| B6473 | DLX IN500. LINX INPUT MODULE (DRIVE CONTROL & SWITCH INPUT). FOR USE WITH DLX-REM500. |

R-NET PROGRAMMABLE ELECTRONICS

| | |
|-------|--|
| B6520 | R-NET OMNI2. R-NET OMNI2 SPECIALTY CONTROLS INTERFACE. FOR USE WITH MOST SPECIALTY SWITCH CONTROLS. ORDER SPECIALTY CONTROLS SEPARATE. |
|-------|--|

SWITCHES

DRIVE MODULE MOUNTS

| | |
|-------|---|
| B6702 | USM HF. DRIVE MODULE MOUNTED UNDER WHEELCHAIR SEAT. DRIVE MODULE MOUNTED HORIZONTALLY UNDER SEAT PAN. SOMETIMES, ALTERNATE LOCATIONS ARE NECESSARY, DEPENDING UPON THE EXACT CHAIR CONFIGURATION. |
|-------|---|

RESPIRATOR & OXYGEN BOTTLE MOUNTS

| | |
|-------|---|
| B6801 | RESP SHELF. FIXED POSITION RESPIRATOR SHELF. VERY STURDY SHEET METAL SHELF IS WELDED IN PLACE ON BACKPOST TUBING, USUALLY JUST BELOW PUSH HANDLES. APPROXIMATELY 20" WIDE X 10" DEEP. CUSTOM SIZES AVAILABLE. PUSH HANDLES SOMETIMES FLARED FOR CLEARANCE ON NARROW CHAIRS. CONTACT FACTORY FOR MORE INFORMATION. |
| B6803 | RESP GIMBAL SHELF. GIMBAL-MOUNTED RESPIRATOR SHELF. FOR CHAIRS WITH TILT AND RECLINE THAT REQUIRE THAT RESPIRATOR BE KEPT APPROXIMATELY LEVEL WITH GROUND. |

MOTORS & BRAKES

DRIVE WHEEL OPTIONS

| | |
|--------|---|
| B7055B | DW 13X48FF KNOBBY. 13"x4.00" BLACK KNOBBY FOAM FILLED DRIVE TIRES ON METAL WHEELS. FOR BIG BOUNDER H-FRAMES WITH POWER 1000 OPTION ONLY. TIRES SIZES CAN VARY, DEPENDING UPON TIRE SUPPLIED, BETWEEN 12.15"x4" AND 12.75"x4". |
|--------|---|

BIG BOUNDER 1000 ORDER/QUOTE FORM

D.081.01
21st Century SCIENTIFIC, Inc.

BIG BOUNDER 1000 POWER WHEELCHAIR

21st Century SCIENTIFIC, Inc. (800) 448-3680 (208) 667-8800 FAX (208) 667-6600

e-mail: 21st@wheelchairs.com www.wheelchairs.com

Stk# Note

TOP SPEED SETTINGS

TOP SPEEDS CAN VARY BY AS MUCH AS 10% BASED ON CHAIR CONFIGURATION, TIRE CHOICE AND USER WEIGHT.

CASTER WHEEL & FORK OPTIONS

CASTER TIRE & TUBE OPTIONS

VEHICLE TIEDOWNS

B7604 4P TD. 4-POINT WHEELCHAIR TRANSPORT TIEDOWN. HAS NOT YET RECEIVED WC-19 CRASH-TESTING APPROVAL.

BATTERY BOXES

BATTERIES

BATTERY CHARGERS

ACCESSORIES

B8006 HF LP. LED SAFETY ILLUMINATION PACKAGE FOR ALL H-FRAMES. INCLUDES LED HEADLAMP AND SWITCH. LED TAILLIGHTS ARE BUILT INTO THE H-FRAME BASE.

B8007 HL2. 2ND LED HEADLAMP. CURRENT DRAW FOR COMPLETE TWO HEADLAMP SYSTEM: 1.0A @ 24V.

B8010 AMBER FLASHER. LED AMBER SAFETY FLASHERS (1 FLASHER MOUNTED IN REAR/1 MOUNTED IN FRONT). SAFETY AMBER FLASHER ALLOWS INCREASED VISIBILITY WHILE DRIVING AT NIGHT.

B8021 HORN. 24V SAFETY AUDIO ALERT. THIS 24V HORN IS LOUD! THE CONTROL SWITCH (HORN BUTTON) CAN BE MOUNTED ON THE WHEELCHAIR TUBING AT ANY CONVENIENT LOCATION. COMPATIBLE WITH MOST 24V POWER WHEELCHAIRS. TOGGLE SWITCH TYPE HORN BUTTON WILL BE SUPPLIED UNLESS YOU SPECIFICALLY REQUEST A PUSH-BUTTON SWITCH.

B8032 LB2. ELECTRIC LEG BAG EMPTIER 2. ELECTRIC LEG BAG EMPTIER 2 ALLOWS THE USER TO DRAIN HIS/HER LEG BAG WITHOUT ASSISTANCE. THIS PACKAGE INCLUDES A 24V ELECTRIC PINCH VALVE WITH MANUAL RELEASE TAB THAT IS USUALLY STRAPPED AROUND THE USER'S ANKLE, THOUGH IT CAN BE MOUNTED ON A FOOTPLATE. A DRAIN TUBE EXTENSION THAT IS ATTACHED TO THE LEG BAG DRAIN TUBE IS PINCHED BY THE VALVE. THE LB2 VALVE DOES NOT REQUIRE INTERNAL CLEANING. THE SYSTEM INCLUDES A MOMENTARY TOGGLE SWITCH THAT CAN BE MOUNTED ANYWHERE ON THE WHEELCHAIR TUBING, AND A FUSED BATTERY CABLE. THE SWITCH AND VALVE INCLUDE QUICK DISCONNECT ANDERSON CONNECTORS SO THAT THE WHEELCHAIR FRONT RIGGING AND ARMS CAN BE REMOVED FOR TRANSFER AFTER THE SYSTEM IS INSTALLED. THE LEG BAG DRAIN TUBE EASILY THREADS THROUGH THE PINCH VALVE. LEG BAG AND FRONT RIGGING ARE NOT INCLUDED. KITS FOR CONTROLLING ELECTRIC LEG BAG EMPTIERS BY AN ECU SYSTEM ARE AVAILABLE AT ADDITIONAL COST. PRICE INCLUDES 6 MONTH WARRANTY. CONTACT THE FACTORY FOR MORE INFORMATION.

B8046 24 TO 12/5PC. 24V TO 12V/5V POWER CONVERTER (5A MAXIMUM LOAD). CONVERTS 24 VOLTS DC TO 12 VOLTS DC AND 5 VOLTS DC, PROVIDING UP TO 5 AMPS OF POWER. THIS ALLOWS SOME 12 AND 5 VOLT ACCESSORIES TO BE INSTALLED ON THE WHEELCHAIR OR CART. INCLUDES ONE ROUND 12V CONNECTOR AND TWO 5V USB CHARGING PORTS.

B8063 GUN MOUNT. HEIGHT & ANGLE ADJUSTABLE GUN MOUNT WITH RIFLE REST. INCLUDES CENTER MOUNT SQUARE RECEIVER WELDED UNDER SEAT SO GUN MOUNT CAN EASILY BE ATTACHED AND REMOVED WHEN NOT BEING USED. HEIGHT ADJUSTABLE, ANGLE ADJUSTABLE AND UNIVERSAL FOR LEFT AND RIGHT HANDED SHOOTERS.

B8083 TOOL KIT. TOOL KIT. INCLUDES COMMON TOOLS USED TO MAKE ADJUSTMENTS AND MINOR REPAIRS ON CHAIR.

B8091 MIRROR. REAR VIEW MIRROR. THIS DETACHABLE REAR VIEW MIRROR HAS A WIDE ANGLE CONVEX HEAD THAT ALLOWS USERS TO SEE TO THE REAR WITHOUT TURNING THEIR HEAD. IT INCREASES SAFETY IN TRAFFIC AND IS ALSO HANDY WHEN BACKING INTO OR OUT OF ELEVATORS. THE MIRROR COMES WITH A QUICK DETACH BRACKET.

B8127 WC JACK. WHEELCHAIR JACK. USED TO LIFT REAR OF THE WHEELCHAIR IN THE AIR TO CHANGE TIRES OR WHEELS.

B8132 SW MOUNT BAR. SWITCH MOUNT BAR FOR ACCESSORY SWITCHES. FOR USE ON CHAIRS WITH SELF-SUPPORTING ARMS AND HAS EITHER POWER SEATING SYSTEM SWITCH CONTROLS OR ACCESSORY CONTROLS. SPECIFY LEFT OR RIGHT SIDE MOUNT.

SEAT POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

CAUTION! DO NOT USE AS SEAT BELTS OR RESTRAINTS IN LICENSED VEHICLES. POSITIONING STRAPS ARE TO BE USED ONLY FOR HOLDING USER IN POSITION WHILE DRIVING THE WHEELCHAIR.

B8211 PS CUS S. CUSTOM SEAT MOUNT POSITIONING STRAP (SPECIFY BUCKLE TYPE AND LENGTH). REQUIRED FOR ANY POSITIONING STRAP THAT IS NOT 45" OR 60" LONG. SPECIFY BUCKLE TYPE AND LENGTH.

CHEST POSITIONING STRAPS (Do not use as seat belts in motor vehicles)

WARRANTIES AND SPECIAL SERVICE OPTIONS

STANDARD WARRANTIES

B9032 BB PWC WAR. BIG BOUNDER POWER WHEELCHAIR STANDARD WARRANTY. ONE YEAR WARRANTY ON ENTIRE BIG BOUNDER POWER WHEELCHAIR. FIVE YEAR H-FRAME BASE WARRANTY. TWO YEAR H-FRAME SEAT WARRANTY. FIVE YEAR SUPER TORQUE MOTORS AND BRAKE DRIVE TRAIN WARRANTY (INCLUDES

Stk# Note

MOTORS, BRAKES, DRIVE WHEELS AND DRIVE WHEEL SPROCKETS, BUT EXCLUDES DRIVE CHAINS, TIRES, MOTOR SPROCKETS, INNER TUBES AND BEARINGS). THIS IS A LIMITED WARRANTY AND SOME RESTRICTIONS APPLY.

EXTENDED WARRANTIES

B9101 EL2 EWAR. EXTEND ELECTRONICS WARRANTY TO 2 YEARS. FOR BOUNDER AND BIG BOUNDER CHAIRS ONLY. ALREADY INCLUDED ON BOUNDER PLUS CHAIRS.

SPECIAL SERVICE OPTIONS

B9301 EBO. EMERGENCY BUILD ORDER. BUILD AND SHIP CHAIR AS FAST AS POSSIBLE. CONTACT FACTORY FOR DELIVERY AND UP CHARGE.

B9302 EEC. ENGINEERING AND EVALUATION CHARGE. CHARGE FOR ENGINEERING AND EVALUATING VERY INVOLVED CUSTOM CHAIRS. CONTACT FACTORY FOR PRICING.

BIG BOUNDER 1000 ORDER/QUOTE FORM

D.081.01

21st Century SCIENTIFIC, Inc.

Page 9

20th Edition
FEBRUARY 1, 2025